1877.

QUEENSLAND.

VITAL STATISTICS, 1876.

SEVENTEENTH ANNUAL REPORT

FROM

THE REGISTRAR-GENERAL.

PRESENTED TO BOTH HOUSES OF PARLIAMENT BY COMMAND.

TO THE HONOURABLE THE COLONIAL SECRETARY.

SIR,

I have the honour to submit to you my Report on the Registration of Marriages, Births, and Deaths, for the year 1876, this being the Seventeenth Annual Report on Vital Statistics in Queensland.

The Tables in Appendix A, from 1 to 25, are prepared under the direction of the Deputy Registrar-General, Mr. Blakeney. They exhibit, I think, very clearly and fully all the information that can be required on the Vital Statistics of the Colony. This Report is intended as an analysis of the general tables, in which I have tried to present the more important particulars in a readable form, with the assistance of some additional smaller tables.

In the last Report of the Registrar-General of England special attention was called to the increasing importance which is attached to the series of facts contained in the Vital Statistics of the Empire, as a guide to the political student, and in the solution of many social problems in which Britain, "the mother of so many colonies," is deeply interested. In many of the other great countries of the world too, the doctrines of population are now highly valued, and attention is becoming fully aroused to the carrying out of a great system of higyenic observation. The weekly table of mortality, which is an old London institution greatly improved of late years, now includes returns from the principal cities of our Indian Empire, the capitals of most of the European nations, from Alexandria in Africa, and from the large cities of the United States of America. These are published weekly in London, the deaths from preventible causes being distinguished from those otherwise arising. "Thus," says the Report, "observers like watchmen on the walls are ever on the look out, so that we see exactly what is going on, and neither plague, cholera, nor any other great epidemic can take the nation by surprise."

Our own more recent experience in Queensland will dispose us fully to assent to the gravity of these remarks, and to admit the necessity there is for watchfulness, if we desire to maintain in this part of the great Empire the character for healthfulness which Australia has hitherto possessed.

It has been pointed out particularly in the more recent reports on our Vital Statistics how the increasing mortality in the general population of Queensland has been confined principally to the larger towns, and has been augmented specially by the higher death-rate of the Metropolis; and on this ground it has been thought desirable, as a means of keeping this continually under public notice, to publish monthly returns of the Vital Statistics of Brisbane and the suburbs.

Considerable variations will be observed in the number of registrations in the monthly returns. These cannot be made to exhibit the exact number of deaths actually occurring in each month of the year, because some delay in registration is allowed by law, for the convenience especially of persons resident in country places; but compared, as these monthly returns are, with the corresponding months of the previous year, the record is on the whole a safeguard, and has its special value in keeping up public attention to a subject of vital importance; for, as it has been well said, "It is not with these events a mere question of money, or of fluctuations of prosperity that come and go, but of life itself."

The opinion has been expressed that a million of money expended in a thorough system of drainage, and other sanitary works, would be a most valuable investment in either of the great capitals of Australia; and the observation of many years in some of the countries of Europe, fully demonstrates the immediate connection between a lessened mortality and a large expenditure in such works.

The reports of Dr. Buchannan on the effects of sanitary works in diminishing the mortality in many large towns of Great Britain was alluded to in the last Queensland Report on Vital Statistics, and the Registrar-General of England in his report, since received, while alluding to Dr. Buchannan's investigations, says that "he has himself thought it well, with the observation of thirty years before him, to inquire especially into the connection between great reductions in the mortality and genuine sanitary works. The result is decisive; there remains no question that the increased salubrity of several towns and districts is due to sanitary measures. Where no such effects follow improvements, the improvement is only apparent, or the works are imperfect."

REGISTRATION.

The number of names enrolled in the Registers during the year is 13,158, that is, there were the names of 2,788 men and women together placed in the marriage registers,* 6,903 persons in the birth registers, and 3,467 in the death registers.

The proportions of births, marriages, and deaths were as follows:—

Births	1 to 26 living.
Persons married	1 to 66 ,,
Deaths	1 to 53 ,,

Or, this may be expressed with more exactness as follows:—

Birth-rate	3·74 per cent.
Marriage-rate, persons	1·51 ,,
Mortality on population	1·88 ,,

* The number of names given in the Report for 1875 is 108,321, but this includes the name of bride and bridegoom as one in each marriage.

The collective number of names registered in Queensland, including births, marriages, and deaths, since separation from New South Wales, is 123,090. These are contained in Indices alphabetically arranged, which are now perfected in the permanent form from the beginning.

It was stated in the Report for 1875 that the Government had acceded to my recommendation that the Indices of names on Registers which then required putting into a permanent shape from the year 1873 should be printed, as they are in England. This work is now complete, affording accommodation to the public for reference in the easiest possible form, and obviating all apprehension of the evil that might have arisen by the loss by fire or from the mutilation of these documents.

A copy of the printed Indices from the beginning of 1874 now furnished to each of the Registrars throughout the colony will prove a great public accommodation, each of the 52 Registry Offices in the country being thus furnished with the means of supplying information concerning any entry of marriage, birth, or death from the beginning of the year 1874, in the same way as this can be supplied by the complete Index in the manuscript and printed form from the beginning. It appears very desirable, though it would involve some expense, that this work should be perfected by having the Indices printed from the year 1860 to the end of 1873, so that the greatest facility could be afforded for searches, and for giving certified copies of entries in every Registry Office in the colony.

The fees for the year collected in the General Registry Office* are as follows:—

48 searches for births and deaths, at 5s. ...	£12	0	0
37 searches for marriages, at 2s.	3	14	0
257 certified copies of entries, at 2s.... ...	25	14	0
65 fines for late registration, at 2s. 6d. ...	45	12	6
	£87	0	6

£1295
3
Purple Room
Do Part
2 vols.

oes not appear to be any good reason for making the fees for searches for marriages less than for searches for births and deaths, nor is it plain why certified copies of entries should be charged two shillings only, while searches for births and

ible that when the Acts are
e altered to an equal charge of
ings and sixpence for certified
shilling for searches, and two

Cutter please watch
Margin on tail.

carried out in the colony are
at the beginning of Appendix
ics for a period of 21 years,

nber in each year, males and
imal ratio of increase during
ales to each 100 males in the
year arising from excess of
among females; and the total
population in the same way, shown numerically and centesimally.

Secondly, the mean population of each year, that is, as nearly as it can be estimated, the population in the middle of each year, and its numerical and centesimal increase.

Thirdly, the number of births, males and females, their proportion to the mean population of the years, and their numerical and centesimal increase; also the number of female births to each 100 male births.

* The fees payable under the Acts 19 Vic. No. 34, and 28 Vic. No. 15, excepting only those for late registration, are retained by the District Registrars, who are paid only by the fees they are authorised to charge.

The collective number of names registered in Queensland, including births, marriages, and deaths, since separation from New South Wales, is 123,090. These are contained in Indices alphabetically arranged, which are now perfected in the permanent form from the beginning.

It was stated in the Report for 1875 that the Government had acceded to my recommendation that the Indices of names on Registers which then required putting into a permanent shape from the year 1873 should be printed, as they are in England. This work is now complete, affording accommodation to the public for reference in the easiest possible form, and obviating all apprehension of the evil that might have arisen by the loss by fire or from the mutilation of these documents.

A copy of the printed Indices from the beginning of 1874 now furnished to each of the Registrars throughout the colony will prove a great public accommodation, each of the 52 Registry Offices in the country being thus furnished with the means of supplying information concerning any entry of marriage, birth, or death from the beginning of the year 1874, in the same way as this can be supplied by the complete Index in the manuscript and printed form from the beginning. It appears very desirable, though it would involve some expense, that this work should be perfected by having the Indices printed from the year 1860 to the end of 1873, so that the greatest facility could be afforded for searches, and for giving certified copies of entries in every Registry Office in the colony.

The fees for the year collected in the General Registry Office* are as follows:—

48 searches for births and deaths, at 5s. ...	£12	0	0
37 searches for marriages, at 2s.	3	14	0
257 certified copies of entries, at 2s.... ...	25	14	0
365 fines for late registration, at 2s. 6d. ...	45	12	6
	£87	0	6

There does not appear to be any good reason for making the fees for searches for marriages less than for searches for births and deaths, nor is it plain why certified copies of entries should be charged two shillings only, while searches for births and deaths are charged five shillings. It appears desirable that when the Acts are amended for other purposes the scale of fees should be altered to an equal charge of two shillings and sixpence for searches, and three shillings and sixpence for certified copies of entries. The charges in England are one shilling for searches, and two shillings for certified copies of entries.

The whole results of the system of registration carried out in the colony are shown in the most condensed form in the large table at the beginning of Appendix A, which presents also a synopsis of the Vital Statistics for a period of 21 years, from 1856 to 1876 inclusive. This shows:

First, the total population to the 31st of December in each year, males and females, with annual numerical increase; the centesimal ratio of increase during the period, males and females; the proportion of females to each 100 males in the total population; the increase of population in each year arising from excess of births over deaths among males, and the same among females; and the total population in the same way, shown numerically and centesimally.

Secondly, the mean population of each year, that is, as nearly as it can be estimated, the population in the middle of each year, and its numerical and centesimal increase.

Thirdly, the number of births, males and females, their proportion to the mean population of the years, and their numerical and centesimal increase; also the number of female births to each 100 male births.

* The fees payable under the Acts 19 Vic. No. 34, and 28 Vic. No. 15, excepting only those for late registration, are retained by the District Registrars, who are paid only by the fees they are authorised to charge.

Fourthly, the deaths in the same way.

Fifthly, the infantile mortality, showing deaths of young children at several period of age, with numerical and centesimal increase or decrease of such deaths, and their proportion to the mean population of each year; also the true infantile mortality, shown by the proportion of the deaths of children under one year to the total births.

Sixthly, the marriages, showing the churches under the rites of which such marriages were celebrated; the number married in the Registry Offices; the numerical increase or decrease in the total number of marriages; and the centesimal proportion of total marriages to the mean population of the years.

A full detail of the particulars of births, marriages, and deaths as registered in 1876 is contained in the remainder of the tables in Appendix A, from numbers 1 to 25 inclusive.

In Appendix B will be found the names of the Registry Districts, which last year were made identical with the Census Districts throughout the colony, and which, it is thought, will not require to be changed except as population advances, by subdivision, within their outside boundaries as now determined; also, the names and addresses of all the Registrars of the 52 districts into which the territory is now divided.

The Report of the Meteorological Observer, with 13 tables containing a variety of particulars of temperature, rainfall, &c., in several localities, are contained in Appendix C, and are important in connection with the vital statistics of the country.*

In reading the tables in Appendix A, it will be borne in mind that the calculations showing increases, decreases, and proportions, unless otherwise stated, are based upon the estimated mean population of the year, which in 1876 is given in Table I. as 184,194.

POPULATION.

The population of Queensland to December, 1876, as seen by Table I., in Appendix A, is estimated at 187,100, consisting of 113,883 males and 73,217 females.†

The smallness of the increase as here shown over the estimated population of 1875, numbering only 5,812, arises from the necessity of allowing for what appears to have been a loss by emigration over immigration across the border during the five years since the census enumeration of 1871.

The increase by immigration over emigration by sea is very nearly ascertained, each year, without difficulty; it had been supposed that arrivals and departures across the border about balanced each other, and this had been proved to be the case by each census enumeration until the last. It would appear, however, by the census returns of 1876, that during the five years since the previous census there must have been a balance against us from emigration into the neighbouring colony overland: this not having been anticipated caused an over estimate of population given in the Vital Statistics from year to year since 1871, which has now to be allowed for.

It is possible, owing to the circumstances connected with "the rush" to the Hodgkinson gold-fields immediately before the census enumeration, and the consequent entire derangement of the first arrangements of Mr. Warden Selheim for the enumeration under his direction in the Palmer District, which he reported, that there might have been a considerable under-estimate of the population in that locality; but otherwise the census returns must be considered to be correct, the details of the work having been under the direction, in most of the districts, of the same enumerators as on the previous occasion, and their returns, with the diaries of the collectors, evidencing great care in the performance of the work of enumeration throughout the colony.

The following table will more fully show why, in the estimated population for 1876, the increase appears considerably smaller than usual. It gives the numbers as returned in the census schedules on the 1st of May, with the usual addition of $2\frac{1}{2}$

* Although the Meteorological Observer's tables and report have already been issued as a separate document, they are now published, as usual, with the Vital Statistics, in accordance with one of the resolutions of the Conference of the Statisticians of the Australian Colonies, held some few years since in Tasmania, that a Meteorological Observer's Report should be published in connection with the Vital Statistics of each Colony.

† The Preliminary Statement on Vital Statistics published in April, subject to correction, showed 187,003. The increase by excess of immigration over emigration by sea could not then be precisely ascertained from the Customs Department.

per cent. for omissions in collecting, and the increase from excess of births over deaths, and from immigration over emigration by sea, between the taking of the census in May and the end of the year :—

A.

SHOWING INCREASE to POPULATION by EXCESS of BIRTHS over DEATHS, and IMMIGRATION over EMIGRATION, from the 1st of May to the 31st December, 1876, and in each subsequent Quarter of the Year.

—	Males.	Females.	Persons.	Total Natural Increase.	Total Increase by Immigration over Emigration.
Population on 1st May, as shown by Census	105,009	68,274	173,283		
Plus 2½ per cent. added in the usual way for omissions in collecting	2,625	1,707	4,332		
Increase by excess of Births over Deaths from 1st of May to 30th of June	211	354	565	565	
Increase by excess of Immigration over Emigration by Sea from the 1st of May to 30th of June	2,379	526	2,905	...	2,905
POPULATION ON THE 30TH OF JUNE	110,224	70,861	181,085		
INCREASE OF POPULATION DURING THE PERIOD	2,590	880	3,470		
THIRD QUARTER.					
Population on the 1st July	110,224	70,861	181,085		
Increase by excess of Births over Deaths during the Quarter	541	632	1,173	1,173	
Increase by excess of Immigration over Emigration by Sea during the Quarter	1,111	628	1,739	...	1,739
POPULATION ON THE 30TH SEPTEMBER	111,876	72,121	183,997		
INCREASE OF POPULATION DURING THE QUARTER	1,652	1,260	2,912		
FOURTH QUARTER.					
Population on the 1st October	111,876	72,121	183,997		
Increase by excess of Births over Deaths during the Quarter	289	510	799	799	
Increase by excess of Immigration over Emigration by Sea during the Quarter	1,718	586	2,304	...	2,304
POPULATION ON THE 31ST DECEMBER, 1876	113,883	73,217	187,100		
INCREASE OF POPULATION DURING THE QUARTER	2,007	1,096	3,103	2,537	6,948
INCREASE OF POPULATION DURING THE PERIOD FROM THE 1ST MAY TO 31ST DECEMBER, 1876	6,249	3,236	9,485		

It will be seen from the following table that the actual total increase from excess of births over deaths and of immigration over emigration by sea in 1876 was 15,572. The increase since May 1st, shown in table A, is 9,485, the difference being 6,087, which was the increase before May. The population to December, 1875, having been estimated at 181,288, the actual increase for the year would have brought it to 196,860 in December, 1876; but to allow for the difference as found by the census enumeration in May, 9,760 must be deducted, giving 187,100 as the estimated population of 1876, only 5,812 over the estimated number to the end of the previous year.

A 2.

SHOWING INCREASE in POPULATION in 1876 by EXCESS of BIRTHS over DEATHS, and IMMIGRATION over EMIGRATION, in each Quarter of the Year.

—	Males.	Females.	Persons.	Total Natural Increase.	Total Increase by Immigration over Emigration.
FIRST QUARTER.					
Estimated Population on the 1st January	111,272	70,016	181,288		
Increase by excess of Births over Deaths during the Quarter	172	475	647	647	
Increase by excess of Immigration over Emigration by Sea during the Quarter	3,201	650	3,851	...	3,851
POPULATION ON THE 31ST MARCH	114,645	71,141	185,786		
INCREASE OF POPULATION DURING THE QUARTER	3,373	1,125	4,498		
SECOND QUARTER.					
Population on the 1st April	114 645	71,141	185,786		
Increase by excess of Births over Deaths during the Quarter	288	527	815	815	
Increase by excess of Immigration over Emigration by Sea during the Quarter	3 690	552	4,242	...	4,242
POPULATION ON THE 30TH JUNE	118,623	72,220	190,843		
INCREASE OF POPULATION DURING THE QUARTER	3,978	1,079	5,057		
THIRD QUARTER.					
Population on the 1st July	111,623	72,220	190 843		
Increase by excess of Births over Deaths during the Quarter	542	633	1,175	1,175	
Increase by excess of Immigration over Emigration by Sea during the Quarter	1,111	628	1,739	...	1,739
POPULATION ON THE 30TH SEPTEMBER	120,276	73,411	193,757		
INCREASE OF POPULATION DURING THE QUARTER	1,653	1,261	2,914		
FOURTH QUARTER.					
Population on the 1st October	120,276	73,481	193,757		
Increase by excess of Births over Deaths during the Quarter	289	510	799	799	
Increase by excess of Immigration over Emigration by Sea during the Quarter	1,718	586	2,304	...	2,304
POPULATION ON THE 31ST DECEMBER, 1876, AS IT WOULD HAVE APPEARED	122,283	74,577	196,860		
INCREASE OF POPULATION DURING THE QUARTER	2,007	1,096	3,103		
INCREASE OF POPULATION DURING YEAR	11,011	4,561	15,572	3,436	12,136

The figures may be put very simply as follows:—

Estimated population to December, 1875 ...	181,288	
Add—		
Total increase to May 1st, 1876	6,087	
		187,375
Deduct—		
Population as found by Census	173,283	
Plus 2½ per cent. added in the usual way for omissions	4,332	
		177,615
Difference, supposed loss by overland emigration since 1871		9,760
Deduct from—		
Actual total increase for 1876		15,572
Estimated increase for 1876, as shown ...		5,812
Add to—		
Estimated population for 1875		181,288
Estimated population for 1876		187,100

Taking, then, the actual increase of population during the year, viz., 15,572, the increase from excess of births over deaths is 3,436, that from immigration over emigration by sea is 12,136. The rate per cent. of total increase is smaller than in the previous year, being 8·58 over estimated population to December, as against 10·87 in 1875. The excess of births over deaths is larger, and the percentage of deaths to population is smaller in 1876 than in the previous year, and thus the proportion of natural increase is larger than in the former year, being 1·89 per cent. as against 1·59 in 1875; but the smaller percentage of total increase is caused by a considerably smaller proportion of increase by immigration over emigration by sea, which is 6·69 per cent. only, as against 9·28 in 1875.

PROPORTION OF THE SEXES.

The increase of 15,572 consists of 11,011 males and 4,561 females, the natural increase being 3,436, consisting of 1,291 males and 2,145 females; that from immigration numbering 12,136, consisting of 9,720 males and 2,416 females, these being in the proportion of 0·71 per cent. of natural increase of males over the whole estimated population to December, 1875, as against 0·47 in the former year, and 1·18 per cent. of natural increase of females as against 1·12 in 1875; also 5·36 per cent. by immigration over emigration of males as against 7·74 in 1875, and 1·33 per cent. by immigration over emigration of females as against 1·54 in 1875. These proportions will be seen more plainly as follows:—

ACTUAL INCREASE.

	Natural Increase, or excess of Births over Deaths, in 1876.		Ratio of Increase over whole population, as estimated for 1875.	
Males	1,291	...	0·71	
Females	2,145	...	1·18	
	3,436			1·89
	Immigration increase, or excess of the number of immigrants over emigrants, in 1876.			
Males	9,720	...	5·36	
Females	2,416	...	1·33	
	12,136			6·69
	15,572			8·58

The number of births of males and females being pretty nearly equal, and the number of males in the population being considerably greater than that of females, the mortality of both being nearly proportionate, it follows that the deaths of males will considerably exceed those of females, and the natural increase or

excess of births over deaths will be in a smaller proportion among males than among females. This should be borne in mind in comparing the figures above given for 1876, with the following for 1875:—

	Natural Increase in 1875, or excess of Births over Deaths.		Ratio of Increase over whole population, as estimated December, 1874.	
Males	761		... 0·47	
Females	1,841		... 1·12	
		2,602		1·59
	Immigration Increase, or excess of the number of immigrants over emigrants.			
Males	2,651		... 7·74	
Females	2,518		... 1·54	
		15,169		9·28
		17,771		10·87

The ratio of increase of males during the year over the estimated number of males in December, 1875, is 9·89 as against 13·7 in 1875, over the former year. This difference is caused chiefly by a smaller immigration of the coloured class, which is always composed almost entirely of males, the ratio of increase of males from immigration on the whole population as seen above being only 5·36 as against 7·74 in 1875. The disproportion of the sexes is thus a little lessened during the year.

The ratio of total increase of females in 1876 over the number of females as estimated in December of the previous year is 6·5, as against 6·6 in 1875.

Unless otherwise shown, all further comparisons of increase, decrease, or proportions for the year in these statistics are based upon the population for the middle of the year, this being obtained by taking half the sum of the estimated number at the beginning and end of the year. The mean population for 1876, given as 184,194, is not strictly exact, because the numbers at the end of the previous year had been over-estimated, as found by the census; but it has been thought best to show this in the usual way, which in this case is the mean between the figures as estimated at the beginning and, as more nearly ascertained, at the close of the year.

The synoptical table in Appendix A gives the proportion of the sexes as it has been there shown from year to year from 1857, giving the proportion of females to each 100 males, the comparison being based not upon the mean but upon the whole population. The figures are as follows:—

B.

Showing the Proportion of Females to 100 Males.—Return for Fifteen Years, 1862 to 1876.

Year.	Males.	Females.	Proportion of Females to every 100 Males, in Estimated Population to December, 1876.
1862	27,186	17,891	62·14
1863	37,579	24,061	64·03
1864	45,516	28,520	62·66
1865	53,316	34,488	64·69
1866	57,307	38,894	67·87
1867	59,836	40,013	66·87
1868	65,843	41,584	63·12
1869	66,571	43,326	65·09
1870	69,629	45,938	66·29
1871	74,622	50,524	67·70
1872	79,618	53,935	67·74
1873	87,154	59,536	68·31
1874	97,860	65,657	67·09
1875	111,272	70,016	62·92
1876	113,883	73,217	64·29

The increased proportions of females to males shown for 1876 results partly from the larger number of females born during the year compared to the whole number of females in the population, as compared to the number of males born to the whole number of males, the natural law of a nearly equal number of male and female births tending to equalise the sexes; but this lessened disproportion of the sexes as seen for 1876 is chiefly the result, as before shown, of a smaller emigration

during the year, especially of the coloured class, which consists almost entirely of the male sex. The proportions of Chinese, Polynesian, and other emigration in the last and preceding years will be seen as follows:—

	1875.		1876.
Increase to population from excess of immigration over emigration—			
Chinese	5,166	...	4,314
Polynesians	2,259	...	972
	7,425	...	5,286
Others, chiefly Europeans... ...	7,744	...	6,850
Total increase from immigration over emigration by sea	15,169	...	12,136

Notwithstanding the slight improvement observable during the past year, it is to be feared that the inundation of Chinese to which we are subjected by the attraction of this class to our northern gold-fields will speedily increase the evil of the disproportion of the sexes which has existed from the beginning of our history, and which it is to be regretted even our European immigration assists in maintaining. In this respect we compare very unfavourably with the other Australian colonies, where more care has been bestowed in balancing the foundations of the social fabric in this most vital particular. In South Australia there is a near approach to the natural order of things as existing in long-settled countries, the proportion of the sexes being nearly equal, showing 91·61 females to 100 males. In Victoria the disproportion is greater, showing 79·60. In New South Wales there are 80·76 females to every one hundred males.

The following table will be useful, showing a return for fifteen years, from 1862 to 1876, of the excess of births over deaths, and of immigration over emigration, males and females, with centesimal ratio of increase to the population to the end of each year, with the proportion of females to males in total increase:—

C.

SHOWING excess of BIRTHS over DEATHS, and of IMMIGRATION over EMIGRATION.—RETURN for 15 Years, 1862 to 1876.

Year.	Population on the 31st December.	EXCESS OF BIRTHS OVER DEATHS.				Year.	EXCESS OF IMMIGRATION OVER EMIGRATION.				Total increase to Population to 31st December.	Centesimal ratio to total Population to 31st December.	Proportion of Females to Males in total increase.
		Males.	Females.	Total.	Centesimal ratio to Population to 31st December.		Males.	Females.	Total.	Centesimal ratio to Population to 31st December.			
1862	45,077	387	518	905	2·63	1862	5,988	3,817	9,805	28·53	10,710	31·16	68·00
1863	61,640	296	650	946	2·09	1863	8,534	5,155	13,689	30·37	*16,563	36·74	65·74
1864	74,036	572	865	1,437	2·33	1864	7,365	3,594	10,959	17·77	12,396	20·01	56·18
1865	87,804	807	992	1,799	2·43	1865	6,993	4,976	11,969	16·17	13,768	18·60	76·51
1866	96,201	692	1,073	1,765	2·01	1866	3,299	3,333	6,632	7·55	8,397	9·56	110·37
1867	99,849	1,187	1,544	2,731	2·84	1867	1,342 less decrease in Females 425 = 917	...	917	0·95	3,648	3·79	44·24
1868	107,427	1,102	1,559	2,661	2·66	1868	4,135	152	4,287	4·29	†7,578	7·59	32·67
1869	109,897	1,263	1,630	2,893	2·69	1869	...	...	‡	...	2,470	2·29	...
1870	115,567	1,495	1,765	3,260	2·96	1870	1,563	847	2,410	2·19	5,670	5·16	85·41
1871	125,146	1,484	1,936	3,420	2·96	1871	2,230	1,129	3,359	2·88	§9,579	8·20	82·53
1872	133,553	1,382	1,947	3,329	2·66	1872	3,614	1,464	5,078	4·05	8,407	6·71	68·27
1873	146,690	1,574	1,896	3,470	2·60	1873	5,963	3,704	9,667	7·24	13,137	9·84	74·30
1874	163,517	1,503	2,086	3,589	2·44	1874	9,203	4,035	13,238	9·02	16,827	11·47	57·17
1875	181,288	761	1,841	2,602	1·59	1875	12,651	2,518	15,169	9·28	17,771	10·87	32·50
1876	187,100	1,291	2,145	3,436	1·84	1876	9,720	2,416	12,136	6·49	‖5,812	‖3·11	‖122·60

‡ In this Year there was an excess of Departures of 423.

* NOTE.—In addition to the increase by Births over Deaths, and Immigration over Emigration, the Census taken 1st January, 1864, showed a further addition of 1,928, being the difference between the estimated population and that ascertained by Census.

† In this year, also, the Census taken added 630 to the estimated population.

§ In this year, also, the Census taken added 2,800 to the estimated population.

‖ The increase here shown is after deducting the difference between estimated population, and the smaller number as ascertained by Census.

It will be seen that, in 1866, the proportion of females to males in the total increase was very large, being 110·37. During that year there was a large European immigration, the Polynesian influx not having commenced. It is found that in the

year 1866 the excess of arrivals over departures shows a greater number of females than of males. In 1868 the proportion of females to males in the total increase fell to 32·67. In this year there was a considerable immigration of Polynesians. In 1870 the proportion again rises to 85·41. The number of Polynesians, that is, the excess of arrivals over departures, in this year was smaller than in any other. Again, in 1875 the proportion of females to males in the total increase had fallen to 32·50, this being the effect of the large immigration of that year, including 7,425 of the coloured races, composed almost exclusively of males.

The rate per thousand of marriages, births, and deaths to mean population for ten years, from 1867 to 1876, will be seen in the following table, which also shows excess of births over deaths in each year numerically and centesimally, and the number of males which have been born and have died to every one hundred females. As before observed, the births of both sexes are nearly equal, but the larger proportion of males to population, the deaths of both sexes being about proportionate, gives a much larger number of deaths of males than of females :—

D.

MARRIAGES, BIRTHS, and DEATHS.—RETURN for TEN YEARS.

Year.	Persons Married.	Births.			Deaths.			Rate per 1,000 of Mean Population.			Excess of Births over Number of Deaths.		Males to every 100 Females.	
		Males.	Females	Persons.	Males.	Females	Persons.	Persons Married.	Births.	Deaths.	Number.	Per cent.	Born.	Died.
1867 ...	1,870	2,275	2,201	4,476	1,088	657	1,745	19·08	45·66	17·80	2,731	156·5	103·4	165·6
1868 ...	1,726	2,267	2,193	4,460	1,165	634	1,799	16·64	43·03	17·36	2,661	147·9	103·4	183·7
1869 ...	1,806	2,412	2,242	4,654	1,149	612	1,761	16·62	42·83	16·21	2,893	164·3	107·6	187·7
1870 ...	1,758	2,555	2,350	4,905	1,060	585	1,645	15·58	43·51	14·59	3,260	198·1	108·7	181·2
1871 ...	1,940	2,676	2,529	5,205	1,192	593	1,785	16·12	43·25	14·83	3,420	191·6	105·9	201·0
1872 ...	2 250	2,620	2,645	5,265	1,238	698	1,936	17·38	40·70	14·97	3,329	171·9	99·0	177·3
1873 ...	2,708	2,945	2,775	5,720	1,371	879	2,250	19·32	40·82	16·06	3,470	154·2	106·1	156·0
1874 ...	3,280	3,280	3,103	6,383	1,777	1,017	2,794	17·27	41·15	18·01	3,589	128·4	105·7	174·7
1875 ...	2,974	3,419	3,287	6,706	2,658	1,446	4,104	17·25	38·89	23·80	2,602	63·4	104·0	183·8
1876 ...	2,788	3,540	3,363	6,903	2,249	1,218	3,467	15·14	37·48	18·82	3,436	99·11	105·3	184·6
Total for 10 Years	22.500	27,989	26,688	54,677	14,947	8,339	23,286	...	...	...	31,391			

Mean of 10 Years—

Marriage rate ... ... 16·98
Birth rate ... ... 41·28
Death rate ... ... 17·53

NOTE.—The mean Marriage-rate as given for the 10 years ending in 1875 was 17·84. The mean Birth-rate, 42·47. The mean Death-rate, 17·93.

It will be seen that the mean rates per thousand of mean population from 1867 to 1876 inclusive were as follows :—

Marriage-rate (persons)			...	16·98
Birth-rate	...	...	...	41·28
Death-rate	...	...	...	17·58

The mean marriage-rate, as given for the previous ten years ending 1875, was 17·84, the mean birth-rate 42·47, the mean death-rate 17·93.

MARRIAGES.

The persons married during the year 1876 numbered 2,788. The number registered in the previous year was 2,974, so that with an increase of population of 15,572 there is a decrease in the number of persons married of 186.

Marriage Rate.—The rate of marriages for the year has been 15·14 per thousand of persons married to mean population. This is lower than for previous years, that for 1875 having been 17·25, and the average rate for ten years ending 1876 being 16·98.

Considering that a large proportion of our population in the Australian colonies is composed of the young and middle aged, with comparatively few persons in advanced life, the marriage-rate might reasonably be expected to be higher than in England and Wales ; this, however, is not the case as far as the older Australian colonies are concerned, for though in this respect we have an advantage, this is more than counterbalanced by the disproportion of the sexes in the small proportion of females. The mean average marriage-rate in England and Wales for a period of

upwards of thirty years, ending 1871, of persons married, was 16·5 per thousand of mean population. The rates in each of the Australian colonies are thus given in the Australian Year Book of 1875.

	Persons to 1,000 of mean population, mean from 1865 to 1875, 11 years.
Victoria ... ... 6·58 ...	13·16
New South Wales ... ... 7·90 ...	15·80
Queensland ... ... 9·13 ...	18·26
South Australia ... ... 7·69 ...	15·38
Western Australia, mean for 4 years 6·52 ...	13·04
Tasmania ... ... 6·33 ...	12·66
New Zealand ... ... 8·57 ...	17·14

In reference to these figures the author of the Year Book remarks :—"It "will be observed that within the last few years the marriage-rate of every one of "the other colonies has been higher than that of Victoria. Taking, however, the "average of the years for which the figures are given, the Victorian rate is seen to "be a fraction higher than that of Western Australia and Tasmania, although lower "than that of any of the other colonies." The writer further observes that—"The "marriage-rate in Victoria has been declining for years past. In none of the other "Australian colonies has the marriage-rate been decreasing to a like extent, indeed "in most of them it has, within the last few years, been increasing. In all of those, "however, in which the figures are at hand, except Tasmania, the marriage-rate is "lower than it was ten years since. The marriage-rate of Victoria is lower than "that of any of the countries of which the particulars are given (European) except "Ireland. The marriage-rates of Queensland and New Zealand are, however, as "high as the rate in any of those countries."

The average marriage-rate in Queensland, even during the last ten years, is swelled by the unusually high rates obtaining in the three years, 1865, 1866, and 1867, and in looking back to 1862–4, still higher rates are found recorded, reaching to 28 persons per thousand. This was no doubt chiefly attributable to the rapidity with which our population was then increasing, not in the natural way but by immigration, in which the proportion of persons of marriageable ages considerably preponderated. Our marriage-rate is doubtless still heightened by this means, but apart from the manner in which it is affected by immigration we appear to have had a higher rate in Queensland than is found to exist in any of the other colonies of Australia, although this does not hold good of the year now under review, in which the rate is for us exceptionally low.

In older countries where the condition of the population is not liable to the disturbing elements to which it is subjected in Australia, such as changes in immigration, or the fever of gold discoveries, variations in the marriage-rate are found to be an almost certain reflection of the general commercial condition of the country. When business is prosperous and wages are high the rate at once rises, while a depressed condition of these is immediately indicated by an exactly corresponding fall in the marriage-rate. From the cause above alluded to, this social and commercial barometer cannot prove so delicate in these colonies as it is in older countries, especially in England and Wales; still it will be found that there has been a decided indication in the marriage-rate of the fluctuations of prosperity and depression to which we have been subjected during the short period of our history in Queensland, and it may be taken in proof of the general prosperity of the colony, that we have a high marriage-rate, higher than obtains in England and Wales, notwithstanding that our proportion of females to males is much smaller than in the old country, and higher than in the other Australian colonies; although in this respect, the disproportion of the sexes, we are at a considerable disadvantage, and in other respects, as affecting this question, our circumstances are very similar to theirs.

The average proportion of females to every one hundred males in England and Wales, and the principal Australian Colonies as recorded during the ten years ending 1876, is seen as follows:—

England and Wales	105·38
Victoria	81·56
New South Wales	80·95
South Australia	93·74
Queensland	65·99

The following table shows the proportion of females to males, and the number and proportion of marriages in England and Wales, and in the other Australian Colonies :—

E.

COMPARATIVE TABLE showing POPULATION to the end of the Year, NUMBER of MALES and FEMALES, ESTIMATED MEAN POPULATION; NUMBER of MALES and FEMALES, PROPORTION of FEMALES to 100 MALES; NUMBER of MARRIAGES, PERSONS MARRIED per 1,000 of MEAN POPULATION in ENGLAND and WALES, VICTORIA, NEW SOUTH WALES, SOUTH AUSTRALIA, and QUEENSLAND; RETURN for TEN YEARS.

Year.	Country.	ESTIMATED POPULATION AT END OF THE YEAR.			ESTIMATED MEAN POPULATION.			Proportion of Females to each 100 Males of the Mean Population.	Number of Marriages Registered during the Year.	NUMBER TO EVERY 1,000 OF THE MEAN POPULATION.	
		Males.	Females.	Total.	Males.	Females.	Total.			Marriages.	Persons Married.
1867	England and Wales	...	...	...	10,557,066	11,120,459	21,677,525	105·34	179,154	8·25	16·50
	Victoria	372 239	287,648	659,887	368 778	283,122	651,899	76·77	4,490	6·88	13·76
	New South Wales	248,512	199,108	447,620	244,166	195,350	439,516	80·00	3,426	7·79	15·58
	South Australia	89,991	82,869	172,860	89,132	81,875	171,007	91·86	1,379	8·06	16·12
	Queensland	59,836	40,013	99,849	58,572	39,453	98,025	67·36	935	9·54	19·08
1868	England and Wales	...	...	...	10,688,600	11,260,113	21,948,713	105·35	176 962	8·05	16·10
	Victoria	384,859	299,457	684,316	378,549	293,553	672,102	77·55	4,692	6·98	13·96
	New South Wales	260,414	206,351	466,765	254,463	202,729	457,192	79·67	3,736	8·17	16·34
	South Australia	91,347	84.951	176,298	90,669	83,910	174.579	92·54	1,286	7·37	14·74
	Queensland	65,843	41,584	107,427	62,839	40,799	103.638	64·93	853	8·32	16·64
1869	England and Wales	...	...	...	10,821,775	11,401,524	22,223,299	105·36	176,970	7·95	15·90
	Victoria	398,849	312,029	710,878	391,854	305,743	697,597	78·02	4,735	6·79	13·58
	New South Wales	271,005	214,351	485,356	265,709	210 351	476,060	79·17	3,799	7·98	15·96
	South Australia	93,860	87,286	181,146	92,604	86 118	178.722	93·00	1,211	6·78	13·56
	Queensland	66,571	43,326	109,897	66,207	42,455	108,662	64·12	903	8·31	16·62
1870	England and Wales	...	...	...	10,956,608	11,544,708	22,501,316	105·37	181,655	8·05	16 10
	Victoria	397,956	326,769	724,725	398 402	319,399	717,801	80·17	4,732	6·59	13·18
	New South Wales	280,350	222 511	502,861	275,678	218,431	494,109	79·23	3,843	7·79	15·58
	South Australia	94.928	88,869	183,797	94,394	88,078	182,472	93·31	1,260	6·91	13·82
	Queensland	69,629	45,938	115,567	68,100	44,632	112,732	65·54	879	7·79	15·58
1871	England and Wales*	...	...	22,712,266	11,093,123	11,689,689	22,782,812	105·38	190,112	8·35	16·70
	Victoria	412,009	340,436	752,445	405,382	334,140	739,522	82·42	4,693	6·35	12·70
	New South Wales	284,151	235,031	519,182	282.250	228,771	511,021	81·05	3,953	7·73	15·46
	South Australia	96,915	90,936	187,851	95,922	89,902	185,824	93·72	1,250	6·73	13·46
	Queensland	74,622	50,524	125,146	72,125	48,231	120,356	66·87	970	8·06	16·12
1872	England and Wales	...	...	...	11,231,339	11,836,496	23,067,835	105·39	201,267	8·73	17·46
	Victoria	419,903	350,824	770,727	415,956	345,630	761,586	83·09	4,791	6·29	12·58
	New South Wales	295,680	243,510	539,190	290,416	239,270	529,186	82·39	3,925	7·42	14·84
	South Australia	98,481	93,742	192,223	97,698	92,339	190,037	94·51	1,361	7·16	14·32
	Queensland	79.618	53,935	133,553	77,120	52,230	129,350	67·73	1,125	8·69	17·38
1873	England and Wales	...	...	...	11,371,273	11,985,141	23,356,414	105·40	205,615	8·80	17·60
	Victoria	430,042	360,450	790,492	424.972	355,637	780,609	83·68	4,974	6·37	12·74
	New South Wales	307.329	252,946	560,275	301,504	248,228	549,732	82·33	4,384	7·98	15·96
	South Australia	101 540	96,535	198,075	100,010	95,139	195,149	95·13	1,562	8·00	16·00
	Queensland	87,154	59,536	146,690	83,386	56,736	140,122	68·04	1,354	9·66	19·32
1874	England and Wales	...	...	...	11,512,956	12,135,653	23,648,609	105·41	202,010	8·54	17·08
	Victoria	439,159	369,278	808,437	434,600	364,864	799,464	83·95	4,925	6·16	12·32
	New South Wales	321,447	262,831	584,278	314,388	257,889	572,277	82·03	4,343	7·59	15·18
	South Australia	104.870	99,753	204,623	103,205	98,144	201,349	95·09	1,611	8·00	16·00
	Queensland	97,860	65,657	163,517	92,507	62,597	155,104	67·67	1,537	8·63	17·27
1875	England and Wales	...	...	...	11,656,400	12,288,059	23,944,459	105·42	...	...	...
	Victoria	447,148	376,124	823,272	443,154	372,701	815,855	84·10	4,985	6·11	12·22
	New South Wales	334,461	272,191	606,652	327.954	267,511	595,465	81·57	4,605	7·73	15·46
	South Australia	107 914	102,498	210,442	106,407	101,126	207,533	95·04	1,663	8·01	16·02
	Queensland	111,272	70,016	181,288	104,566	67,836	172,402	64·87	1,487	8·63	17·25
1876	England and Wales	...	...	...	11,801,633	12,442,377	24,244,010	105·43	...	...	...
	Victoria	456.463	383,837	840,300	451,806	379,980	831 786	84·10	4949	5·95	11·90
	New South Wales	347,869	281.907	629,776	341,165	277,049	618,214	81·21	4630	7·49	14·98
	South Australia	117,208	108,469	225,677	112.576	105,484	218,060	93·70	18·52	8·49	16·98
	Queensland	113,883	73,217	187,100	112,578	71,616	184,194	63·61	13 94	7·57	15·14

* Census taken, 2nd April, 1871.

NOTE.—No data as to the population of England and Wales at the end of each Year, excepting Census Year: the figures given above have been taken from the reports of the Registrar-General of England, who bases his calculations on the population as estimated to the 30th June. The mean population of Victoria, New South Wales, South Australia, and Queensland, has been arrived at by adding together the numbers at the beginning and end of the Year respectively, and dividing the sum.

Forms of Marriage.—The total number of marriages in 1876 being 93 less than the number celebrated in 1875, six out of thirteen denominations making a return, nevertheless show an increase of marriages, namely, Church of Rome, Presbyterian, Wesleyan, United Methodist Free Church, Baptist, Bible Christian. The remaining seven show a decrease, the largest falling off being in the Primitive Methodist Church, where there is a decrease of 38·95 per cent. No marriage is registered as having taken place in either the Hebrew or German Independent Churches during the year.

The decreases of marriages under the rites of the several denominations, and under the Registration and Justices Marrying Acts, are seen to be as follows :—

Church of England	17· 5
Primitive Methodist	38·95
Congregational	16·66
Particular Baptist...	57·14
Lutheran	17·39
Burnett Protestant	35·29
Registration and Justices Marrying Acts ...	24·86

F.

COMPARATIVE TABLE showing NUMBER of MARRIAGES by each DENOMINATION for the Years 1875 and 1876, and the NUMERICAL and CENTESIMAL INCREASE or DECREASE as to each.

Denomination.	Marriages in 1875.	Marriages in 1876.	Numerical Increase* or Decrease† in 1876.	Centesimal Increase or Decrease in 1876.
Church of England	360	297	†63	†17· 5
Church of Rome	313	336	*23	*7 35
Presbyterians and United Presbyterians	214	249	*35	*16·36
Wesleyan	92	109	*17	*18·48
Primitive Methodist	95	58	†37	†38·95
United Methodist Free	...	4	*4	...
Congregational	84	70	†14	†16·66
Baptist	31	41	*10	*32·26
Particular Baptist	7	3	†4	†57·14
Lutheran	92	76	†16	†17·39
Burnett Protestant	17	11	†6	†35·29
Hebrew	1	...	†1	...
German Independent	...	...	...	...
Bible Christian	4	7	*3	*75·00
Registration and Justices Marrying Acts... ...	177	133	†44	†24·86
	1,487	1,394	†93	†6·25

Table IV. of the preliminary statement shows the number of marriages in each of the Registry Districts during the year, and in each quarter of the year. The largest number took place in the first three months, when 365 marriages were registered. In the three remaining quarters the numbers are nearly equal, being 343, 342, and 344 respectively.

Ages at Marriage.—In the last Report by the Registrar-General in England, it is observed that "the marriage registers are imperfect, the precise ages of the married not being returned in a considerable number of cases." In 1855 it appears that as many as 42 per cent. of the number of persons married were thus imperfectly returned. In 1874 these cases had decreased to 25·8 per cent. On this defect in the English returns, the writer of the Report says—"This is to be regretted, for if all the ages were returned it would afford the means of determining with greater accuracy the mean age of marriage in England, the probable duration of the joint lives of husband and wife, the annual rate of marriage at different ages, and many other important social questions."

It is a comparatively easy matter to secure accuracy in this particular in Queensland, and care having been taken to avoid ambiguity, the vague terms of "full age," "minor," or "under age" are rarely found in our registers, but in almost every case the ages of both husband and wife are given.

Table VI. in Appendix A shows the ages in each case of the husbands and wives for the year under review, excepting only one, in which the age is unspecified. The figures at the foot of each column show the number of wives married at the ages placed at the head of each, figures being placed opposite to ages of husbands showing how many wives of such ages were married to husbands of the ages thus indicated. Thus, the first column shows that two females were married at the age of 14, and that the ages of the husbands were 30 and 32 respectively. In a similar way, at the end of each line is shown the number of husbands married at the ages placed at the beginning of the line, the number of males being placed in the column under the ages of women, showing how many men of that age were married to wives of the ages thus indicated. Thus the first line shows that two husbands were married at 17 years, and that their wives were aged 16 and 22 respectively.

The highest age at marriage among the males is 64, one being recorded at this period. The lowest age of husbands is 17, two being registered as married at that age. The greatest number of men were married at the age of 23 years.

Among the females one was married at the age of 65 years. The lowest age of wives is 14, two having been married at that early age. The favourite age for females to marry seems to be 21 years, as many as 253 having given that as their age when this important event of their lives occurred, and the greatest number of females during the year are thus registered as married at 21 years of age. The much smaller number at 20 and at 22 years suggests the suspicion that the ages of a number of those stated to be 21 might have been more correctly given as of a tenderer age, but for the law which does not allow of the marriage of minors without the formal consent of parents or guardians, or of a magistrate appointed to give consent in certain cases.

Minors.—There were 34 males married under the age of 21 years and 450 females, so that of the men 2·44 per cent. were minors, and of the women 32·27 per cent. were under age. The proportions of such marriages in 1875 was, of males 2·08, of females 32·4. In England, in 1874, 8·4 per cent. of males married before they attained full age, and 22·7 per cent. of females were married as minors. The ratio of such marriages in England and Wales has greatly increased of late years, having nearly doubled since 1844. In the ten years from 1859 to 1868 the proportion of women married under 21 years was 19·9, the proportion of men in the same period marrying under that age being 6·6.*

Mean Age at Marriage.—The mean age at marriage in Queensland during the year, including the re-married, was 29·8 years for men and 23·48 years for women. The mean age at marriage in England, as seen in the Report of the Registrar-General, the last received, was, on the total number of marriages, 27·9 for men and 25·7 for women.

Of the 1,394 marriages which have taken place in the colony during the year, 1,101 were contracted between bachelors and spinsters; there were 130 bachelors married to widows; there were 108 widowers united to spinsters, and 52 to widows; two divorced men were married to spinsters, and one divorced to a widow. Out of the 2,788 persons married there were 1,231 bachelors and three divorced men, making together 1,234, or 44·26 per cent. of the whole number of persons, and 160, or 5·74 per cent. widowers; there were 1,211 spinsters, or 43·43 per cent. of the whole number of persons, and 183, or 6·57 per cent. of the whole who were widows. This will be plainly shown as follows :—

		Number.		Proportion per cent.
Bachelors to Spinsters	...	1,101		
,, Widows	...	130		
Divorced to Spinsters	...	2		
,, Widow	...	1		
		——	1,234	44·26
Widowers to Spinsters	...	108		
,, Widows	...	52		
		——	160	5·74
Spinsters to Bachelors	...	1,101		
,, Widowers	...	108		
,, Divorced	...	2		
		——	1,211	43·43
Widows to Bachelors	...	130		
,, Widowers	...	52		
,, Divorced	...	1		
		——	183	6·57
			2,788	100·00

Signature of Marriage Registers.—The condition of rudimentary education among the people in England and Wales has been indicated in the statistics

* Thirty-first Annual Report of the Registrar-General, England, page vii.

connected with marriages, births, and deaths, from year to year by the Registrar-General. Thirty-six years ago it was seen by the registers that 41 per cent. of those entering on the marriage state were unable legibly to sign their own names. Doubtless something is due to the revelations of ignorance then made for the great improvement since brought about. The proportion of persons unable to sign the registers with their names had been reduced in 1870 to 24 per cent., and a gradual improvement in the state of elementary education is still seen by the abstracts of the marriage registers. In 1874 it was found that 82·1 per cent. of the husbands, and 75·8 per cent. of the wives, could write their names, or, in other words, 17·9 of the men and 24·2 of the women were obliged to sign with a mark. This was an improvement on the previous year, 1873, when 18·8 per cent. of the men, and 25·4 per cent. of the women were apparently unable to sign their own names in the marriage registers. On this subject the Registrar-General of England remarks :—"It has been stated that proportionally more women could write in Scotland "than men in England, and such was the case in the year 1862, when 79·7 per "cent. of the women in Scotland, and 76·3 per cent. of the men in England signed "in writing, and the respective proportions in the ten years, 1862 and 1871, were "79·1 for women in Scotland, and 78·5 for men in England; but this is no longer "the case, more satisfactory progress has been made in recent years in England, "and the results of educational efforts show now that proportionally more men can "write in England than women in Scotland."

The accessions to our population in Queensland being, as previously shown, very much larger by immigration over emigration than by births over deaths, it follows, that the still unsatisfactory condition of elementary education as proved by the number of persons signing by mark, is not attributable to any defective operation of our educational system among the rising race, but that we are chiefly indebted for this to the large proportion of the most uneducated class by which our population is continually augmented from Europe. It is the only mitigating circumstance in the large Chinese immigration from which we are now suffering, that the great majority of these Chinese immigrants can both read and write, while there is reason to believe that an increasing proportion of our immigrants from Great Britain are in this respect inferior to those coming from China.

The Census tables for 1876 show that 58·86 per cent. of the children, those under 15 years in Queensland can both read and write; and the following table shows that, notwithstanding our large immigration, consisting very largely of the least educated from the United Kingdom, the proportion of persons unable to sign the marriage registers is very much lower here than in England and Wales, the mean of men and women signing with a mark in 1876 being 11·83 in Queensland, as against 20·59 in England in 1874.

G.

SHOWING Number of PERSONS, MALES and FEMALES, who signed MARRIAGE CERTIFICATE by Mark, and the proportion per cent. to the TOTAL NUMBER MARRIED.

Number of Marriages celebrated in 1876.	Number of Persons who signed Marriage Certificate by Mark.		Proportion to each 100 Persons Married in the Year.		
	Males.	Females.	Males.	Females.	Mean.
1,394	109	221	7·82	15·85	11·83
	330				

BIRTHS.

The number of births registered in the year under review is 6,903, an increase of 197 over the number registered in 1875. This increase is less than that of the three former years, which was 323 in 1875 over the previous year, 663 in 1874 over the year 1873, and 455 in 1873 over the increase of 1872. This will be seen more plainly as follows:—

	Births.	Increase.	
1872 ...	5,265		
1873 ...	5,720	455 ...	1873 over 1872
1874 ...	6,383	663 ...	1874 „ 1873
1875 ...	6,706	323 ...	1875 „ 1874
1876 ...	6,903	197 ...	1876 „ 1875

The birth-rate in 1876 is low as compared to the previous year, and with the average rate during the decenniad ending 1876. For the year under review, the rate per thousand of the mean population is 37·48; the average for the ten years was 41·28. The birth-rates for the last two years are the lowest on record, arising partly from the large increased proportion of the population now constituted of Chinese and Polynesians, who contribute almost nothing to the natural increase.

The birth-rate in England in 1874 was 36·2 per 1,000; the annual average rate in the ten years 1864–73 was 35·4 per cent. The Queensland rate is still in advance of that of most of the other Australian colonies, which are given in the Victorian Year Book for 1875, as follows:—

Victoria	32·78
South Australia	35·70
New South Wales	37·83
Western Australia	28·72
Tasmania	29·88

In a fair comparison of the birth-rates in these several places, however, it is essential that the proportion of the sexes should be taken into account; thus it must be borne in mind that in England and Wales there are more females than males; in South Australia the proportion of the sexes nearly approximates; in 1875 it was 95·04 females to one hundred males, of the mean population; in Victoria, 84·10; in New South Wales, 81·57; and in Tasmania there were 89·39 females to every one hundred of the other sex, taking the mean population of the year 1875.

It is so far satisfactory to find that in Queensland, notwithstanding we have the small proportion of only 63·61 females to one hundred males of the mean population, we have a higher average birth-rate than that of any of the above-named places.

The information which is available exhibits a birth-rate not unfavourable to Queensland in a comparison with several of the countries of Europe.

France	1854-73	26·115
Russia	1854-73	37·805
Austria	1854-73	40·125
Denmark... ...	1854-73	31·572
Sweden	1854-73	31·945
Spain	1861-70	37·150
Italy	1863-73	37·310*

The births in each Registry District in Queensland are shown in the following table, giving the number of males and females, with a comparison of the two years 1875 and 1876; also, the total increase or decrease in the latter year, numerical and centesimal, and the number of females born to every one hundred males born for both years. The changes effected in the Registry Districts to make them identical with the Census Districts throughout the colony are here shown as distinctly as this can be done in a tabular form, with the increase or decrease in the several portions of the districts as now constituted.

* *Health of Foreign Cities.*—The following facts relating to Indian and Foreign cities are derived from official returns furnished by various authorities abroad:—In Paris the deaths during the quarter numbered 11,088, and were at the annual rate of 24·4 per 1,000; in Brussels the death-rate was 26·5; Berlin, 29·9; Vienna, 34·4; Rome, 32·2; Florence, 31·6; Turin, 34·4; Bombay, 27·6; New York, 22·1 per 1,000.—Thirty-sixth Report Registrar-General, England, page 32.

H.

BIRTHS—1875

Registry District in 1875.	BIRTHS, 1875.			Portions of Registry Districts in 1876, which, taken as now grouped, were Registry Districts in 1875.
	Males.	Females.	Persons.	
Banana	6	5	11	New Leichhardt, Part 1 ... ...
Bowen	38	32	70	„ Bowen ... ...
				„ Mackay, Part 1 ... ...
				„ South Kennedy, Part 1 ... ...
Brisbane	988	858	1,846	„ Brisbane ... ...
				„ East Moreton ... ...
				„ Cabulture ... ...
				„ Oxley, Part 1 ... ...
Cape River	1	2	3	„ South Kennedy, Part 2 ... ...
				„ Cardwell ... ...
Cardwell	7	9	16	„ Etheridge, Part 1 ... ...
				„ North Kennedy, Part 1 ... ...
				„ Cook, Part 1 ... ...
				„ Clermont, Part 1 ... ...
				„ Peak Downs, Part 1 ... ...
Clermont	83	75	158	„ South Kennedy, Part 3 ... ...
Condamine	8	11	19	„ Darling Downs North, Part 1 ... ...
Cooktown	20	32	52	„ Cook, Part 2 ... ...
				„ Dalby ... ...
				„ Darling Downs North, Part 2 ... ...
Dalby	84	92	176	„ Darling Downs West, Part 1 ... ...
Dalrymple	...	...	...	„ Kennedy North, Part 2 ... ...
				„ Burnett, Part 1 ... ...
Gayndah	54	57	111	„ Wide Bay, Part 1 ... ...
				„ Gilberton ... ...
Gilberton	10	11	21	„ Etheridge, Part 2 ... ...
Gladstone	25	32	57	„ Gladstone, Part 1 ... ...
				„ West Moreton, Part 1 ... ...
Goodna	34	45	79	„ Oxley, Part 2 ... ...
Goondiwindi	10	12	22	„ Darling Downs West, Part 2 ... ...
				„ Gympie ... ...
Gympie	142	131	273	„ Tiaro, Part 1 ... ...
				„ Ipswich ... ...
				„ West Moreton, Part 2 ... ...
				„ Stanley ... ...
Ipswich	352	350	702	„ Fassifern ... ...
Leyburn	12	21	33	„ Darling Downs East, Part 1 ... ...
Logan	95	74	169	„ Logan ... ...
Mackay	82	77	159	„ Mackay, Part 2 ... ...
				„ Maryborough ... ...
				„ Wide Bay, Part 2 ... ...
				„ Bundaberg ... ...
Maryborough	305	310	615	„ Tiaro, Part 2 ... ...
				„ Tambo ... ...
				„ Blackall ... ...
Mitchell	11	15	26	„ Marathon ... ...
Nanango	7	8	15	„ Burnett, Part 2 ... ...
Norman	2	2	4	„ Burke ... ...
Palmer	2	4	6	„ Palmer ... ...
Paroo	2	1	3	„ Warrego ... ...
				„ Kennedy North, Part 3 ... ...
Ravenswood	76	83	159	„ Kennedy South, Part 4 ... ...
				„ Rockhampton ... ...
				„ Westwood ... ...
				„ St. Lawrence, Part 1 ... ...
				„ Leichhardt, Part 2 ... ...
				„ Peak Downs, Part 2 ... ...
Rockhampton	278	263	541	„ Gladstone, Part 2 ... ...
				„ Maranoa ... ...
Roma	43	43	86	„ Balonne, Part 1 ... ...
Somerset	...	3	3	„ Somerset ... ...
				„ Clermont, Part 2 ... ...
Springsure	20	22	42	„ Springsure ... ...
Stanthorpe	72	67	139	„ Stanthorpe ... ...
St. George	19	19	38	„ Balonne, Part 2 ... ...
				„ St. Lawrence, Part 2 ... ...
St. Lawrence	19	19	38	„ Peak Downs, Part 3 ... ...
Surat	8	12	20	„ Balonne, Part 3 ... ...
Taroom	7	5	12	„ Taroom ... ...
				„ Drayton and Toowoomba ... ...
				„ Darling Downs Central ... ...
Toowoomba	269	261	530	„ Darling Downs West, Part 3 ... ...
				„ Townsville ... ...
Townsville	62	48	110	„ Kennedy North, Part 4 ... ...
Warrego North	4	13	17	„ Charleville ... ...
Warrego South	2	8	10	„ Cunnamulla ... ...
				„ Warwick ... ...
Warwick	160	155	315	„ Darling Downs East, Part 2 ... ...
	3,419	3,287	6,706	

H.

and 1876.

BIRTHS, 1876.									
Number Registered in each Portion.			Number which were registered within the same boundaries as constituted the Registry Districts in 1875.			Total Increase* or Decrease† in the latter year.	Total Increase* or Decrease† per cent. in the latter year.	Females Born to every 100 Males Born in 1875.	Females Born to every 100 Males Born in 1876.
Males.	Females.	Persons.	Males.	Females.	Persons.				
...	...	...	24	32	56	*45	*409·00	83·33	133·33
34	37	71	34	38	72	*2	*2·86	84·21	111·76
...	...	...							
...	1	1							
699	652	1,351							
90	79	169	949	899	1,848	*2	*0·11	86·84	94·73
60	54	114							
100	114	214							
...	...	...	1	3	4	*1	*33·33	200·00	300·00
7	2	9							
...	1	1	7	3	10	†6	†37·50	128·57	42·86
...	...	...							
...	...	...							
62	71	133							
1	3	4							
...	...	...	63	74	137	†21	†13·29	90·36	117·46
...	...	...	12	7	19	...	...	137·50	58·33
...	...	...	35	39	74	*22	*42·31	160·00	111·43
64	69	133							
27	30	57							
2	2	4	93	101	194	*18	*10·23	109·52	108·60
...	...	...	2	...	2	*2			
62	68	130							
1	2	3	63	70	133	*22	*19·82	105·55	111·11
2	1	3							
3	5	8	5	6	11	†10	†47·62	110·00	120·00
...	...	...	37	36	73	*16	28·07	128·00	97·30
14	13	27							
36	30	66	50	43	93	*14	*17·72	132·35	86·00
...	...	...	8	10	18	†4	†18·18	120·00	125·00
128	117	245							
3	1	4	131	118	249	†24	†87·09	92·25	90·08
223	202	425							
148	138	286							
10	10	20							
31	24	55	412	374	786	*84	*11·97	99·43	90·78
...	...	...	17	21	38	*5	*15·15	175·00	123·53
...	...	...	83	83	166	†3	†1·80	77·90	100·00
...	...	...	74	68	142	†17	†10·69	93·90	91·89
238	206	444							
24	18	42							
51	45	96							
23	18	41	336	287	623	*8	*1·30	101·64	85·41
8	5	13							
5	7	12							
6	7	13	19	19	38	*12	*46·15	136·36	100·00
...	...	...	8	4	12	†3	†20·00	114·28	50·00
...	...	...	...	...	...	†4	†100·00	100·00	
...	...	...	3	5	8	*2	*33 33	200·00	166·66
...	...	...	2	1	3	...	...	50·00	50·00
99	80	179							
...	...	...	99	80	179	*20	*12·58	109·21	80·81
225	195	420							
36	21	57							
10	10	20							
8	6	14							
...	3	3							
...	...	...	279	235	514	†27	†4·99	94·60	84·23
47	49	96							
...	...	...	47	49	96	*10	*1·63	100·00	104·26
...	...	...	5	...	5	*2	*66·66		
...	...	...							
23	20	43	23	20	43	*1	*2·38	110·00	86 96
...	...	...	63	60	123	†16	†11·51	93·05	95·24
...	...	...	17	20	37	†1	†2·63	100·00	117·65
10	13	23							
6	3	9	16	16	32	†6	†15·79	100·00	100·00
...	...	...	7	12	19	†1	†5·00	150·00	17·14
...	...	...	11	6	17	*5	*41·66	71·43	54·54
240	225	465							
42	33	75							
...	2	2	282	260	542	*12	*2·26	97·05	92·20
63	65	128							
...	...	...	63	65	128	*18	*16·36	77·42	103·17
...	...	...	9	10	19	*2	*11·76	325·00	111·11
...	...	...	1	1	2	†8	†80 00	400·00	100·00
80	116	196							
70	72	142	150	188	338	*23	*7·30	96 88	125·33
			3,540	3,363	6,903	*348	...	96·14	95·00
			Less decreases in some districts ...			151			
			Net increase in 1876			*197	*2·94		

Table II. Appendix A shows the number of births registered in Queensland in each quarter of the year 1876. The Metropolitan District of Brisbane, of course, has by far the greatest number of births, showing 1,351; the next is Drayton and Toowoomba with 465; then follows Maryborough, showing 444 births; Ipswich comes next with 425; then Rockhampton with 420 births.

The largest number of births, 1,848, are registered in the third quarter of the year, the second quarter shows 1,742, the fourth 1,675, and the first 1,638.

The increase or decrease of births in each of the Registry Districts with the net increase on the whole are shown as follows:—

I.

BIRTHS.—INCREASE and DECREASE in each REGISTRY DISTRICT in 1876.

Registry District in 1875.	Portions of Registry Districts in 1876, which, taken as now grouped, were Registry Districts in 1875.	Increase.
Banana ...	New Leichhardt, Part 1	45
Bowen ...	„ Bowen	2
	„ Mackay, Part 1	
	„ South Kennedy, Part 1	
Brisbane ...	„ Brisbane	2
	„ East Moreton	
	„ Caboolture	
	„ Oxley, Part 1	
Cape River...	„ South Kennedy, Part 2	1
Cooktown ...	„ Cook, Part 2	22
Dalby ...	„ Dalby	18
	„ Darling Downs North, Part 2 ...	
	„ Darling Downs West, Part 1 ...	
Dalrymple...	„ Kennedy North, Part 2	2
Gayndah ...	„ Burnett, Part 1	22
	„ Wide Bay, Part 1	
Gladstone ...	„ Gladstone, Part 1	16
Goodna ...	„ West Moreton, Part 1	14
	„ Oxley, Part 2	
Ipswich ...	„ Ipswich	84
	„ West Moreton, Part 2	
	„ Stanley	
	„ Fassifern	
Leyburn ...	„ Darling Downs East, Part 1 ...	5
Maryborough	„ Maryborough	8
	„ Wide Bay, Part 2	
	„ Bundaberg	
	„ Tiaro, Part 2	
Mitchell ...	„ Tambo	12
	„ Blackall	
	„ Marathon	
Palmer ...	„ Palmer	2
Ravenswood	„ Kennedy North, Part 3	20
	„ Kennedy South, Part 4	
Roma ...	„ Maranoa	10
	„ Balonne, Part 1	
Somerset ...	„ Somerset	2
Springsure...	„ Clermont, Part 2	1
	„ Springsure...	
Taroom ...	„ Taroom	5
Toowoomba	„ Drayton and Toowoomba ...	12
	„ Darling Downs Central	
	„ Darling Downs West, Part 3 ...	
Townsville...	„ Townsville...	18
	„ Kennedy North, Part 4	
Warrego North ...	„ Charleville...	2
Warwick ...	„ Warwick	23
	„ Darling Downs East, Part 2 ...	
		348
	Less Decrease in some Districts ...	151
	Nett Increase in 1876	197

Registry District in 1875.	Portions of Registry Districts in 1876, which, taken as now grouped, were Registry Districts in 1875.	Decrease.
Cardwell ...	New Cardwell	6
	„ Etheridge, Part 1	
	„ North Kennedy, Part 1 ...	
	„ Cook, Part 1	
Clermont ...	„ Clermont, Part 1	21
	„ Peak Downs, Part 1	
	„ South Kennedy, Part 3 ...	
Gilberton ...	„ Gilberton	10
	„ Etheridge	
	„ Darling Downs West, Part 2 ...	4
Gympie ...	„ Gympie	24
	„ Tiaro, Part 1	
Logan ...	„ Logan	3
Mackay ...	„ Mackay, Part 2	17
Nanango ...	„ Burnett, Part 2	3
Norman ...	„ Burke	4
Rockhampton ...	„ Rockhampton	27
	„ Westwood	
	„ St. Lawrence, Part 1	
	„ Leichhardt, Part 2	
	„ Peak Downs, Part 2	
	„ Gladstone, Part 2	
Stanthorpe	„ Stanthorpe	16
St. George...	„ Balonne, Part 2	1
St. Lawrence	„ St. Lawrence, Part 2	6
	„ Peak Downs, Part 3	
Surat ...	„ Balonne, Part 3	1
Warrego South ...	„ Cunnamulla	8
		151

Sex.—The number of male children born in 1876 was 3,540, that of females 3,363, the proportion of females to males being 95·0 per cent. There were, therefore, about 105 males born to every one hundred females. This is rather a larger proportion of males to females than in the previous year, when it was 104 to every one hundred females. It is remarkable how uniformly the law of an almost equal number of births of the two sexes is found to obtain throughout the countries of the world, the males almost invariably exceeding the females by about six to the hundred.

There were 3·14 males born to a hundred males living, and 4·70 females to a hundred females living, taking the estimated mean population of Queensland in the year under review.

Children born out of wedlock.—The births appearing in the Register for the year as illegitimate number 222. This is at the rate of 3·21 per cent. on the whole number of births, something less than the ratio of births of this description in 1875, which was in the proportion of 3·42 per cent. of the whole number of births registered in the year. In 1874 the rate was only 2·75 per cent. The proportion of illegitimate births in England appears to have been for some time declining: it is given in the Report of the Registrar-General for 1874 as 5 per cent. In 1845 the proportion of these births was 7 per cent.

Twin births.—There have been 134 twins born during the year, 71 males and 63 females, exceeding by 12 the number of the former year.

DEATHS.

The deaths registered in the year under review are less than the number of deaths in the previous year. With an increase of population natural, and by immigration of 15,572, we have, nevertheless, an actual decrease of 637 in the number of deaths compared to the number returned for 1875. The number of deaths registered in 1876 is 3,467; the number in 1875 was 4,104. The number of births in 1876 having been, as shown, 6,903, these have outnumbered the deaths by 3,436, showing a much larger balance on the side of growth than was presented in the previous year. The ratio of excess of births over deaths in 1876 has been 99·1, as against 63·4 per cent. in 1875.

It has been observed in England that fluctuations in the death-rate are more or less regular in periods of years; that for three or four years together a comparatively high rate is maintained, and that this is followed by a period of like duration when the rate of mortality is by comparison low. Something similar to this is observable in Queensland, as will be seen by the figures in the following table, showing the death-rate per thousand of the mean population during the last decennium. The year 1875 proved peculiarly unhealthy; but excepting this there have been three periods, each of three years, in which the death-rate has risen or fallen with some degree of regularity:—

J.

SHOWING the DEATHS and the PROPORTION to MEAN POPULATION in each YEAR.—RETURN for TEN YEARS, 1867–1876.

YEAR.	POPULATION.						DEATHS.							Proportion of Total Numbers to Mean Population.
	Estimated Population to 31st December.			Estimated Mean Population.			Number and Proportion.				Total Number.			
	Males.	Females.	Persons.	Males.	Females	Persons.	Males.	Per 1000	Females	Per 1000	Males.	Females	Persons.	
1867	59,836	40,013	99,849	58,572	39,453	98,025	1,088	11·10	657	6·70	1,088	657	1,745	17·80
1868	65,843	41,584	107,427	62,839	40,799	103,638	1,165	11·24	634	6·12	1,165	634	1,799	17·36
1869	66,571	43,326	109,897	66,207	42,455	108,662	1,149	10·57	612	5·63	1,149	612	1,761	16·21
1870	69,629	45,938	115,567	68,100	44,632	112,732	1,060	9·40	585	5·19	1,060	585	1,645	14·59
1871	74,622	50,524	125,146	72,125	48,231	120,356	1,192	9·90	593	4·93	1,192	593	1,785	14·83
1872	79,618	53,935	133,553	77,120	52,230	129,350	1,238	9·57	698	5·39	1,238	698	1,936	14·96
1873	87,154	59,536	146,690	83,386	56,736	140,122	1,371	9·78	879	6·27	1,371	879	2,250	16·06
1874	97,860	65,657	163,517	92,507	62,596	155,103	1,777	11·45	1,017	6·56	1,777	1,017	2,794	18·01
1875	111,272	70,016	181,288	104,566	67,836	172,402	2,658	15·42	1,446	8·39	2,658	1,446	4,104	23·81
1876	113,883	73,217	187,100	112,578	71,616	184,194	2,249	12·21	1,218	6·61	2,249	1,218	3,436	18·83

The death-rate of the year now under review, while yet considerably higher than the ordinary average rate, has fallen much below that of the previous year. It shows 18·82 on the estimated mean population, the rate for 1875 having been in the proportion of 23·81 per thousand.

Since the last Report on Vital Statistics was published, those from some of the other Australian colonies have been received, and it is seen that the death-rate in each of them was unusually high. In Victoria it was 18·76, the average in that colony for a period of eleven years having been only 15·92 in a thousand of the mean population. The mean death-rate of the ten years ending 1876, in Queensland, has been 17·58 per thousand.

It has been observed that the highest death-rates obtain in those countries which boast of the highest birth-rates, and this is borne out by a comparison of the birth-rates and death-rates not only of the Australian provinces, but of the principal countries of Europe; instance Austria, Russia, and Italy, where the death-rates are 32·0; 30·1, and 27·1, and the birth-rates 40·1, 37·3, and 37·8 respectively. The large proportion of young children to the whole population in such communities is a sufficient explication of this natural law, the mortality of infants being everywhere very large as compared to the older portions of population It appears that in England 155 in every thousand die before they are twelve months old. These facts should be borne in mind, especially in considering the question of infantile mortality in Queensland; we have a high death-rate consequent upon our high birth-rate, apart from other considerations, and this taken into account, we do not compare unfavourably with the other principal Australian colonies. It has before been shown, in the Reports of the last and previous years, that the true test of infantile mortality is found in the number of deaths of children under one year to the number of births in the community; and this will be further remarked upon under the head of "infantile mortality."

Age and Sex.—The 3,467 deaths registered in Queensland in 1876 consisted of 2,249 deaths of males, and 1,218 of females, or 64·87 per cent. of the former, and 35·13 per cent. of the latter. Males constitute 61·12 per cent. and females 38·88 per cent. of the persons living, taking the estimated mean population of the year, and the ratio of males dying to males living was 19·97 per thousand, and of females dying to females living 17·06 per thousand. Thus, taking the actual number of deaths of each sex, the proportion of males to females dying was as nearly as possible 184 to 100; but taking into account the larger number of males in the population out of which the deaths occurred, the proportion of male to female deaths would be equal to 115 to 100.

INFANTILE MORTALITY.

"The high rate of infant mortality in our large towns," says the Registrar-General of England, "is attracting serious attention." A table is given in the Report showing how great are the differences in this respect in several of the large towns in England. In a return for five years, the proportion of children dying under twelve months to the number of births, which is laid down by the highest authority as the true test of infant mortality, is shown to have ranged from 148 to a thousand births to 239 in the thousand. In London the rate per thousand was 161, Birmingham 179, Nottingham 189, Newcastle 193, and Leeds 205, while in Liverpool it appears that an average in five years of no less than 239 children out of one thousand births died annually under a year old. In England and Wales the average rate of deaths of children under twelve months during the five years, 1870 to 1874 inclusive, was 153 to a thousand births.

The deaths of children under one year in some few of the larger towns in Queensland, including the Metropolis, greatly exceed the English average rate of such deaths as compared to total births: the rate in Brisbane is 24·50 per cent.; in the districts comprising Townsville, 21·87; Cooktown, 20·27; Rockhampton, 17·14; and Stanthorpe, 15·45; while in several of the districts comprising the towns containing as many as a thousand inhabitants it is considerably lower than the average in England and Wales; thus, in Ipswich it is 12·00; in Maryborough, 11·49; in Dalby, 11·28; in Gympie, 11·02; in Drayton and Toowoomba, 10·97.

Satisfactory as this is, as far as the districts including the less important towns are concerned, it must be admitted that these figures reveal a condition of things existing in the Metropolis especially which demands the most serious consideration.* The general healthfulness of the colony is seen in the fact that, in spite of the unwholesome condition of some of the large towns, the average deaths of children under one year to the total births is considerably lower than the average rate in England and Wales. During the year under consideration the rate of such deaths

* For the future, returns will be made by the District Registrars for all the principal towns separately from the surrounding country, enabling the Registrar-General to give the number of births, marriages, and deaths for the towns by themselves, apart from the districts in which they are situated. At present this is ascertained for Brisbane only.

has been 144 to the thousand. The following table shows the centesimal rate of such deaths for ten years from 1867 to 1876.

K.

SHOWING REAL INFANT MORTALITY.—RETURN FOR TEN YEARS, 1867-1876.

1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	Average annual No. of Deaths to 100 Births.
12·91	12·38	11·35	10·72	9·91	10·98	12·25	12·15	15·28	14·40	12·23

The average deaths of children under one year to a thousand births for the whole of Queensland from 1867 to 1876, is seen to have been 122, as against 153 in England and Wales, as above shown.

Proportion of Children under five years, and proportion of Old Persons.—Much has been said of the high rate of the mortality of children under five years in Queensland, but as it appears without taking into account the larger proportion of children under five years which we have in the colony, as compared to other places with which comparison has been made. Thus, in England and Wales, by the report on Vital Statistics for 1874, the last received, it is found that the proportion of children under five years to the total mean population is 13·52 per cent., while in Queensland in May, 1866, it was found, taking the estimated total population and the estimated number of children under 5 years to the end of December, 1876, to be 16·66* per cent. Although we have only 63·61 females to a hundred males in the mean population, and it might thus reasonably be inferred that our proportion of young children would be less, this is more than counterbalanced by the much smaller number of old persons in the community, the larger proportion who are in the full vigour of life, and the high marriage-rate obtaining in Queensland. The proportion of persons over 55 years in England and Wales, as seen by the last census returns, is 10·64 per cent., while in Queensland such persons constituted, at the census enumeration of 1876, only 3·28 per cent. of the whole population. The large proportion of deaths under 5 years to the total deaths is to a great extent thus accounted for, and affords no evidence of the insalubrity of the climate, or that it is inimical to the health of children. This is to be understood as referring to the colony as a whole, to the healthfulness of which, however, the condition of two or three of our largest towns presents a notable contrast.

In Victoria, in 1875, the proportion of children under 5 years is given as 15·97 per cent. in the mean population of that colony, the proportion per thousand of persons over 55 years being 4·6 per cent. In Tasmania, the children under 5 years, as shown by the census of 1870, are in the proportion of 14·4, not much above the English rate, while the number of persons over 50 years amount to as much as 14·7 per cent. of the whole population.

In England and Wales, the population being in what may be considered a natural condition, the proportions of the old and young as there existing, that is, about 10½ per cent. over 55 and 13½ under 5 years, may be taken as the normal rates. In Tasmania, one of the oldest communities in Australasia, the state of the population has assimilated to the normal condition, while the proportion of old persons in the community has no doubt been further increased by the considerable emigration of younger persons, especially into Victoria. In Queensland, we are at the furthest remove from the natural order in these respects, our much younger community being made up to a great extent from recent immigration of the youthful and middle-aged, and this accounts for our high birth-rate, our large proportion of children under 5 years, and, consequently, for the large proportion of deaths of children under 5, as compared to the total deaths in the colony. The following figures will more plainly show the comparison above made :—

	Proportion of Population of Children under 5 years.	Persons over 55 years.
England and Wales	13·52	10·64
Queensland	16·66	3·28
Victoria	15·97	4·6
Tasmania	14·4	over 50 14·7

The large proportion of children, and the small proportion of aged persons in Queensland, are here seen at a glance.

* The figures of the census taken in May show the proportion of 15·05 of children under 5 to population, but the births in the latter part of the year were in a much greater proportion than from January to June, while the deaths were in a smaller ratio.

The proportion of deaths under 5 years to the total number of deaths in the year in England and Wales for 1874, and in Victoria, New South Wales, and Queensland for 1876, is found to be as follows:—

	Per cent.
England and Wales	40·6
Victoria	39·9
New South Wales	41·72
Queensland	44·6

No doubt the general healthfulness of any locality or country may be pretty accurately tested by the mortality of children, but this must be measured by the number of deaths of children as compared to children living, and as thus tried, it will be found that this colony bears favourable comparison with other places. The proportion of deaths under 5 years to the number of children living under 5 years in Queensland in 1876 was 55·7 per thousand. In England and Wales, the rate of mortality among children under 5, as seen by the last report received, was 66·9 per thousand of children living under that age. In the large towns this was much exceeded; in Liverpool it was 119·1 per thousand; in Oldham, 105·3; in Leeds, 99·2; in Manchester, 93·2; in Birmingham, 90·5; and in London, 71·2. In Victoria, in 1875, the proportion of deaths among children under 5 years is seen by *The Victorian Year Book** to have been 55·9 per thousand of children living at that age in the middle of the year in that colony. Thus we have,

	Proportion of Deaths of Children under five years to Children Living under five years.
England and Wales	66·9
London	71·2
Victoria	55·9
Queensland	55·7

The subjoined table shows the deaths of children at several periods of age, from one month to five years, in the Metropolitan and Country Districts, during the year 1876, and the percentage of deaths at these ages to the total deaths in the districts and in the colony. It will be seen, while the deaths of children under 5 years were in the ratio of 44·62 to total deaths in the whole colony, that in the Brisbane district they constituted no less than 54·15 of the total deaths in the district.

L.

Showing Mortality of Children from One Month to Five Years in the Metropolitan and Country Districts, 1876.

District and Sex.	Total Number of Deaths in 1876.	Deaths of Children under one year.					Total Deaths under one year.	Per-centage to total Deaths in the District.	Per-centage to total Deaths in the Colony.	Total Deaths under two years.	Per-centage to total Deaths in the District.	Per-centage to total Deaths in the Colony.	Total Deaths under five years.	Per-centage to total Deaths in the District.	Per-centage to total Deaths in the Colony.
		Under one month.	One month and under two months.	Two months and under three months.	Three months and under six months.	Six months and under twelve months.									
Brisbane District—															
Males ...	491	33	25	14	35	66	173	19·68	4·99	218	24·80	6·29	246	27·98	7·10
Females ...	388	38	17	16	36	51	158	17·97	4·56	201	22·87	5·80	230	26·17	6·63
Total ...	879	71	42	30	71	117	331	37·66	9·55	419	47·67	12·09	476	54·15	13·73
Country Districts—															
Males ...	1,758	123	37	30	67	108	365	14·10	10·53	493	19·05	14·22	567	21·91	16·35
Females ...	830	94	36	22	67	79	298	11·51	8·59	412	15·92	11·88	504	19·47	14·54
Total ...	2,588	217	73	52	134	187	663	25·62	19·12	905	34·97	26·10	1,071	41·38	30·89
Grand Total	3,467	288	115	82	205	304	994	...	28·67	1,324	...	38·19	1,548	...	44·62

The next table shows the total deaths of children under one year and under five years in 1875 and 1876, in the districts in which the larger towns are situated,

* Victorian Year Book, 1875, page 130, males and females together.

and in the principal districts in the country not containing any great centre of population; also the proportion of deaths under five years to the total deaths in the districts, and the percentage of children under one year to the total births.

M.

Registry District in which Principal Town is included.	Principal Towns in the Colony.	1876. Deaths of Children under 1 Year.	1876. Total Deaths of Children under 5 Years.	Total Deaths in the District.	Total Births in the District.	Percentage of Deaths of Children under 1 Year to Total Births in the District.	Percentage of Deaths of Children under 5 Years to Total Deaths in the District.
Bowen	Bowen	6	10	19	71	8·45	52·63
Brisbane	Brisbane	331	476	879	1,351	24·50	54·15
Clermont	Copperfield	17	27	52	133	12 78	51·92
Cook	Cooktown*	15	25	142	74	20·27	17·61
Dalby	Dalby	15	30	56	133	11·28	53·57
Drayton and Toowoomba	Toowoomba	51	89	173	465	10·97	51·45
Gympie	Gympie	27	46	85	245	11·02	54·12
Ipswich	Ipswich	51	81	143	425	12·00	56·64
Kennedy North	Millchester and Ravenswood	20	32	70	181	11·05	45·71
Mackay	Mackay	21	35	150	142	14·79	23·33
Maranoa	Roma	12	23	57	96	12·50	40 35
Maryborough	Maryborough	51	79	225	444	11·49	35·11
Rockhampton	Rockhampton	72	114	252	420	17·14	45·24
Stanthorpe...	Stanthorpe	19	23	40	123	15·45	57·50
Townsville	Townsville	28	43	92	128	21·87	46·74
Warwick	Warwick	30	43	82	196	15·31	52·44

Principal Registry District in Country not containing any great centre of Population.	1876. Deaths of Children under 1 Year.	1876. Total Deaths of Children under 5 Years.	Total Deaths in the District.	Percentage of Deaths of Children under 1 Year to Total Births in the District.	Percentage of Deaths of Children under 5 Years to Total Deaths in the District.
Bundaberg	10	13	34	10·42	38·24
Burnett	8	15	38	5·63	39·47
Caboolture	12	19	31	10·53	61·29
Darling Downs North	10	15	21	13·16	71·43
Darling Downs East	14	17	30	7·77	56·66
Darling Downs West	5	8	21	20·83	38·10
East Moreton†	23	42	95	13·61	44·21
Gladstone	6	14	21	8·22	66·66
Leichhardt	15	24	38	21·43	63·16
Logan	21	27	69	12 65	39·13
Oxley	26	51	93	9·29	54·84
Springsure	4	8	27	9·30	29·63
St. Lawrence	5	12	25	11·63	48·00
West Moreton†	25	43	76	7·99	56·58

* The principal town and port of the new Gold-finding district to the north, containing comparatively few women and children.

† Brisbane and Ipswich now form Districts of themselves, being no longer included in the Registry Districts of East and West Moreton.

In some of these places the number of deaths registered in the year are too few to afford a sufficient means of comparison, and it was necessary to include these only to complete the list of places containing as many as 1,000 inhabitants, or what are termed principal towns in the Census Report.

The percentage of deaths of children under five years is seen to be much higher in most of the towns than the average rate, which, as shown in the previous table, is 44·62. What has been said of the whole colony applies, of course, to the several districts, and little importance can be attached to the death-rate of children under five, unless taken in connection with the proportions of children living under that age in each of the localities for which the aggregate deaths are given. The table shows, however, that the proportion of deaths of children under five years to the total deaths is larger in several of those places where the proportion of deaths of children under one year to the total number of births is low. This will be evident at once in the case of Toowoomba, where the proportion of deaths under one to births is 10 97. Townsville gives 21·87, Rockhampton 17·14, Stanthorpe 15·45, Warwick 15·31, Mackay 14·79, Dalby 11·28, Gympie 11·02, Ravenswood and Maryborough are each of them below the average decennial rate. Brisbane, unhappily, figures very conspicuously in this comparison, exhibiting 24·50, or double the average rate of deaths under one year to total births in the district.

DEATHS IN PUBLIC INSTITUTIONS.

In considering the comparative healthfulness of the larger towns, some allowance must be made in favour of Brisbane, not only on account of the number of persons resorting to it from the country districts and other towns for the benefit of medical treatment, many of whom die in the hospitals, but also from a proportion of our new arrivals who come to the colony in delicate health. Queensland has acquired a reputation for the real or supposed beneficial effect of its climate in cases of pulmonary disease, and it is known that a number of persons, suffering from incipient consumption, find their way to the colony, many of whom probably remain in Brisbane; and, though they may not seek the shelter of our hospitals, they yet help to swell the general death-toll of the place. The number of deaths in the Public Institutions within the Brisbane district is seen as follows:—

	Males.	Females.	Persons.
Brisbane Hospital	92	32	124
Lady Bowen Hospital	5	5	10
Diamantina Orphanage	0	4	4
Infants' Asylum	14	13	27
Lunatic Reception House	3	2	5
Lock Hospital	0	0	0
Gaol	3	0	3
Immigration Depôt	*4	2	6
Total	121	58	179

* The Benevolent Asylum, St. Vincent's Hospital, and St. Helena Penal Establishment, are not now within the Brisbane Registry District.

Mortality of Polynesians.—The number of deaths among South Sea Islanders, as returned by the Immigration Agent, for the year, is 324, consisting of 314 males and 10 females. The number of Polynesians in the colony estimated to the middle of the year is 5,090. This shows a death-rate of 63·6 per thousand as against 85·11 in the year 1875. It will be seen that this is a mortality of about 3½ times as great as the general death-rate for the year, and the number of this class being now considerable, the very high death-rate obtaining among them has some appreciable effect in swelling the general death-rate of the colony.

The following table shows the proportion of marriages, births, and deaths, to the living population, distinguishing between the country and metropolitan districts, and between the portions of the latter in the town and suburbs. It will be seen while the general death-rate for Queensland is 18·82, that the death-rate for the country districts is 16·58, even including all the large towns, excepting the Metropolis, that for Brisbane, including the suburbs, being nearly double the country rate, showing 31·32; the death-rate in the suburbs, where the drainage is no doubt most defective, having reached 47·39 per thousand.*

N.

Districts.	Estimated Mean Population.	TOTAL NUMBER.			NUMBER TO EVERY 1,000 OF THE POPULATION.		
		Births.	Marriages.	Deaths.	Births.	Marriages.	Deaths.
Metropolitan	21,562	1,051	390	571	48·74	18·09	26·48
Suburban	6,499	300	51	308	46·16	7·85	47·39
Brisbane District	28,061	1,351	441	879	48·15	15·72	31·32
Country	156,133	5,552	953	2,588	35·56	6·10	16·58
	184,194	6,903	1,394	3,467	37·48	7·57	18·82

The proportion of persons who have been married, and of the births and deaths registered in each thousand of the living population for ten years, from 1867

* In the next Annual Report, I shall be able to give the proportion of children under 5 in the population of the Metropolis and suburbs separately. It appears likely that a large proportion of children living under 5, will partly account for this very high death-rate in the suburban portion of Brisbane.

to 1876 inclusive, together with the excess of births over deaths in each year, during the decenniad, is given in the subjoined table.

O.

SHOWING proportion of BIRTHS, DEATHS, and MARRIAGES, per 1,000 persons living.—RETURN for Ten Years, 1867-1876.

Year.	Estimated Mean Population.	PER 1,000 PERSONS LIVING.			Excess of Births over Deaths.
		Births.	Deaths.	Persons Married.	
1867	98,025	45·7	17·8	19·0	2,731
1868	103,638	43·0	17·3	16·6	2,661
1869	108,662	42·8	16·2	16·6	2,893
1870	112,732	43·5	14·6	15·5	3,260
1871	120,356	43·2	14·8	16·2	3,420
1872	129,350	40·7	15·0	17·3	3,329
1873	140,122	40·8	16·0	19·3	3,470
1874	155,103	41·1	18·0	17·2	3,589
1875	172,402	38·9	23·8	17·2	2,602
1876	184,194	37·4	18·8	15·1	2,436

Marine Births and Deaths.—The subjoined table shows the number of vessels from Great Britain, Germany, Polynesia, and *viâ* Torres Straits, and the number of immigrants arriving by them during the year 1876. The nationality of the arrivals in the last-named vessels not being given, the exact number of Chinese thus imported cannot be shown; but the proportion of other passengers in these ships is so small that the distinction is unimportant.

The number of deaths in vessels arriving *viâ* Torres Straits is not reported. The length of passage from Hong Kong, where most of the Chinese embark, to Cooktown, where most of them land, occupies only about fifteen days, and the deaths appear to have been few.

P.

MARINE BIRTHS and DEATHS.

Number of Vessels.	—	ARRIVALS.			BIRTHS.				DEATHS.			
		Males.	Females.	Persons.	Males.	Females.	Persons.	Rate per cent. Arrivals.	Males.	Females.	Persons.	Rate per cent. Arrivals.
	British Ships—											
16	Immigrant Vessels	3,238	2,141	5,379	19	20	39	·72	34	27	61	1·13
16	Short Ships ...	109	52	161	...	...	...	...	...	...	...	...
	Total ...	3,347	2,193	5,540	19	20	39	·70	34	27	61	1·10
	German Ships—											
1	Immigrant Vessel	171	116	287	3	2	5	1·74	...	1	1	·35
	Polynesians—											
21	Immigrant Vessels	1,645	81	1,726	...	...	...	...	3	...	3	·17
	Ships arriving *via* Torres Straits, bringing chiefly Chinese ...	6,619	31	6,650								
		11,782	2,421	14,203	22	22	44	...	37	28	65	...
	Increase of Deaths over Births				...	...	...	...	15	6	21	

The deaths in British ships have been 61, or 1·13 per cent. of the whole number of arrivals. In the vessels bringing Polynesians, 3 deaths are reported during the passages, or 0·17 per cent. of the whole number embarked. The average passage from the Islands is about ten days. Vessels from Great Britain average about 100 days from port to port.

There have been 39 births in British ships and 5 in the one German vessel which have arrived during the year.

The report from the Government Meteorological Observer, Mr. MacDonnell, with accompanying tables, are important, as giving the results of observations in the localities where they are made, and may be studied with interest in connection with these statistics. Without attempting any further elucidation of the connection between meteorological phenomena and the laws of health and sickness, it may be well to direct attention to the death-rate as it is found to vary with the different seasons of the year. In England and Wales the coldest months are the most trying, and the greatest number of deaths occur in the first quarter of the year, in the months of January, February, and March. In Australia the hottest months are the most unhealthy. In Victoria, taking ten years together, it appears that the first quarter of the year shows the highest proportion of deaths, the greatest amount of heat then prevailing. In the same way, the three hot months ending September show the lowest mortality in England and Wales, and the lowest also in Victoria, being there the coolest months of the year. In Queensland, taking a period of ten years, from 1867 to 1876, the healthiest quarter of the year is found to have been that ending September 30th, the death-rate being equal to 15·13 per thousand in a year, with an average mean shade temperature of 72·2, and an average monthly rainfall of 2·05 inches. The next is the second quarter of the year ending June 30th, with a death-rate equal to 18·24, an average mean shade temperature of 75·3, and an average rainfall of 4·41 inches in the month. Then follows the quarter ending December 31st, the death-rate being equal to 18·33 in a year, with an average mean shade temperature of 83·6, and an average monthly rainfall of 3·86. Lastly, in this order comes the first quarter of the year, ending March 31st, the death-rate being then equal to 18·90 per thousand in a year, the average mean shade temperature 84·4, and the average monthly rainfall 7·87. This is plainly seen as follows :—

	Death-rate per 1000. Average for 10 years.	Average mean Shade Temperature.	Average Monthly Rainfall.
First Quarter, ending March	18·90	84·4	7·87
Second Quarter, ending June	18·24	75·3	4·41
Third Quarter, ending September	15·13	72·2	2·05
Fourth Quarter, ending December	18·33	83·6	3·86

Under the head of "Deaths," in Appendix A, tables are given as follows :—

Table VI.—Number registered each quarter, according to districts.

Table VII.—Number of children, male and female, under 5 years.

Table VIII.—Nationality of persons whose deaths were registered during the year.

Table IX.—Occupation of persons whose deaths were registered during the year.

CAUSES OF DEATH.

With each registration of death, excepting in a few instances where the information has been deficient, the diseases or causes of death are shown in the tables, and every disease is arranged under one of the classes or orders in the Nosological Tables now in general use in Great Britain and the Australian Colonies. There are five classes, each class having several orders, under one of which each specific disease is numbered. The general scheme of this classification will be found immediately following this Report, and preceding the index to the tables.

In Table X., Appendix A, the ages are given of males who have died during the year, the number of these being placed in a line, with the causes of death arranged in their proper order and class.

The next Table XI., in the Appendix A, shows the causes of deaths of females, which have occurred during the year, with the ages at death; and Table XII. gives ages and causes of deaths of males and females together.

The following is a return for ten years, showing the percentage of deaths from various causes, and their proportion to the total deaths in Queensland in each year, from 1867 to 1876:—

Q.

TABLE comparing the PERCENTAGE which the several CAUSES of DEATHS bear to the TOTAL DEATHS in each year. RETURN for TEN YEARS, 1867 to 1876.

Causes of Death.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.
I.—ZYMOTIC DISEASES.										
1. Miasmatic Diseases	25·73	26·35	23·17	23·83	22·12	20·56	25·02	27·59	37·18	29·59
2. Enthetic Diseases	·06	·22	·68	·24	·44	·57	·53	·43	·12	·26
3. Dietic Diseases	·86	1·61	1·07	1·09	1·28	1·39	1·00	2·39	1·22	1·70
4. Parasitic Diseases	·75	·28	·45	·12	·66	·10	·58	·47	·58	·55
TOTAL	27·40	28·46	25·37	25·28	24·50	22·62	27·73	30·89	39·10	32·10
II.—CONSTITUTIONAL DISEASES.										
1. Diathetic Diseases	2·80	3·28	2·21	2·80	2·18	2·17	2·22	2·39	1·88	3·14
2. Tubercular Diseases	8·25	9·00	8·98	8·63	9·02	8·78	9·24	7·84	7·60	9·40
TOTAL	11·05	12·28	11·19	11·43	11·20	10·95	11·47	10·24	9·48	12·55
III.—LOCAL DISEASES.										
1. Diseases of the Nervous System	13·87	13·00	14·31	15·08	15·91	15·03	12·93	12·63	10·65	11·16
2. Diseases of the Organs of Circulation	3·38	3·28	4·05	4·26	4·31	4·03	3·69	3·58	2·58	3·35
3. Diseases of Respiratory System	5·79	5·23	5·39	7·11	7·28	8·42	8·09	5·01	5·41	6·20
4. Diseases of Digestive Organs	5·04	4·50	4·49	5·47	5·26	6·46	6·00	5·55	4·34	6·29
5. Diseases of Urinary Organs	·40	·61	·61	·67	1·28	·57	1·02	·79	·97	·72
6. Diseases of Organs of Generation	·17	·22	·11	...	·22	·26	·09	·11	·07	·11
7. Diseases of Joints	·11	·06	·06	·16	·27	·20	·18	·29	·22	·11
8. Diseases of Integumentary System	·23	·17	·11	·12	·16	·15	·22	·32	·22	·9
TOTAL	28·99	27·07	29·13	32·87	35·19	35·17	32·22	28·27	24·46	28·03
IV.—DEVELOPMENTAL DISEASES.										
1. Diseases of Children	5·33	5·50	5·34	4·62	3·86	5·53	3·91	4·12	4·53	4·44
2. Diseases of Adults	·92	·72	1·59	1·34	1·23	1·39	·58	1·07	·83	·89
3. Diseases of Old People	1·72	2·22	1·47	1·64	2·35	2·22	1·38	1·93	1·07	1·79
4. Diseases of Nutrition	7·39	8·45	8·40	7·36	7·95	8·10	10·00	9·66	8·58	8·08
TOTAL	15·36	16·89	16·80	14·96	15·39	17·25	15·87	16·78	15·01	15·20
V.—VIOLENCE.										
1. Accident or Negligence	9·80	9·67	10·62	11·30	9·30	9·50	8·84	9·70	7·65	7·59
2. Wounds in Battle	...	...	...	...	...	...	...	...	...	...
3. Homicide	·34	·61	·51	·79	·78	1·39	·62	·75	·44	·29
4. Suicide	·46	·45	·51	·55	·44	·46	·98	·36	·56	·69
5. Execution	...	·06	·17	·24	...	·05	...	·07	...	·03
TOTAL	10·60	10·79	11·81	12·88	10·52	11·41	10·44	10·88	8·65	8·60
Violent deaths, not classed	...	...	...	...	·11	...	...	·07	...	...
Sudden deaths, cause not ascertained	·29	·11	·06	·18	·05	...	...	·93	·15	·03
Deaths, cause ill-defined and unspecified	5·79	4·40	5·05	2·49	2·91	2·58	2·27	1·93	3·14	3·49
	6·08	4·51	5·11	2·67	3·07	2·58	2·27	2·93	3·29	3·52
TOTAL DEATHS										100·00

The mortality from diseases of the Miasmatic Order of the Zymotic Class, most of which may be called preventible diseases, is still seen to be in a large proportion, constituting 29·59 per cent. of the total deaths. This is lower than in the former year, when the percentage was 37·18, but is still far above the average rate of the mortality from this class of disease.

Table XIII. gives the causes of deaths in each month of the year, males and females, with the class and order of disease or cause of death, and the ages at which death has occurred in all the Registry Districts collectively.

Table XIV. exhibits the causes of deaths of males and females registered in each month of the year, and at different periods of life, for the District of Brisbane, separately from other parts of the colony. It shows that diseases of the preventible class are much more prevalent in the Metropolis than in the Country districts, the

percentage of deaths from such diseases in Queensland being, as shown, 29·59, the number of deaths from diseases of this class in the Metropolitan district being 309 out of a total of 879 gives a percentage of 35·15. This is plainly seen in the following table, which also shows a comparison of the proportion of deaths from all causes in the Metropolitan district separately, and in all the districts collectively.

R.

PERCENTAGE OF DEATHS, BRISBANE DISTRICT, FOR 1876.		PERCENTAGE OF DEATHS, WHOLE OF QUEENSLAND, 1876.	
Causes of Death.	—	Causes of Death.	—
I.—ZYMOTIC DISEASES.		CLASS No. I.	
1. Miasmatic Diseases	35·15	1. Miasmatic Diseases	29·59
2. Enthetic Diseases	0·45	2. Enthetic Diseases	0·26
3. Dietic Diseases	0·91	3. Dietic Diseases	1·70
4. Parasitic Diseases	0·45	4. Parasitic Diseases	0·55
TOTAL	36·97	TOTAL	32·10
II.—CONSTITUTIONAL DISEASES.		CLASS No. II.	
1. Diathetic Diseases	4·10	1. Diathetic Diseases	3·14
2. Tubercular Diseases	9·21	2. Tubercular Diseases	9·41
TOTAL	13·31	TOTAL	12·55
III.—LOCAL DISEASES.		CLASS No. III.	
1. Diseases of the Nervous System	12·29	1. Diseases of Nervous System	11·16
2. Diseases of the Organs of Circulation	2·73	2. Diseases of Organs of Circulation	3·35
3. Diseases of the Respiratory System	3·07	3. Diseases of Respiratory Organs	6·20
4. Diseases of the Digestive Organs	5·23	4. Diseases of Digestive Organs	6·29
5. Diseases of the Urinary Organs	0·57	5. Diseases of Urinary Organs	0·72
6. Diseases of the Organs of Generation	0·11	6. Diseases of Organs of Generation	0·11
7. Diseases of the Joints	0·34	7. Diseases of the Joints	0·11
8. Diseases of the Integumentary System	...	8. Diseases of the Integumentary System	0·9
TOTAL	24·35	TOTAL	28·03
IV.—DEVELOPMENTAL DISEASES.		CLASS No. IV.	
1. Diseases of Children	6·37	1. Diseases of Children	4·44
2. Diseases of Adults	1·25	2. Diseases of Adults	0·89
3. Diseases of Old People	1·37	3. Diseases of Old People	1·79
4. Diseases of Nutrition	11·03	4. Diseases of Nutrition	8·08
TOTAL	20·02	TOTAL	15·20
V.—VIOLENCE.		CLASS No. V.	
1. Accident or Negligence	4·55	1. Accident	7·59
2. Wounds in Battle	...	2. Wounds in Battle	...
3. Homicide	0·11	3. Homicide	0·29
4. Suicide	0·23	4. Suicide	0·69
5. Execution	0·11	5. Executions	0·03
TOTAL	5·01	TOTAL	8·60
Sudden deaths, cause not ascertained	...		
Deaths, cause ill-defined	0·11		
Deaths, cause unspecified	0·23	Deaths, cause unspecified, &c.	3·52
TOTAL FROM ALL CAUSES	100·00	TOTAL DEATHS, BRISBANE	100·00

The causes of deaths in each of the several Registry Districts is shown in the three following tables, XV. males, XVI. females, and XVII. males and females together.

The causes of deaths arranged in the order of their degree of fatality during the year is given in the last table of Appendix A, No. XVIII., showing a comparison between the year under review and the previous year.

"*Dysentery*" again heads the list as the most fatal of all diseases during the year, the number of deaths thus caused being 298; this is less by 157 than in the previous year, but the mortality in 1875 from this cause was very great. It may be seen, by reference to Tables XIII. and XIV., that the proportion of deaths from dysentery in the whole colony for the year was 85·95 per thousand; this was greatly exceeded in some localities. In the Mackay District the proportion was 266·66; that is, more than one-fourth of the whole number of deaths registered there resulted from this complaint. In the District of Maryborough the proportion was 124·88 to the thousand. In both these districts, but especially the former, there is a large proportion of Polynesian labourers. The deaths from this cause for the five years ending 1876 have been as follows:—

In proportion to total deaths to each 10,000: 402·89, 453·33, 794·56, 1108·67, 859·53.

In proportion to mean population to each 10,000: 6·03, 7·28, 14·31, 26·39, 16·18.

"*Diarrhœa*," with which dysentery is often confounded, accounts for 263 deaths, two less than in the former year. The general proportion of deaths from this complaint for the year is 75·85 per thousand of the total deaths in the colony, while in the Brisbane Registry District the deaths from this cause during the year reached 171·78 per thousand of the whole number of deaths in the district. As many as 76·15 of the deaths from this specific cause in the district were of children under five years of age. In the Rockhampton District, also, a large number of the deaths resulted from diarrhœa, the proportion to the total deaths in the district being 111·11 per thousand. The deaths from diarrhœa during the five years ending 1876 have been,—

In proportion to total deaths for each 10,000: 413·22, 448·89, 633·50, 645·71, 758·58.

In proportion to mean population for each 10,000: 6·18, 7·21, 11·41, 15·37, 14·28.

"*Remittent Fever*" has proved less fatal than in the previous year, having occasioned 147 deaths, as against 230 in 1875. Of these 147 fatal cases of fever, no less than 67 occurred in the newly settled northern districts of Cook and Palmer. The general proportion of deaths from remittent fever to the total deaths in the colony for the year is 42·40 per thousand. In the district of Townsville it was 178·57, in the Cook district 288·14, and in the district of the Palmer 423·07 per thousand of the total deaths in the district. During the five years ending 1876, deaths from this cause have been,—

In proportion to total deaths for each 10,000: 289·26, 231·11, 415·18, 560·43, 424·00.

In proportion to mean population for each 10,000: 4·33, 3·71, 7·48, 13·34, 7·98.

"*Alcoholism*," under which are included delirium tremens and intemperance, is shown to have occasioned 24 deaths during the year, or three more than in 1875. No doubt a proportion, and perhaps a considerable proportion, of the deaths ascribed to sun-stroke and brain disease might also have been charged to the same account. The proportion of deaths set down to this cause during the five successive annual periods from 1872 to 1876 are as follows:—

In proportion to total deaths for each 10,000: 82·64, 75·56, 128·85, 51·17, 69·22.

In proportion to mean population for each 10,000: 1·24, 1·21, 2·32, 1·22, 1·30.

"*Diphtheria*" has been fatal in 54 cases during the year, as against 62 in the former year. For the five years ending 1876 deaths from this disease have been as follows:—

In proportion to total deaths for each 10,000: 185·95, 324·44, 168·22, 151·07, 155·75.

In proportion to mean population for each 10,000: 2·78, 5·21, 3·03, 3·60, 2·93.

"*Measles*," which was a new disease in Queensland in 1875, one case only having been recorded in the previous year, has had but few victims in the year under review, 33 fatal cases only having occurred, as against 178 deaths from this cause in 1875.

"*Scarlatina*" has been much less fatal than in the former year, only 28 deaths having resulted from this disease, a diminution of 23 as compared with 1875. In five years the deaths from this disease have been as follows:—

Proportion to total deaths for every 10,000: 61·98, 17·78, 35·83, 124·27, 80·76.

Proportion to mean population for every 10,000: 0·93, 0·29, 0·64, 2·96, 1·52.

"*Phthisis*" stands first in the order of the degree of fatality in the second class called constitutional diseases, and only third among all other diseases which have proved fatal during the year. Under this insidious disease 260 deaths were registered during the year, as against 228 in 1875. It will be seen that the two last years have been exceptional in the large proportion of deaths registered from this cause. The climate of this part of Australia has been considered highly favourable to persons suffering from incipient consumption, and has, in fact, proved most beneficial in some cases of confirmed phthisis. This has, no doubt, attracted a number of invalids to the colony, many of whom have not been permanently benefited, and thus the proportion of deaths from pulmonary consumption has been swelled; notwithstanding this, the average proportion of deaths from this disease, for the five years ending 1876, has not been large. This will be seen as follows:—

In proportion to total deaths for every 10,000: 661·16, 644·44, 583·39, 555·56, 749·93.

In proportion to mean population for every 10,000: 9·90, 10·35, 10·51, 13·22. 14·12.

Mean of five years { In proportion to total deaths for every 10,000: 127·00. / In proportion to mean population for every 10,000: 11·84.

In Victoria the proportion of deaths from phthisis to the mean population for eleven years is given in *The Victorian Year Book* as 12·12 to every 10,000 persons living. It is there considered to be the most fatal disease. This rate is much lower than in England and Wales, where, in 1873, the rate was 22·14; but it should be borne in mind that, in Australia, and especially in Queensland, there are other circumstances, even apart from our fine and dry climate, which ought to give us almost an immunity from this disease, as compared to the crowded countries of Northern Europe.

"*Convulsions*."—This has been the most fatal among the third class, under the head of local diseases. There are 239 deaths recorded under this head during the year, as against 290 in 1875. The deaths from this cause from 1872 to 1876 have been as follows:—

In proportion to total deaths for every 10,000: 940·108, 826·66, 769·51, 706·63, 689·36.

In proportion to mean population for every 10,000: 14·07, 13·27, 13·86, 16·82, 12·98.

"*Childbirth*."—Thirty mothers have died in childbirth during the year under review, this being one to every 230 births. It is satisfactory to observe that deaths in childbed are few in Queensland by comparison. In Victoria the deaths are in much larger proportion; the average there for eleven years is given as 1 to every 187 births; for the year 1875, 1 to every 113; and for the previous year, 1 to every 107. In England and Wales it is found that, on an average, the life of one mother is lost to every 211 children brought into the world.*

"*Old Age*" is debited with 20 deaths during the year, as against 28 in 1875; and 9 only in the previous year.

* According to the Table 9 Registrar-General's Thirty-seventh Annual Report, page 98, out of a million children born 488,255 of them girls, 6,921 will die at childbirth. The facts show that the mortality in childbirth is in the proportion of one mother to 211 children born alive.—*Supplement to the Thirty-fifth Annual Report of the Registrar-General (England) page XLII.*

"*Violence.*"—The number of deaths from violence, although less by 26 than in the previous year, still appears to be large, amounting to 300, or to 1·63 per thousand of the number of persons living. The deaths thus caused are as follows:—

Accidents	262
Homicide	10
Suicides	24
Execution	1
Internal injuries, nature unspecified ...	3
	300

One death to every 11½ of the total deaths during the year is thus seen to have occurred by violence. Of the 262 deaths occasioned by accidents no less than 94 were by drowning, including 77 males and 17 females.

Homicides were in the proportion of 1 to every 346 deaths. There were 7 persons murdered—6 males and 1 female. Of these murders two were perpetrated by aboriginal blacks.

Suicides were in the proportion of 1 to every 144 of the total number of deaths. There were 20 males and 4 females who committed self-destruction. Of these there were 7 deaths by hanging, 6 men and one woman; 5 by poisoning, 3 men and 2 women; 4 by drowning, 3 men and 1 woman. Three men destroyed themselves by shooting, and 3 by some mode unspecified. Two men committed suicide with the knife. One man only died by execution.

Seventeen deaths are returned as occasioned by sun-stroke, all males; 16 by suffocation, 13 males and 3 females; 15 by falls from horses, all males; 5 from lightning, 4 males and one female; 4 from snake-bite, 3 males and 1 female. One death is recorded of a man taken by a shark.

The following table will show the number of deaths which have resulted from some of the most prevalent diseases in the 5 years ending 1876:—

S.

TABLE showing the NUMBER of DEATHS from certain Causes; also their proportion per 10,000 of the TOTAL DEATHS and MEAN POPULATION respectively for each of the YEARS 1872-6.—RETURN for FIVE YEARS.

Most Common Causes of Death.	1872.			1873.			1874.			1875.			1876.		
	Number of Deaths.	Proportion per 10,000 of Total Deaths.	Proportion per 10,000 of the Mean Population.	Number of Deaths.	Proportion per 10,000 of Total Deaths.	Proportion per 10,000 of the Mean Population.	Number of Deaths.	Proportion per 10,000 of Total Deaths.	Proportion per 10,000 of the Mean Population.	Number of Deaths.	Proportion per 10,000 of Total Deaths.	Proportion per 10,000 of the Mean Population.	Number of Deaths.	Proportion per 10,000 of Total Deaths.	Proportion per 10,000 of the Mean Population.
Dysentery	78	402·89	6·03	102	453·33	7·28	222	794·56	14·31	455	1108·67	26·39	298	859·53	16·18
Diarrhœa	80	413·22	6·18	101	448·89	7·21	177	633·50	11·41	265	645·71	15·37	263	758·58	14·28
Phthisis	128	661·16	9·90	145	664·44	10·35	163	583·39	10·51	228	555·56	13·22	260	749·93	14·12
Remittent Fever ...	56	289·26	4·33	52	231·11	3·71	116	415·18	7·48	230	560·43	13·34	147	424·00	7·98
Teething	64	330·58	4·95	45	200·00	3·21	76	272·01	4·90	131	319·20	7·60	110	317·28	5·97
Atrophy	54	278·93	4·17	87	386·67	6·21	119	425·91	7·67	131	319·20	7·60	117	337·47	6 35
Heart Disease ...	71	366·74	5·49	71	315·56	5·07	86	307·80	5·54	92	224·17	5·34	97	279 78	5·27
Brain Disease ...	21	108·47	1·62	23	102·22	1·64	29	103·79	1·87	30	73·10	1·74	43	124·03	2·33
Drowning	70	361·57	5·41	89	395·56	6·35	120	429·49	7·74	127	309·45	7·37	94	271·13	5·10
Convulsions ...	182	940·08	14·07	186	826·66	13·27	215	769·51	13·86	290	706·63	16·82	239	689·36	12·98
Pneumonia ...	61	315·08	4·02	68	302·22	4·85	48	171·80	3 09	72	175·44	4·18	75	216·33	4·07
Croup	39	201·45	3·02	61	271·11	4·35	55	196·85	3·55	67	163·26	3·89	74	213·44	4·02
Typhus Fever ...	54	278·93	4·17	67	297·78	4·78	78	279·17	5·03	158	384·99	9·16	72	207·67	3·91
Bronchitis	42	216·94	3·25	63	280·00	4·50	35	125·27	2·26	73	177·88	4·23	71	204·79	3·85
Scarlatina	12	61·98	·93	4	17·78	·29	10	35·83	·64	51	124·27	2·96	28	80·76	1·52
Measles	...	...	...	...	...	..	1	3·60	·06	178	433·72	10·32	33	95·18	1·79
Diphtheria ...	36	185·95	2·78	73	324·44	5·21	47	168·22	3·03	62	151·07	3·60	54	155·75	2·93
Apoplexy	28	144·63	2·16	23	102·22	1·64	44	157·48	2·84	30	73·10	1·74	34	98·07	1·87
Alcoholism ...	16	82·64	1·24	17	75·56	1·21	36	128·85	2·32	21	51·17	1·22	24	69·22	1·30
Childbirth	27	139·46	2·09	13	57·78	·93	27	96·64	1·74	33	80·41	1·91	30	86·53	1·63
Total Deaths of each Year from all Causes	1,936	...		2,250	...		2,794	...		4,104	...		3,467	...	
Mean Population of each Year	...	129,349		...	140,122		...	155,103		...	172,402		...	184,194	

"The doctrine of population" in Queensland, means immigration of the classes which increase and multiply. It has been asserted that the world would soon become over-populated, but for the prevalence of disease; and calculations have been made with an apparent surface of sound reasoning, to show how soon the whole area of England and Wales would be as thickly populated as London is at the present time, if the death-rate were much reduced, and the annual increase by births over deaths rose from 12·8 to 18 per thousand of its population.* The fallacy of all this has been clearly shown by more careful students of the doctrine of population. Dr. Farr, in his letter to the Registrar-General of England, completely dissipates the idea that a high rate of mortality is a necessity of the condition of human life, showing most conclusively that "a reduction in the rate of mortality "can be attended by none but the most salutary effects." Among other points the writer alludes to the fact, that "half the women of England and Wales of child-"bearing ages are unmarried, and thus the births are kept down by half their "possible number; that a flow of prosperity in the country is immediately followed "by the launch of a whole fleet of marriages; and that the ruin of an industry, or "the depression of a trade, implies a stagnation of marriages, thousands of couples "being always on the look-out, and ready to embark as the prospect brightens."

It would seem, in fact, that the power of increase is inherent in the species to the extent of doubling its numbers about every quarter of a century, but that this is depressed or developed by a higher or lower marriage-rate, and that this is dependent on a greater or lower degree of general prosperity. It does not follow that the general prolongation of life, if by any means that could be effected, would necessitate fewer marriages: doubtless life would then be more vigorous, trade more prosperous, and the earth more productive. Thus, as it is said, statesmen need be under no apprehension of an over-populated world, and statisticians and philanthropists may safely combine with them in lowering the death-rate by all possible means in every part of the world.

In Queensland, with a territory of 669,520 square miles, or more than eleven times the area of England and Wales, there can be little fear of over population. "To live long," it has been well said, "is a natural aspiration, and in the earlier "years of science the alchemists sought with as much ardour as they sought the "philosopher's stone for an *elixir vitæ* to confer on man perpetual prime. The "question comes, Can human lifetime be prolonged by a knowledge of the causes "which cut it short?" Dr. Farr says, "The science of life, yet only in its infancy, "will make further progress and solve many problems hitherto held to be insoluble "when hygiene is cultivated in all medical schools."

"Life has a pecuniary value; in its production and education a certain "amount of capital, with its interest, as a general rule, re-appears in the wages of "the labourer, the pay of the officer, and the income of the professional man." . . . "The value of any class of lives is determined by valuing first at birth, "or at any age, the cost of future maintenance, and then the value of future "earnings. Thus proceeding, I found the value of a Norfolk agricultural labourer "to be £246 at the age of 25. The child is by this method worth only £5 at birth, "£56 at the age of five years, £117 at the age of 10 years, the youth £192 at the "age of 15, the young man £234 at the age of 20, the man £246 at the age of 25."†

Condorcet, who wrote in favour of free trade and against the slave trade at the end of the last century, and who believed in the perfectibility of man, asks, "Who "can doubt that the progress of conservative medicine, the use of healthy aliment and "lodging, a regimen which will develop energy by exercise without wasting it by "excesses, the removal of the most potent causes of degradation, abject poverty and "superfluous wealth, will prolong the lifetime of men, and ensure more constant "health and more robust constitutions? . . . Now, is it absurd to assume that "this perfectibility of man will go on through endless ages?" To confute this

* Malthus has the following passage in the first edition of his Political Economy:—"If any person will take the trouble "to make the calculation, he will see that if the necessaries of life could be obtained without limit, and the number of people "could be doubled every twenty-five years, the population which might have been produced from a single pair since the "Christian era, would have been sufficient not only to fill the earth quite full of people, so that four should stand on every "square yard, but to fill all the planets of our solar system in the same way; and not only these, but all the planets revolving "round the stars which are visible to the naked eye, supposing each of them to be a sun, and to have as many planets belong-"ing to it as our sun has."—*Malthus' Principles of Political Economy, page* 227, *in Goodwin on Population, page* 484.

† Letter on Mortality, by Dr. William Farr.—*Supplement to* 35*th Annual Report Registrar-General of England.*

doctrine, Malthus advanced the principle of population under which mankind multiplies, he contends, in geometrical progression, while subsistence increases only by arithmetical progression, so that, as he says, "The numbers are kept down by "misery!" In reply to this it has been well remarked, that "The great source of "the misery of mankind is not their number, but their imperfections and the want "of control over the conditions in which they live."

In answer to the question, Can lifetime be prolonged by a knowledge of the causes which cut it short? it is confidently affirmed by those who have devoted a lifetime to the study of "the science of life," that it can. The mean lifetime of sovereigns and peers, it is said, was in past ages much shorter than the lifetime of the unhealthiest labourer of the cities of to-day. In the latter half of the seventeenth century the mortality in the city of London was at the rate of 80 per 1,000, and 50 in the eighteenth, as against 24 only in the present day. It is as certain that by hygienic appliances the present mortality can be still reduced down to a certain limit, as it is, that human life can be sacrificed.

There are 54 large tracts of England and Wales which actually experienced a mortality of only 17 per 1,000, which is less by 5 than the average mortality per 1,000 of the whole country; less by 10 than in 9 districts; and less by 22 than the mortality for 10 years in Liverpool.*

In some of the districts where the people are engaged in the heathful occupations connected with agriculture, and have abundance of plain, substantial food, good water, and generally comfortable dwellings, there is a mortality even much below that of the healthy districts above alluded to. In the district of Rothbury, containing several very large parishes, the usual mortality in 30 years, from 1840 to 1871, averaged only 15 per thousand. In one of these, Alwinton, on the southern slopes of the Cheviots, extending over 46,681 acres and comprising 16 townships, the death-rate in 1871 was only 7·5 per 1,000.†

The conditions chiefly influencing the health of communities generally, are laid down as—First, the physical well-being of the people as to dwellings, food, drink in excess or defect. Secondly, firing. Thirdly, cleanliness. Fourthly, sewerage and drainage. The rough character of many of our dwellings in the country districts of Queensland is comparatively unimportant; the roughest habitations, or the open houses of "the bush," often prove, in fact, the healthiest of all dwellings in such a climate. The situation and close proximity of many of the dwellings, however, in the larger towns, is no doubt a prolific source of disease.

A series of minute observations in England, the result of which is shown in elaborate tables, fully proves that there is a general relation between the mortality and the density of population. Thus, in the healthy districts of England and Wales in 1861 to 1870, there were only 166 persons to a square mile, in all England 367, and in Liverpool, preeminent for its high rate of mortality, 65,823.

The Census Report of 1876 shows that the density of the population in Brisbane is not great as compared to many large towns in England. With an area of $8\frac{3}{4}$ square miles, and a population, as returned in schedules, of 26,953, the density is, as nearly as possible, 3,031 to the square mile. London has an area of—generally stated to be—122 square miles, with a density of population of 25,671 to the square mile. There are, therefore, more than eight times as many persons to the square mile in London as in the chief town of Queensland. There is, however, the same inequality in the distribution obtaining in this little capital as in the great metropolis,—that is, the density of the population in London being 25,671; that of the Central district is 107,729; of Westminster, 153,976; Berwick street, Westminster, 278,587; while in Hampstead it is only 7,315. The proximity in London of person to person is given as 11·8 yards; and of the densest sub-district of London, Berwick street, 3·6 yards.

* The mean annual deaths at the rate of 22·4 in ten years, 1871–70, were 479,450 in England; and had the rate of mortality been 17, the annual deaths would not have exceeded 363,617; so the overplus due to the operation of causes existing, but less destructive in the healthier districts, was 115,833. The hope of saving any number of these 115,833 lives annually by hygienic measures is enough to fire the ambition of every good man who believes in human progress.—*Supplement to Thirty-fifth Annual Report of Registrar-General of England, by Dr. William Farr, page* viii.

† In Rothbury district, the village of Harbottle has 120 inhabitants, and Dr. Frank Richardson states that among these there are 37 children under 14 years of age, and that during the last ten years no child has died. He gives another proof of the vitality of the children in the parish: a farmer and his 3 shepherds, who have occupied their present situation nearly 30 years, have among them 47 children, and not a single death has occurred in these families. Such exceptional cases are well worthy of study, and our young Health Officers may learn a useful lesson of hygiene from these farmers and shepherds living on the southern slopes of the Cheviot Hills.—*Thirty-seventh Report Registrar-General of Englaad.*

In Brisbane, for want of a good Building Act, that would limit the greed of those speculators in town lands who have no ideas beyond their own pecuniary gain, many allotments in large districts of the town are subdivided, until a piece fairly large enough for one commodious dwelling is made to serve for half-a-dozen cottage sites, and little, unsightly, pent-up dwellings are crowded together, disfiguring the town with their narrow lanes, noisome privies, and stagnating cesspools. It is no one's business to drain these slums and alleys; the municipal authorities seem to discover in most cases brought under their notice that they have no power to drain such streets; the Board of Health have no funds or authority to do the needful work; and the deadly evil remains and increases. This overcrowding in certain localities is more or less to be deplored in all our larger towns, and this alone is sufficient to account for a high rate of mortality.

Under the third head of "Conditions chiefly influencing health"—Cleanliness, the common saying may be repeated, that "soap is a great civilizer." It is found that the mortality of men over twenty-five years of age in London, as compared to the women of the same ages, is very high; at thirty-five to forty-five the disproportion of deaths of males increases. While in the Eastern counties it is only 1·035, and in the North Midland counties only 0·993, in London it is 1·714. At forty-five to fifty-five in all England it is 1·916, in London 2·568. The great mortality of men in London and in some other large towns, is considered to be caused by the dust of workshops and streets, and the want of cleanliness among labourers and artizans, who live a great part of their time with the pores of their skin blocked up with sweat and dust. The mortality of men at the same age in Sheffield has been very great, and a kind of sickness has there acquired the name of "the grinder's rot." "The sweat left on a healthy brow breeds disease, the body must therefore be "washed, or its distillations infect the blood; the leprosy of the middle ages was "aggravated, if not caused, by the dirt of the mediæval world."

There can be no doubt but that in a climate such as we have in Queensland the utmost attention should be paid, especially in the larger towns, to an abundant supply of pure water, at the lowest possible cost, to the inhabitants; that accommodation should exist, if it were possible, in every house for private baths, and that drinking fountains, supplied with pure water, should be erected in every convenient place in our streets.*

Sewerage and drainage must be on an intelligent and comprehensive scale, almost regardless of cost, if the death-rate in our large towns is to be materially lessened; or, in other words, if we wish to preserve our children alive, and to live ourselves till, in the natural order of things, we go to our graves. As it is, we are poisoned by the impure air we breathe, and by the zymads which live in the water we drink. With a site for our metropolis so admirably suited for an efficient system of drainage, we only require a large money outlay for the introduction of Captain Liurnur's system of removing excreta, or well constructed works for their chemical destruction on some approved deodorising plan,† such as that now in successful operation in several large towns in England, together with a complete system of main and subsidiary drainage, to make the capital city, and other large towns in Queensland, as healthy as any of the most salubrious districts in other parts of Australia. The tables appended to this Report, to which attention has already been directed, show that in the country districts there is a low death-rate, and that it is the unwholesome condition of our large and rapidly growing towns, where the

* A great medical authority, writing on the use of drinks as affecting health, says, "All beverages have to be regulated according to climate, weather, and temperament. In the cold of winter, and in high latitudes, wines are salutary; in the tropics and in summer their very charms in excess are Circean dangers; they fasten like vultures on the liver. The great pending experiment of total abstinence by thousands of all classes seems to show already that men live in health without alcoholic liquors.

† At Luton, in Bedfordshire, in consequence of an injunction in Chancery at the suit of the Attorney-General and John Shaw Leigh, Esq., in 1855, to prevent all sewage matter from running into the river Lee until it had been deodorised by the process known as Higg's patent, deodorising works were erected in 1856, which are thus described:—The sewage is treated on the precipitating principle. As it flows from the intercepting sewer it is mixed with the milk of lime, and with a solution of chloride of lime, which continually flow in varying quantity, regulated by the attendant, according to the volume and density of the sewage; the whole being mixed by a revolving shaft with flanges. It is thus passed on to a subsiding bed with a division, where the great bulk of the offensive matter is rapidly precipitated into a very small space. The water flows over the division and along a canal, entering another large subsiding bed, this process being more than once repeated; and finally, it is thoroughly purified by upward filtration through two beds of flint and charcoal; the motive power for mixing the lime in the cisterns, and then with the sewage, pumping, &c., being obtained from the fluent water passing away.

effects of increasing density of population is not guarded against by necessary works and the rigorous application of sanitary regulations, which swells our daily death-toll, and makes Queensland appear to be one of the most unhealthy of the Australian colonies, in spite of our naturally fine and very healthful climate.

The true economy of the very large expenditure which has been incurred in England and Wales in sanitary works is now abundantly proved. In support of the decisive opinion of the Registrar-General on this subject before alluded to, some instances are given in his Thirty-seventh Annual Report, which are conclusive. One or two of these may be cited in proof:—"The district of North Wichford "affords a striking instance of the important results that can be attained by health "administration. There the average annual mortality fell from 27 per 1,000 in "1841–50, to 21 per 1,000 in 1851–60, and 20 in 1861–70. In the four years "1871–4 the results are still more remarkable, the mortality being reduced to 17 "per 1,000. In Whittlesey a steady improvement in the mortality is also discern-"ible, from 25 per 1,000 in 1841–50, to 23 per 1,000 in 1851–60, and to 21 per "1,000 in 1861–70; in 1871–4 the rate fell to 19 per 1.000." These instances are selected from a number of towns and localities where sanitary works have been carried out and where the mortality has since steadily declined.*

Enough has been said in connection with the figures presented in the tables of this Report to make it plain,—

First.—That the climate of Queensland is healthy, and the general death-rate in the country districts low.

Secondly.—That the mortality of children under five years is higher than in the other principal Australian colonies, but only as compared to the total number of deaths; this being accounted for by the high birth-rate, and the large proportion of children under five years of age, to the population, the proportion of the deaths of children under five years, as compared to the children living at that period of age, being comparatively small.

Thirdly.—That our towns are, as a rule, much more unhealthy than the country districts, and that several of them, including Brisbane, are in a very unsatisfactory condition, as proved by the high mortality, which swells the general death-rate so much as to raise it above that of all the other Australian colonies.

Fourthly.—That this condition of things in the larger towns is susceptible of cure, and might be entirely got rid of by a considerable expenditure in sound sanitary works.

I have the honour to be,

Sir,

Your most obedient Servant,

HENRY JORDAN,

Registrar-General.

Registrar-General's Office,
19th September, 1877.

* Sir Joseph Bazalgette, under whose direction the most important sanitary work of London was carried out, said that London with all its defects, even prior to the introduction of the improved system, was probably the best drained city in the world; and indeed very great improvements must have been from time to time effected in this great city, for in the latter part of the seventeenth century, its mortality was at the rate of 80 per thousand, and 50 per thousand in the eighteenth, as against 24 per thousand in the present day.

GENERAL SCHEME OF CLASSIFICATION.

Class No. I.—ZYMOTIC DISEASES.

ORDER No. 1.—MIASMATIC DISEASES.

1. Small-pox.
1A. Chicken-pox.
2. Measles.
3. Scarlatina.
3A. Diphtheria.
4. Quinsy.
5. Croup.
6. Whooping Coup.
7. Typhus (and Infantile Fever).
8. Erysipelas.
9. Metria.
10. Carbuncle, Boil, &c.
11. Influenza, Coryza, Catarrh.
12. Dysentery.
13. Diarrhœa.
14. Cholera.
15. Ague.
16. Remittent Fever, Fever, &c.
17. Rheumatism.
18. Others.

ORDER No. 2.—ENTHETIC DISEASES.

1. Syphilis.
2. Gonorrhœa, Stricture of the Urethra.
3. Hydrophobia.
4. Glanders.
5. Others.

ORDER No. 3.—DIETIC DISEASES.

1. Privation.
2. Want of Breast-milk.
3. Purpura and Scurvy.
4. Alcoholism { *a* Delirium Tremens. *b* Intemperance.
5. Others.

ORDER No. 4.—PARASITIC DISEASES.

1. Thrush.
2. Worms.
2A. Hydatid.
3. Others.

Class No. 2.—CONSTITUTIONAL DISEASES.

ORDER No. 1.—DIATHETIC DISEASE.

1. Gout.
2. Dropsy.
3. Cancer.
3A. Tumor.
3B. Polypus.
4. Noma.
5. Mortification.
6. Others.

ORDER No. 2.—TUBERCULAR DISEASES.

1. Scrofula.
2. Tabes Mesenterica.
3. Phthisis.
3A. Hœmoptysis.
4. Hydrocephalus.
5. Others.

Class No. 3.—LOCAL DISEASES.

ORDER No. 1.—DISEASES OF THE NERVOUS SYSTEM.

1. Cephalitis.
2. Apoplexy.
3. Paralysis.
4. Insanity.
5. Chorea.
6. Epilepsy.
7. Convulsions.
8. Brain Disease, &c.

LOCAL DISEASES—continued.

ORDER No. 2.—DISEASES OF THE ORGANS OF CIRCULATION.

1. Pericarditis.
2. Aneurism.
3. Heart Disease, &c.

ORDER No. 3.—DISEASES OF THE RESPIRATORY SYSTEM.

1. Laryngitis.
2. Bronchitis.
3. Pleurisy.
4. Pneumonia.
4A. Congestion of the Lungs, Pulmonary Apoplexy.
5. Asthma.
6. Lung Disease, &c.

ORDER No. 4.—DISEASES OF THE DIGESTIVE ORGANS.

1. Gastritis.
2. Enteritis.
3. Peritonitis.
4. Ascites.
5. Ulceration of the Intestines.
6. Hernia.
7. Ileus.
8. Intussusception.
9. Stricture of Intestines.
10. Fistula.
11. Stomach Disease, &c.
12. Pancreas Disease, &c.
13. Hepatitis.
14. Jaundice.
15. Liver Disease, &c.
16. Spleen Disease, &c.

ORDER No. 5.—DISEASES OF THE URINARY ORGANS.

1. Nephritis.
2. Ischuria.
3. Nephria.
4. Diabetes.
5. Stone.
6. Cystitis.
7. Kidney Disease, &c.

ORDER No. 6.—DISEASES OF THE ORGANS OF GENERATION.

1. Ovarian Dropsy.
2. Uterus Disease, &c.

ORDER No. 7.—DISEASES OF JOINTS AND BONES.

1. Arthritis.
1A. Ostitis, Periostitis, &c.
2. Joint Disease, &c.

ORDER No. 8.—DISEASES OF THE INTEGUMENTARY SYSTEM.

1. Phlegmon.
2. Ulcer.
3. Skin Disease, &c.

Class No. 4.—DEVELOPMENTAL DISEASES.

ORDER No. 1.—DEVELOPMENTAL DISEASES OF CHILDREN.

1. Premature Birth.
2. Cyanosis.
3. Spina Bifida.
4. Other Malformations.
5. Teething.
6. Others.

ORDER No. 2.—DEVELOPMENTAL DISEASES OF ADULTS.

1. Paramenia.
2. Childbirth.
3. Others.

DEVELOPMENTAL DISEASES—continued.

ORDER No. 3.—DEVELOPMENTAL DISEASES OF OLD PEOPLE.

1. Old Age.
2. Senile Decay.

ORDER No. 4.—DEVELOPMENTAL DISEASES OF NUTRITION.

1. Atrophy.
1A. Debility.

Class No. 5.—VIOLENCE.

ORDER No. 1.—ACCIDENT OR NEGLIGENCE.

1. Fractures, Contusions, &c.
2. Gunshot Wounds.
3. Cuts, &c.
4. Burns.
5. Scalds.
6. Sunstroke.
7. Poison.
8. Bite of a snake or poisonous insect.
9. Drowning.
10. Suffocation.
11. } Other Accidents as certified.
12. }
13. }
14. }
15. }
16. }
17. }
18. }

ORDER No. 2.—WOUNDS IN BATTLE.

1. Gunshot and Others.
2. Sword or Bayonet.
3. Others.

ORDER No. 3.—HOMICIDE.

1. Murder.
2. Manslaughter.

ORDER No. 4.—SUICIDE.

1. Wounds { A Gunshot. B Cut, Stab, &c.
2. Poison.
3. Drowning.
4. Hanging.
5. Otherwise.

ORDER No. 5.—EXECUTION.

1. Hanging.

Class No. 5a.—CAUSE NOT DEFINED.

No. 1.—DEATHS, CAUSE NOT ASCERTAINED.

1. Found Dead.
2. Sudden Death.

No. 2.—DEATHS, CAUSE ILL-DEFINED.

1. Accidental Death.
2. Inflammation.
3. Natural Causes.
4. Visitation of God.
5.

No. 3.—DEATHS UNSPECIFIED.

1. Unspecified.

INDEX TO TABLES.

Head.	Particulars given in Table.	Table.	Page.
	APPENDIX A.		
Births	Number Registered during each Quarter	II.	3
Marriages	Number Registered in 1876, showing the Denominations...	III.	4
,, ...	Showing the Nationality of the parties Married	IV.	5
,, ...	,, various Ages of the parties Married...	V.	6
Deaths	Showing the Number Registered during each Quarter according to Districts	VI.	7
,, ...	,, Number of Children, Male and Female, under Five years	VII.	8
,, ...	,, Nationality of persons whose deaths were Registered ...	VIII.	9
,, ...	,, Occupations of persons whose Deaths were Registered ...	IX.	10
,, ...	,, Causes of Deaths of Males at different periods of life, Registered during the year	X.	9*a* & 10*a*
,, ...	,, Causes of Deaths of Females at different periods of life, Registered during the year	XI.	11 & 12
,, ...	,, Causes of Deaths of Males and Females at different periods of life, Registered during the year	XII.	13 & 14
,, ...	,, Causes of Deaths, Males and Females, Number Registered each Month, and Ages at Death	XIII.	15 & 16
,, ...	,, Causes of Deaths, Males and Females, within the District of Brisbane, Number Registered each Month, and Ages at Death	XIV.	17 & 18
,, ...	,, Causes of Deaths of Males in the several Registration Districts	XV.	19 & 20
,, ...	,, Causes of Deaths of Females in the several Registration Districts	XVI.	21 & 22
,, ...	,, Causes of Deaths of Males and Females in the several Registration Districts	XVII.	23 & 24
,, ...	,, Causes of Death, arranged in order of Degree of Fatality	XVIII.	25
Population	Synoptical Table from 1856 to 1876	I.	1 & 2
,, ...	Estimated, for 1875 and 1876, Estimated Mean for 1876	—	3
	APPENDIX B.		
	District Registrar's List of, for 1876	—	26
	APPENDIX C.		
Brisbane — Deaths, 1872 to 1875, inclusive	Showing the Causes of Deaths, Males and Females, within the District of Brisbane, Number Registered each Month, and Ages at Death during the year 1872	I.	27 & 28
	,, Causes of Deaths, Males and Females, within the District of Brisbane, Number Registered each Month, and Ages at Death during the year 1873	II.	29 & 30
	,, Causes of Deaths, Males and Females, within the District of Brisbane, Number Registered each Month, and Ages at Death during the year 1874	III.	31 & 32
	,, Causes of Deaths, Males and Females, within the District of Brisbane, Number Registered each Month, and Ages at Death during the year 1875	IV.	33 & 34
	APPENDIX D.		
Meteorology ...	Meteorological Observer's Report	—	35 to 38
,, ...	Index to Meteorological Tables	—	38
,, ...	Meteorological Tables	—	39 to 47

APPENDIX TO REGISTRAR-GENERAL'S REPORT ON THE VITAL STATISTICS OF QUEENSLAND FOR THE YEAR 1876.

APPENDIX A.

SYNOPTICAL TABLE.

Synopsis of the Vital Statistics of Queensland, from the Year 1856 to 1876 inclusive.

YEAR.	POPULATION ON THE 31st DECEMBER OF EACH YEAR, ITS INCREASE NUMERICAL AND CENTESIMAL, AND PROPORTION OF THE SEXES.													MEAN POPULATION OF EACH YEAR, ITS NUMERICAL AND CENTESIMAL INCREASE.									BIRTHS, THEIR PROPORTION TO MEAN POPULATION OF EACH YEAR, AND THEIR NUMERICAL AND CENTESIMAL INCREASE.						
	POPULATION ON THE 31st DECEMBER.			NUMERICAL INCREASE IN POPULATION OF 31st DECEMBER.			CENTESIMAL RATIO OF INCREASE IN POPULATION OF 31st DECEMBER.			Proportion of Females to each 100 Males in total population of each year.	Male additions to Population of 31st December of each year, arising from excess of Births over Deaths.	Female additions to Population of 31st December of each year, arising from excess of Births over Deaths.	Total additions to Population of 31st December of each year, arising from excess of Births over Deaths.	Centesimal increase to Population of 31st December of each year from excess of Births over Deaths.	MEAN POPULATION OF EACH YEAR.			NUMERICAL INCREASE IN MEAN POPULATION OF EACH YEAR.			CENTESIMAL RATIO OF INCREASE IN MEAN POPULATION OF EACH YEAR.			Proportion of Females to each 100 Males in mean population of each year.	Male Births registered each year.	Female Births registered each year.	Total Births registered each year.	Numerical Increase* or Decrease† of Births of each year.	Centesimal Increase* or Decrease† in Births of each year.	Centesimal Proportion total Births bear to Mean Population of each year.	Number of Female Births to each 100 Male Births.
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.						Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.								
1856... ...	11,254	7,290	18,544	...	...	...	...	...	...	...	...	...	...	...	11,858	7,740	19,598	...	...	...	...	...	...	65·23	381	374	755	...	...	3·85	98·1
1857... ...	12,462	8,190	20,652	1,208	900	2,108	10·73	12·34	11·31	65·73	181	276	457	2·47	12,869	8,609	21,478	1,011	869	1,880	8·53	11·23	9·59	65·27	487	488	975	*220	*29·13	4·53	100·20
1858... ...	13,276	9,029	22,305	814	839	1,653	6·53	10·24	8·00	68·01	212	385	597	2·69	13,565	9,347	22,912	696	738	1,434	5·41	8·57	6·68	68·90	547	522	1,069	* 94	* 9·64	4·50	95·43
1859... ...	13,854	9,666	23,520	578	637	1,215	4·35	7·06	5·44	69·77	327	411	738	3·30	15,335	10,453	25,788	1,770	1,106	2,876	13·04	11·83	12·55	68·16	646	590	1,236	*167	*15·62	4·57	91·61
1860... ...	16,817	11,239	28,056	2,963	1,573	4,536	21·46	16·27	19·29	66·83	325	433	758	3·22	18,814	12,397	31,211	3,479	1,944	5,423	22·69	18·59	21·03	65·89	739	684	1,423	*187	*15·13	4·56	92·56
1861... ...	20,811	13,556	34,367	3,994	2,317	6,311	23·75	17·09	22·09	65·09	383	541	924	3·29	23,998	15,724	39,722	5,184	3,327	8,511	27·55	26·84	27·27	65·56	903	799	1,702	*279	*19·60	4·29	88·48
1862... ...	27,186	17,891	45,077	6,375	4,335	10,710	30·63	31·97	31·16	62·14	387	518	905	2·63	32,382	20,976	53,358	8,384	5,252	13,636	34·94	33·40	34·33	64·78	1,094	1,127	2,221	*519	*30·49	4·16	103·02
1863... ...	37,579	24,061	61,640	10,393	6,170	16,563	38·23	34·48	36·74	64·03	296	650	946	2·09	41,548	26,290	67,838	9,166	5,314	14,480	28·31	25·33	27·14	63·27	1,472	1,411	2,883	*662	*29·80	4·25	95·86
1864... ...	45,516	28,520	74,036	7,937	4,459	12,396	21·12	18·53	20·11	62·66	575	865	1,440	2·34	49,416	31,504	80,920	7,868	5,214	13,082	18·94	19·83	19·28	63·75	1,794	1,738	3,532	*649	*22·51	4·36	96·88
1865... ...	53,316	34,488	87,804	7,800	5,968	13,768	17·14	20·93	15·68	64·69	807	992	1,799	2·43	55,312	36,691	92,003	5,896	5,187	11,083	11·93	16·46	13·69	66·33	2,138	1,989	4,127	*595	*16·85	4·48	93·07
1866... ...	57,307	38,894	96,201	3,991	4,406	8,397	7·48	12·79	9·56	67·87	692	1,073	1,765	2·01	58,572	39,453	98,025	3,260	2,762	6,022	5·89	7·53	6·55	67·36	2,275	2,201	4,476	*349	* 8·48	4·57	96·75
1867... ...	59,836	40,013	99,849	2,529	1,119	3,648	4·41	2·88	3·79	66·87	1,187	1,544	2,731	2·85	62,839	40,799	103,638	4,267	1,346	5,613	7·28	3·41	5·73	64·92	2,267	2,193	4,460	† 16	† 0·36	4·30	93·07
1868... ...	65,843	41,584	107,427	6,007	1,571	7,578	10·04	3·92	7·59	63·12	1,102	1,559	2,661	2·66	66,207	42,455	108,662	3,368	1,656	5,024	5·36	4·06	4·84	64·13	2,412	2,242	4,654	*194	* 4·35	4·28	92·95
1869... ...	66,571	43,326	109,897	728	1,742	2,470	1·10	4·19	2·30	65·09	1,263	1,630	2,893	2·63	68,100	44,632	112,732	1,893	2,177	4,070	2·86	4·88	3·75	65·39	2,555	2,350	4,905	*251	* 5·39	4·35	91·98
1870... ...	69,629	45,938	115,567	3,058	2,612	5,670	4·59	5·68	5·16	66·29	1,495	1,765	3,260	2·96	72,125	48,231	120,356	4,025	3,599	7,624	5·91	8·06	6·76	66·87	2,676	2,529	5,205	*300	* 6·12	4·32	94·50
1871... ...	74,622	50,524	125,146	4,993	4,586	9,579	7·17	9·98	8·28	67·70	1,484	1,936	3,420	2·73	77,120	52,230	129,350	4,995	3,999	8,994	6·93	8·29	7·47	67·71	2,620	2,645	5,265	* 60	* 1·15	4·07	100·95
1872... ...	79,618	53,935	133,553	4,996	3,411	8,407	6·69	6·75	6·72	67·74	1,382	1,947	3,329	2·66	83,386	56,736	140,122	6,266	4,506	10,772	8·12	8·63	8·33	68·04	2,945	2,775	5,720	*455	* 8·64	4·08	94·23
1873... ...	87,154	59,536	146,690	7,536	5,601	13,137	9·46	10·38	9·83	68·31	1,574	1,896	3,470	2·60	92,507	62,596	155,103	9,121	5,860	14,981	10·93	10·33	10·69	67·66	3,280	3,103	6,383	*663	*11·59	4·12	94·60
1874... ...	97,860	65,657	163,517	10,706	6,121	16,827	12·28	10·28	11·47	67·09	1,503	2,086	3,589	2·44	104,566	67,836	172,402	12,059	5,240	17,299	13·03	8·37	11·14	64·87	3,419	3,287	6,706	*323	*5·06	3·89	96·14
1875... ...	111,272	70,016	181,288	13,412	4,359	17,771	13·70	6·64	10·86	62·92	761	1,841	2,602	1·59	112,578	71,616	184,194	8,012	3,780	11,792	7·66	5·57	6·84	63·53	3,540	3,363	6,903	*197	*2·94	3·75	95·00
1876... ...	113,883	73,217	187,100	2,611	3,201	5,812	2·35	4·57	3·21	64·31	1,291	2,145	3,436	1·89																	

YEAR.	DEATHS, THEIR PROPORTION TO MEAN POPULATION, THEIR ANNUAL, NUMERICAL, AND CENTESIMAL INCREASE.							INFANTILE MORTALITY, AND ITS PROPORTION TO MEAN POPULATION, ITS INCREASE OR DECREASE, NUMERICAL AND CENTESIMAL.									MARRIAGES, THEIR INCREASE OR DECREASE, NUMERICAL AND CENTESIMAL, AND THEIR PROPORTION TO MEAN POPULATION OF EACH YEAR.																				
																	CHURCH, OR REGISTRY OFFICE.																						
	Male Deaths registered each year.	Female Deaths registered each year.	Total Deaths registered each year.	Numerical Increase* or Decrease† in Deaths of each year.	Centesimal Increase* or Decrease† in Deaths of each year.	Centesimal Proportion total Deaths bear to Mean Population of each year.	Number of Female Deaths to each 100 Male Deaths.	Number of Deaths under 1 year.	Below 2 years of age.	2 and under 5 years of age.	Total below 5 years of age.	Numerical Increase* or Decrease† in Deaths of Children below 5 years of age.	Centesimal Increase* or Decrease† in Deaths of Children below 5 years of age.	Proportion Deaths of Children below 5 years of age bear to the total Deaths of each year.	Centesimal Proportion Deaths of Children below 5 years of age bear to Mean Population of each year.	Centesimal Proportion Deaths of Children under 1 year to Total Births, showing true infantile mortality.	Church of England.	Church of Rome.	Presbyterians	Wesleyan Methodist.	Primitive Methodist.	United Methodist.	Congregational.	Baptist.	Particular Baptist.	Lutheran.	Burnett Protestant Church.	Hebrew.	German Independent.	Bible Christians.	Registration Act.	Total Marriages.	Numerical Increase* or Decrease† in Total Marriages.	Centesimal Increase* or Decrease† in Total Marriages.	Centesimal proportion total Marriages bear to Mean Population of each year.
1856... ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	No Returns	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1857... ...	200	98	298	...	...	1·52	49·00	...	...	...	...	...	...	...	...	...	Ditto	...	...	...	...	..	...	...	...	..	...	...	...	...	161	...	...	0·82
1858... ...	275	103	378	* 80	*26·84	1·76	37·45	...	...	...	...	...	...	..	...	...	Ditto	...	...	...	...	...	...	...	...	...	...	...	...	...	201	* 40	*24·84	0·93
1859... ...	220	111	331	† 47	†12·43	1·39	50·45	...	...	...	...	...	...	...	...	...	Ditto	...	...	...	...	...	...	...	...	...	...	...	...	...	214	* 13	* 6·46	0·90
1860... ...	321	157	478	*147	*44·41	1·77	48·91	141	179	29	208	...	...	43·51	0·77	11·41	57	47	46	30	1	...	24	12	...	3	...	...	...	...	58	278	* 64	*29·19	1·03
1861... ...	357	143	500	* 22	* 4·60	1·60	40·05	136	169	19	188	† 20	† 9·61	37·60	0·59	9·55	80	61	47	27	2	...	30	16	...	5	...	...	...	...	51	320	* 42	*15·11	1·02
1862... ...	516	281	797	*297	*59·40	2·02	54·45	222	296	66	362	*174	*92·55	45·42	0·89	13·04	141	104	86	41	13	...	61	31	...	25	...	...	...	...	68	570	*250	*78·12	1·43
1863... ...	798	477	1,275	*478	*60·22	2·39	50·89	329	488	140	623	*266	*73·48	49·25	1·16	14·81	153	166	171	43	5	7	52	40	...	31	...	...	...	...	106	774	*204	*35·79	1·45
1864... ...	900	546	1,446	*171	*13·41	2·13	60·66	365	520	119	639	* 11	* 1·75	44·19	0·94	12·66	154	237	194	67	28	12	48	48	...	40	...	...	...	...	123	951	*177	*22·86	1·46
1865... ...	987	746	1,733	*287	*19·85	2·14	75·58	580	786	117	903	*264	*41·31	55·10	1·11	16·42	158	320	204	61	39	3	56	53	...	56	...	...	...	...	124	1,074	*123	*12·93	1·33
1866... ...	1,446	916	2,362	*629	*36·29	2·56	63·39	690	1,008	174	1,182	*179	*19·82	50·04	1·28	16·72	184	311	161	73	36	2	58	33	8	61	...	...	9	..	132	1,068	† 6	†0·56	1·16
1867... ...	1,088	657	1,745	†617	†26·12	1·78	60·39	578	806	140	947	†235	†19·97	54·21	0·97	12·91	134	261	141	87	40	3	54	23	5	55	...	...	15	3	114	935	†123	†13·16	0·95
1868... ...	1,165	634	1,799	* 54	* 3·09	1·73	54·42	552	746	149	895	† 52	† 5·49	49·74	0·86	12·38	135	244	161	53	23	3	53	36	10	43	...	4	7	1	90	863	† 72	†7·70	0·83
1869... ...	1,149	612	1,761	† 38	† 2·11	1·62	53·26	528	727	100	827	† 68	† 7·59	46·96	0·76	11·35	146	230	160	65	33	1	50	40	3	51	...	...	9	1	114	903	* 40	* 4·64	0·83
1870... ...	1,060	585	1,645	†116	†6·58	1·46	55·19	526	655	111	766	† 61	† 7·38	46·56	0·63	10·72	171	240	139	64	37	4	35	35	2	51	...	...	1	2	98	879	† 24	† 2·66	0·78
1871... ...	1,192	593	1,785	*140	*8·51	1·48	49·74	516	653	139	792	* 26	* 3·39	44·37	0·65	9·91	219	215	145	65	62	...	37	39	6	73	...	...	1	...	108	970	* 91	*10·35	0·81
1872... ...	1,238	698	1,936	*151	*8·46	1·50	56·38	578	756	136	892	*100	*12·62	46·07	0·69	10·98	214	268	176	74	67	3	42	43	3	109	...	2	2	2	120	1,125	*155	*15·98	0·87
1873... ...	1,371	879	2,250	*314	*16·67	1·60	64·11	701	910	186	1,096	*204	*22·86	48·71	0·78	12·25	271	298	203	104	88	7	60	25	7	109	...	6	...	2	174	1,354	*229	*20·36	0·96
1874... ...	1,777	1,017	2,794	*544	*24·18	1·80	57·23	776	1,027	178	1,205	*109	* 9·94	43·13	0·78	12·15	300	257	235	96	84	4	56	26	5	118	1	...	...	6	152	1,340	† 14	† 1·04	0·86
1875... ...	2,658	1,446	4,104	*1,310	*46·88	2·38	54·40	1,025	1,454	370	1,824	*619	*51·36	44·44	1·06	15·28	360	313	214	92	95	...	84	31	7	92	17	1	...	4	177	1,487	*147	*10·97	0·86
1876... ...	2,249	1,218	3,467	†637	†15·52	1·88	54·16	994	1,324	223	1,547	†277	†15·19	44·62	0·84	14·40	297	336	249	109	58	4	70	41	3	76	11	...	...	7	133	1,394	†93	†6·25	0·76

POPULATION.

Table No. I.

SHOWING the ESTIMATED POPULATION on 31st December, 1875; the NUMBER of BIRTHS, DEATHS, and MARRIAGES REGISTERED in Queensland during the year 1876; the ESTIMATED POPULATION, and the ESTIMATED MEAN POPULATION of the Colony for the Year 1876.

Estimated Population, 31st December, 1875.			Births Registered in 1876.			Marriages Registered in 1876.	Deaths Registered in 1876.			Estimated Population, 31st December, 1876.			Estimated Mean Population for the year 1876.		
Males.	Females.	Persons.	Males.	Females	Persons.		Males.	Females	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
111,272	70,016	181,288	3,540	3,363	6,903	1,394	2,249	1,218	3,467	113,883	73,217	187,100	112,578	71,616	184,194

BIRTHS.

Table No. II.

SHOWING the NUMBER of BIRTHS REGISTERED in each Quarter of the Year 1876.

REGISTRATION DISTRICT.	FIRST QUARTER.		SECOND QUARTER.		THIRD QUARTER.		FOURTH QUARTER.		TOTAL OF EACH SEX.		GRAND TOTAL.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
Balonne	6	5	8	7	6	14	4	6	24	32	56
Blackall	...	...	1	...	2	5	2	2	5	7	12
Bowen	6	4	14	7	7	9	7	17	34	37	71
Brisbane	196	158	173	159	164	178	166	157	699	652	1,351
Bundaberg	4	1	11	12	22	21	14	11	51	45	96
Burke	...	...	...	...	...	...	...	...	...	...	...
Burnett	15	18	12	21	23	16	20	17	70	72	142
Caboolture	4	3	21	22	16	12	19	17	60	54	114
Cardwell	...	...	3	...	2	2	2	...	7	2	9
Charleville	3	2	4	4	2	2	...	2	9	10	19
Clermont	18	23	14	19	19	15	11	14	62	71	133
Cook	11	14	8	4	9	13	7	8	35	39	74
Cunnamulla	...	1	...	...	...	...	1	...	1	1	2
Dalby	20	20	15	17	14	14	15	18	64	69	133
Darling Downs North	6	6	7	9	8	15	18	7	39	37	76
Darling Downs East	10	12	24	26	32	32	21	23	87	93	180
Darling Downs West	...	3	4	6	4	3	2	2	10	14	24
Darling Downs Central	...	5	12	9	6	4	24	15	42	33	75
Drayton and Toowoomba	71	69	58	42	57	68	54	46	240	225	465
East Moreton	3	6	32	21	40	29	15	23	90	79	169
Etheridge	...	...	2	2	1	1	...	3	3	6	9
Fassifern	1	6	10	7	8	5	12	6	31	24	55
Gilberton	2	1	...	...	...	...	...	...	2	1	3
Gladstone	12	7	5	8	9	12	11	9	37	36	73
Gympie	26	29	45	26	36	28	21	34	128	117	245
Ipswich	73	77	45	45	53	39	52	41	223	202	425
Kennedy North	21	14	20	35	24	23	36	8	101	80	181
Kennedy South	...	2	1	...	...	1	...	1	1	4	5
Leichhardt	6	4	12	8	10	15	4	11	32	38	70
Logan	20	16	27	29	19	24	17	14	83	83	166
Mackay	20	20	22	17	13	17	19	14	74	68	142
Maranoa	14	9	11	15	10	14	12	11	47	49	96
Marathon	...	...	2	3	3	3	1	1	6	7	13
Maryborough	74	66	56	44	62	52	46	44	238	206	444
Oxley	10	28	35	40	46	44	45	32	136	144	280
Palmer	3	2	...	2	...	1	...	...	3	5	8
Peak Downs	...	...	...	1	2	1	5	7	7	9	16
Rockhampton	54	59	56	47	55	43	60	46	225	195	420
Somerset	2	...	...	...	1	...	2	...	5	...	5
Springsure	6	5	3	5	10	2	4	8	23	20	43
Stanley	3	1	3	2	3	5	1	2	10	10	20
Stanthorpe	19	19	15	13	16	12	13	16	63	60	123
St. Lawrence	2	6	3	9	9	2	6	6	20	23	43
Tambo	5	2	...	...	2	...	1	3	8	5	13
Taroom	2	3	2	...	5	2	2	1	11	6	17
Tiaro	1	1	2	5	13	6	10	7	26	19	45
Townsville	17	23	19	16	20	18	7	8	63	65	128
Warrego	...	...	2	1	...	...	...	...	2	1	3
Warwick	32	38	16	27	13	21	19	30	80	116	196
West Moreton	17	18	42	38	55	45	48	50	162	151	313
Westwood	9	3	11	5	10	8	6	5	36	21	57
Wide Bay	3	2	9	10	9	2	4	6	25	20	45
TOTAL	827	811	897	845	950	898	866	809	3,540	3,363	6,903
TOTAL EACH QUARTER	1,638		1,742		1,848		1,675		6,903		

Table No. III.

SHOWING the NUMBER of MARRIAGES REGISTERED during the Year 1876.

Registry District.	Church of England.	Church of Rome.	Presbyterian and United Presbyterian.	Wesleyan Methodists	Primitive Methodist.	United Methodist Free Church.	Congregational.	Baptist.	Particular Baptist.	Lutheran.	Burnett Protestant Church.	Hebrew Church.	German Independent Church.	Bible Christians.	Registration and Justices Marrying Acts.	Total in 1876.
Balonne	...	2	...	...	...	...	3	...	...	...	...	...	...	...	5	10
Blackall	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Bowen	8	1	...	...	...	...	...	...	...	...	...	...	...	...	3	12
Brisbane	125	90	123	28	14	2	22	5	2	12	...	...	...	6	12	441
Bundaberg	...	4	...	...	...	...	5	...	...	...	8	...	...	...	1	18
Burke	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
Burnett	...	3	...	8	...	...	...	...	...	...	...	...	...	...	1	12
Caboolture	...	1	1	...	...	...	...	...	...	2	...	...	...	...	...	4
Cardwell	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1
Charleville	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Clermont	...	3	8	6	...	...	...	...	...	...	...	...	...	...	11	28
Cook	20	5	...	...	...	...	...	...	...	...	...	...	...	...	5	30
Cunnamulla	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Dalby	12	17	3	...	...	...	...	...	...	1	...	...	...	...	3	36
Darling Downs North ...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1
Darling Downs East ...	8	...	2	...	...	...	...	...	...	...	...	...	...	...	...	10
Darling Downs West ...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	3
Darling Downs Central ...	...	2	...	...	...	...	...	...	...	2	...	...	...	...	...	4
Drayton and Toowoomba	20	30	11	11	...	...	3	...	...	18	...	...	...	...	6	99
East Moreton	1	1	1	2	...	1	1	1	1	...	...	...	...	...	...	9
Etheridge	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
Fassifern	...	...	1	...	1	...	...	...	...	...	...	...	...	...	1	3
Gilberton	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
Gladstone	...	1	9	...	...	...	...	...	...	...	...	...	...	...	5	15
Gympie	5	11	8	2	2	...	...	...	...	...	1	...	...	...	1	30
Ipswich	8	16	11	11	3	1	6	9	...	15	...	...	...	...	4	84
Kennedy North	13	12	13	...	...	...	...	...	...	...	...	...	...	...	10	48
Kennedy South	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
Leichhardt	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Logan	7	6	...	4	...	...	...	1	...	4	...	...	...	...	...	22
Mackay	3	6	4	...	...	...	...	...	...	...	...	...	...	...	1	14
Maranoa	9	7	...	...	...	...	4	...	...	...	...	...	...	...	5	25
Marathon	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
Maryborough	13	26	17	10	2	...	...	16	...	16	2	...	...	...	10	112
Oxley	4	...	...	2	3	...	1	3	...	2	...	...	...	1	...	16
Palmer	...	1	...	...	...	...	...	...	...	...	...	...	...	...	3	4
Peak Downs	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	3
Rockhampton	14	49	8	4	32	...	11	6	...	...	...	...	...	...	8	132
Somerset	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Springsure	...	1	6	...	...	...	...	...	...	...	...	...	...	...	4	11
Stanley	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2
Stanthorpe	3	10	2	8	...	...	...	...	...	...	...	...	...	...	2	25
St. Lawrence	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	5
Tambo	...	...	2	...	...	...	...	...	...	...	...	...	...	...	3	5
Taroom	...	...	1	...	...	...	...	...	...	...	...	...	...	...	4	5
Tiaro	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Townsville	5	15	...	1	...	...	9	...	...	...	...	...	...	...	2	32
Warrego	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Warwick	17	13	9	8	...	...	...	...	...	...	...	...	...	...	7	54
West Moreton	1	1	2	...	1	...	4	...	...	4	...	...	...	...	...	13
Westwood	1	...	1	2	...	...	...	...	...	...	...	...	...	...	...	4
Wide Bay	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	3
TOTALS	297	336	249	109	58	4	70	41	3	76	11	...	...	7	133	1,394

Table No. IV.

SHOWING the NATIONALITY of 1,394 HUSBANDS and 1,394 WIVES MARRIED in QUEENSLAND, during the Year 1876.

NATIONALITY OF HUSBANDS.	NATIONALITY OF WIVES.																														
	AUSTRALIAN COLONIES.							GREAT BRITAIN.			EUROPE.										AMERICA.		AFRICA.		POLYNESIA.					
	Queensland.	New South Wales.	Victoria.	South Australia.	Western Australia	Tasmania.	New Zealand.	England.	Scotland.	Ireland.	Germany.	France.	Norway.	Sweden.	Denmark.	Holland.	Switzerland.	Austria.	Spain.	British Possessions in Europe.	British America.	United States.	Born of European Parents.	Natives.	Born of European Parents.	Natives.	Other Countries not named.	At Sea.	Unspecified.	Total.
Australia — Queensland	28	8	2	...	...	1	...	23	1	8	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	74
Australia — New South Wales	25	22	4	1	...	...	...	24	4	23	2	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	1	...	...	108
Australia — Victoria	6	3	1	...	...	1	...	2	...	7	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	22
Australia — South Australia	2	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5
Australia — Western Australia	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
Australia — Tasmania	2	2	...	...	...	...	...	3	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	10
Australia — New Zealand	1	...	...	...	...	...	...	1	...	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	6
Great Britain — England and Wales	62	36	11	3	...	1	...	259	29	96	12	1	1	...	1	...	...	...	...	...	1	...	1	...	...	...	3	1	...	518
Great Britain — Scotland	17	7	4	1	...	...	...	30	27	17	3	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	109
Great Britain — Ireland	39	15	2	3	...	...	...	37	6	181	6	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	293
Europe — Germany	17	3	1	...	...	...	...	11	5	12	71	...	...	...	7	...	3	...	...	...	...	...	...	...	...	...	1	...	...	131
Europe — France	...	...	...	...	...	1	...	2	...	2	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8
Europe — Norway	...	...	...	...	...	...	...	2	...	2	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6
Europe — Sweden	1	...	...	...	...	...	...	1	...	1	...	...	2	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	8
Europe — Denmark	3	...	...	...	...	...	...	5	...	2	8	...	1	1	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	30
Europe — Holland	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Europe — Italy	...	...	...	...	...	...	...	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4
Europe — Switzerland	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
Europe — Austria	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
Europe — Poland	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
Europe — Russia	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
Europe — Spain	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
Europe — Greece	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Europe — British Possessions of Europe	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
America — British America	2	...	...	...	...	...	...	7	...	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	14
America — United States	...	3	...	...	...	...	...	3	...	2	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	10
Africa — Born of European Parents	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
India — Born of European Parents	...	1	...	...	...	...	...	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5
India — Natives	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
China — Born of European Parents	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
China — Natives	2	1	...	...	...	...	...	4	...	10	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	18
Polynesia — Born of European Parents	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Polynesia — Natives	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	4
Countries not above named	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
At Sea	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3
Countries unspecified	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TOTAL	208	103	25	8	...	4	...	425	73	377	110	5	7	3	20	...	5	...	...	...	4	2	3	...	...	1	7	3	1	1,394

This Table may be read thus:—Following the first line horizontally across the table, it appears that 74 men, natives of Queensland, were married during the year, of whom 28 were married to Queensland women, 8 to women natives of New South Wales, 2 to natives of Victoria, 1 to a native of Tasmania, 23 to English women, and so on. Following the first column downwards, it appears that 208 women, natives of Queensland, were married, of whom 28 were married to men natives of the Colony, 25 to natives of New South Wales, 6 to Victorians, 2 to South Australians, 2 to Natives of Tasmania, and so on.

Table No. V.

SHOWING the VARIOUS AGES of HUSBANDS and WIVES MARRIED in 1876.

| Age of Husbands at the time of Marriage. | Age of Wives at time of Marriage. | | |

Table No. VI.

SHOWING the NUMBER of DEATHS REGISTERED in Queensland, in EACH QUARTER of the Year 1876.

REGISTRY DISTRICT.	FIRST QUARTER.		SECOND QUARTER.		THIRD QUARTER.		FOURTH QUARTER.		TOTAL OF EACH SEX.		GRAND TOTAL.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
Balonne	3	3	5	3	1	...	3	2	12	8	20
Blackall	...	...	10	...	3	...	7	...	20	...	20
Bowen	5	6	3	...	2	2	...	1	10	9	19
Brisbane	157	98	129	115	66	66	139	109	491	388	879
Bundaberg	1	1	9	1	2	4	13	3	25	9	34
Burke	2	...	4	...	3	...	1	...	10	...	10
Burnett	9	4	6	2	4	3	7	3	26	12	38
Caboolture	1	3	7	3	4	3	8	2	20	11	31
Cardwell	2	2	1	1	4	1	3	...	10	4	14
Charleville	8	...	5	...	2	...	10	...	25	...	25
Clermont	14	8	13	4	5	3	3	2	35	17	52
Cook	46	11	29	3	22	4	21	6	118	24	142
Cunnamulla	1	...	3	...	1	...	4	...	9	...	9
Dalby	6	9	5	3	7	6	11	9	29	27	56
Darling Downs North	4	...	2	...	3	2	5	5	14	7	21
Darling Downs East	3	2	4	4	4	5	7	1	18	12	30
Darling Downs West	5	2	6	2	1	3	1	1	13	8	21
Darling Downs Central ...	...	...	2	4	2	...	2	...	6	4	10
Drayton and Toowoomba ...	24	20	29	11	26	24	31	8	110	63	173
East Moreton	3	1	25	16	16	4	21	9	65	30	95
Etheridge	...	...	1	1	1	...	2	...	4	1	5
Fassifern	...	...	3	1	1	1	2	1	6	3	9
Gilberton	...	2	...	...	...	...	...	...	...	2	2
Gladstone	3	1	2	5	3	3	1	3	9	12	21
Gympie	13	10	9	10	6	7	17	13	45	40	85
Ipswich	21	19	20	16	9	12	26	20	76	67	143
Kennedy North	15	5	14	5	3	9	9	10	41	29	70
Kennedy South	...	...	...	1	1	...	...	...	1	1	2
Leichhardt	2	1	10	3	9	8	2	3	23	15	38
Logan	9	3	17	8	11	7	10	4	47	22	69
Mackay	77	11	27	7	8	2	15	3	127	23	150
Maranoa	13	5	12	3	9	3	11	1	45	12	57
Marathon	...	...	5	...	4	...	6	1	15	1	16
Maryborough	45	25	41	14	37	13	34	16	157	68	225
Oxley	10	5	18	15	10	9	15	11	53	40	93
Palmer	24	1	13	2	21	2	20	1	78	6	84
Peak Downs	...	...	2	...	3	1	4	...	9	1	10
Rockhampton	44	38	33	19	41	27	32	18	150	102	252
Somerset	1	...	2	...	2	...	7	1	12	1	13
Springsure	11	4	6	...	1	2	3	...	21	6	27
Stanley	1	...	2	2	...	1	1	...	4	3	7
Stanthorpe	9	4	2	...	10	3	9	3	30	10	40
St. Lawrence	1	4	10	2	2	...	4	2	17	8	25
Tambo	22	3	2	...	3	...	...	...	27	3	30
Taroom	2	...	3	...	...	...	1	1	6	1	7
Tiaro	1	...	2	2	2	1	3	5	8	8	16
Townsville	16	15	16	7	13	11	11	3	56	36	92
Warrego	...	...	2	...	...	...	...	1	2	1	3
Warwick	18	9	15	8	6	6	11	9	50	32	82
West Moreton	3	1	18	13	8	7	19	7	48	28	76
Westwood	...	...	1	...	1	...	1	...	3	...	3
Wide Bay	...	...	3	1	6	1	4	1	13	3	16
TOTAL	655	336	608	317	409	266	577	299	2,294	1,218	3,467
TOTAL EACH QUARTER ...	991		925		675		876		3,467		

Table No. VII.

RETURN showing the NUMBER of DEATHS of CHILDREN, Male and Female, under FIVE YEARS of AGE, Registered during the Year 1876.

REGISTRY DISTRICT.	UNDER TWO YEARS.		TWO YEARS AND UNDER FIVE YEARS.		TOTAL UNDER FIVE YEARS.		TOTAL NUMBER OF DEATHS IN EACH DISTRICT UNDER FIVE YEARS.
	Males.	Females.	Males.	Females.	Males.	Females.	
Balonne	3	4	...	...	3	4	7
Blackall	...	...	...	...	...	...	...
Bowen	4	5	...	1	4	6	10
Brisbane	218	201	28	29	246	230	476
Bundaberg	9	4	...	...	9	4	13
Burke	...	...	...	...	...	...	...
Burnett	7	5	1	2	8	7	15
Caboolture	10	6	3	...	13	6	19
Cardwell	2	3	...	...	2	3	5
Charleville	2	...	...	...	2	...	2
Clermont	8	12	5	2	13	14	27
Cook	13	10	...	2	13	12	25
Cunnamulla	1	...	...	...	1	...	1
Dalby	12	15	1	2	13	17	30
Darling Downs North	9	4	...	2	9	6	15
Darling Downs East	8	8	...	1	8	9	17
Darling Downs West	2	4	...	2	2	6	8
Darling Downs Central	4	3	...	1	4	4	8
Drayton and Toowoomba	45	31	7	6	52	37	89
East Moreton	22	11	3	6	25	17	42
Etheridge	1	...	...	...	1	...	1
Fassifern	2	2	...	...	2	2	4
Gilberton	...	2	...	...	...	2	2
Gladstone	5	5	...	4	5	9	14
Gympie	18	19	5	4	23	23	46
Ipswich	35	38	5	3	40	41	81
Kennedy North	15	14	...	3	15	17	32
Kennedy South	...	1	...	...	...	1	1
Leichhardt	10	11	...	3	10	14	24
Logan	14	10	1	2	15	12	27
Mackay	22	10	3	...	25	10	35
Maranoa	15	5	1	2	16	7	23
Marathon	1	...	...	...	1	...	1
Maryborough	34	28	8	9	42	37	79
Oxley	23	16	6	6	29	22	51
Palmer	...	1	...	2	...	3	3
Peak Downs	1	1	2	...	3	1	4
Rockhampton	46	51	4	13	50	64	114
Somerset	2	...	...	...	2	...	2
Springsure	4	4	...	...	4	4	8
Stanley	1	1	...	...	1	1	2
Stanthorpe	15	7	1	...	16	7	23
St. Lawrence	5	3	2	2	7	5	12
Tambo	1	1	...	...	1	1	2
Taroom	...	1	...	...	...	1	1
Tiaro	2	5	...	1	2	6	8
Townsville	18	16	5	4	23	20	43
Warrego	1	...	...	...	1	...	1
Warwick	20	16	3	4	23	20	43
West Moreton	16	16	8	3	24	19	43
Westwood	1	...	...	...	1	...	1
Wide Bay	4	3	...	...	4	3	7
TOTAL	711	613	102	121	813	734	1,547

Table No. VIII.

SHOWING the NATIONALITY of MALES and FEMALES who DIED in Queensland, during the Year 1876.

REGISTRY DISTRICT.	Queensland.		New South Wales.		Victoria.		South Australia.		Tasmania.		New Zealand.		England and Wales.		Scotland.		Ireland.		Germany.		France.		Norway and Sweden.		Denmark.		Other Foreign Countries not specified.		British America.		United States, America.		India (and other British Dominions) not specified.		China.		Polynesia.		At Sea.		Country not Specified.		TOTAL.		
	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F,	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Persons.
Balonne	4	5	1	2	1	...	...	...	...	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	12	8	20
Blackall	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	12	...	...	...	3	...	20	...	20
Bowen	6	6	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	2	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	10	9	19
Brisbane	241	229	7	10	3	2	1	1	...	1	...	1	108	59	19	18	60	53	11	6	1	...	2	...	1	3	4	1	3	...	...	...	2	...	2	...	12	...	7	...	7	4	491	388	879
Bundaberg	9	4	...	...	...	...	...	...	...	...	...	...	3	2	...	1	1	...	...	1	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	25	9	34
Burke	...	...	...	...	...	...	...	...	...	...	...	...	4	...	1	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	10	...	10
Burnett	9	7	...	...	...	...	...	...	...	...	...	...	1	3	2	...	2	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	...	4	...	26	12	38
Caboolture...	13	5	...	...	...	1	...	...	...	...	...	...	3	3	3	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	20	11	31
Cardwell	2	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	4	...	...	1	1	1	10	4	14
Charleville...	2	...	1	...	1	...	...	...	...	...	...	...	1	...	2	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	5	...	...	...	6	...	25	...	25
Clermont	12	13	...	1	...	...	...	...	...	...	...	...	4	...	3	...	1	1	2	...	1	...	1	1	1	1	...	...	...	...	...	...	3	...	1	...	...	...	6	...	35	17	52
Cook	14	11	...	...	...	1	...	...	...	...	...	...	14	2	10	...	10	5	2	...	1	...	...	...	...	...	...	...	1	...	...	...	2	...	48	...	1	...	...	...	15	5	118	24	142
Cunnamulla	1	...	2	...	...	...	...	...	...	...	...	...	1	...	1	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	9	...	9
Dalby	18	19	...	...	...	...	...	...	...	...	...	...	4	3	...	1	3	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	29	27	56
Darling Downs North ...	9	7	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	14	7	21
Darling Downs East ...	9	10	...	...	...	...	...	...	...	...	...	...	2	1	1	...	2	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	18	12	30
Darling Downs West ...	2	5	...	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	13	8	21
Darling Downs Central ...	4	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	4	10
Drayton and Toowoomba	52	41	...	...	1	...	...	...	...	1	...	...	16	3	1	4	18	11	10	3	...	...	...	...	...	...	...	...	1	...	1	...	...	...	4	...	...	...	6	...	110	63	173
East Moreton	23	19	...	...	...	...	...	...	...	...	...	...	26	8	4	1	5	...	2	2	...	...	...	...	...	...	2	...	...	...	...	1	...	...	2	...	...	...	...	...	65	30	95
Etheridge	1	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	4	1	5
Fassifern	2	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	6	3	9
Gilberton	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
Gladstone	5	11	...	...	...	...	...	...	...	...	...	...	2	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	9	12	21
Gympie	25	27	1	...	...	...	...	...	...	...	...	...	9	3	1	1	5	4	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	3	45	40	85
Ipswich	43	44	1	...	...	...	...	...	1	...	...	...	13	9	3	1	9	7	2	3	...	...	1	...	...	1	...	...	...	...	...	...	...	...	1	...	1	1	1	1	76	67	143
Kennedy North	15	18	1	1	1	...	...	...	...	...	...	...	6	1	1	...	5	6	1	3	...	...	1	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	7	...	41	29	70
Kennedy South	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	2
Leichhardt	10	14	1	...	...	...	...	...	...	...	...	...	5	1	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	3	...	23	15	38
Logan	17	14	1	...	...	...	...	...	...	...	...	...	4	1	1	1	...	3	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	21	...	...	...	1	...	47	22	69
Mackay	26	11	1	...	...	1	...	...	...	...	...	...	2	...	1	2	3	1	...	1	...	...	2	2	2	...	...	...	...	...	...	...	...	...	88	5	...	...	2	...	127	23	150
Maranoa	17	8	...	1	...	...	...	...	...	...	...	...	5	1	4	...	5	1	3	...	...	...	...	...	...	...	...	...	1	...	...	...	2	...	2	...	...	...	6	1	45	12	57
Marathon	1	...	1	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	6	...	15	1	16
Maryborough	40	35	2	1	...	...	...	...	...	...	...	...	16	6	5	6	6	9	6	7	...	...	1	1	1	...	...	...	1	...	2	...	...	...	73	3	2	...	1	...	157	68	252
Oxley	30	25	1	...	1	1	...	...	...	...	...	...	11	8	3	...	...	2	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	2	53	40	93
Palmer	1	3	3	...	...	...	...	...	...	...	...	...	9	2	10	...	11	1	7	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	32	...	...	...	2	...	78	6	84
Peak Downs	3	1	...	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	9	1	10
Rockhampton	49	63	6	4	...	2	...	...	...	...	2	...	25	17	6	3	16	13	5	...	...	...	...	...	1	...	...	...	2	...	1	...	2	...	27	...	2	...	7	...	150	102	225
Somerset	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	2	...	1	...	1	...	5	...	...	...	...	...	12	1	13
Springsure...	4	4	2	...	...	...	...	...	...	...	...	...	6	...	1	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	...	1	...	21	6	27
Stanley	2	1	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	3	7
Stanthorpe	17	7	3	...	...	...	...	...	1	...	...	...	1	...	1	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	2	...	30	10	40
St. Lawrence	8	5	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	4	...	...	...	2	1	17	8	25
Tambo	1	1	...	...	...	...	...	...	...	...	...	...	2	1	2	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	15	1	...	...	3	...	27	3	30
Taroom	...	1	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	6	1	7
Tiaro	2	6	1	...	...	...	...	...	...	...	...	...	1	1	1	...	...	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	8	8	16
Townsville...	26	21	1	...	1	1	...	...	...	...	...	...	8	4	3	1	7	5	...	...	1	...	...	...	1	1	3	...	...	...	...	...	...	...	2	...	1	...	...	1	2	2	56	36	92
Warrego	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	1	3
Warwick	26	21	...	...	1	...	...	...	...	...	...	...	11	5	2	...	4	5	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	3	...	50	32	82
West Moreton	26	21	...	...	...	...	...	...	...	...	...	...	9	3	2	...	5	2	2	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	48	28	76
Westwood...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	3
Wide Bay	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8	...	...	...	...	...	13	3	16
TOTAL	836	757	40	23	12	9	1	1	3	2	2	1	343	150	104	43	205	143	75	36	4	...	13	3	15	12	10	1	14	1	7	...	6	...	108	...	314	10	12	6	125	20	2,249	1,218	3,467

Table No. IX.

TABLE showing the OCCUPATIONS of 3,467 PERSONS who DIED in QUEENSLAND, during the Year 1876.

REGISTRY DISTRICT.	Civil Officers and Sub-ordinates.	LEARNED PROFESSIONS.						Literature, Arts, and Sciences.		Children.		Trade and Commerce.		Mechanics, Artificers, and Skilled Workmen.	Unskilled Workmen.	MINERS.				PASTORAL PURSUITS.				Carriers.	AGRICULTURAL PURSUITS.			Domestic Duties.	Domestic Servants.		Mariners.	PUBLIC BURTHEN.					Calling Unspecified.		TOTAL.	
		Naval and Military.	Clerical.	Judicial and Legal.	Medical and Surgical.	Other Educated Professions.										Gold, &c.	Copper.	Tin.	Coal and Baser Metals.	Graziers.	Superintendents	Shepherds.	Stockmen.		Sugar Planters.	Farmers.	Farm Laborers and Servants.					Persons receiving Public Support.		Criminals.	Lunatics.					
	M.	M.	M.	M.	M.	M.	F.	M.	F.	M.	F.	M.	F.	M.	M.	M.	M.	M.	M.	M.	M.	M.	M.	M.	M.	M.	M.	F.	M.	F.	M.	M.	F.	M.	F.	M.	F.	M.	F.
Balonne	...	...	...	...	...	...	...	...	...	6	5	1	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	2	...	12	8
Blackall	...	...	...	...	...	...	...	...	...	...	...	...	...	3	14	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	20	...
Bowen	...	...	...	...	...	...	...	...	...	6	6	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	10	9
Brisbane	...	14	...	...	1	2	4	4	...	...	267	247	26	3	51	61	14	...	...	...	..	..	1	...	...	...	6	2	100	5	15	17	...	...	...	...	1	20	18	491	388
Bundaberg	...	...	...	...	...	...	...	...	...	...	9	5	2	...	1	10	...	...	...	...	...	...	...	...	...	...	1	1	3	...	1	1	...	...	...	...	...	...	25	9
Burke	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	5	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	10	...
Burnett	...	...	...	...	...	...	...	...	...	...	9	7	2	...	3	2	...	...	...	...	1	...	8	...	...	...	...	...	4	1	1	...	...	...	...	...	...	...	26	12
Caboolture	...	1	...	...	...	...	...	...	...	...	14	6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	5	...	...	...	...	...	...	...	2	...	20	11
Cardwell	...	...	...	...	...	...	...	...	...	...	2	3	...	...	1	4	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	10	4
Charleville	...	...	...	...	...	...	...	...	...	...	2	...	...	...	4	9	...	...	...	...	...	...	9	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	25	...
Clermont	...	1	...	...	...	...	...	...	...	...	13	14	3	...	5	5	...	2	...	...	...	...	3	1	1	...	...	...	2	1	...	...	...	...	...	...	...	1	35	17
Cook	...	...	...	...	...	...	1	...	...	...	13	12	8	1	9	2	49	...	...	...	...	...	...	...	...	...	1	...	4	2	1	2	...	...	...	...	31	6	118	24
Cunnamulla	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	1	...	...	2	...	1	...	...	1	...	...	...	...	...	...	1	...	9	...
Dalby	...	...	...	...	1	...	...	...	...	...	15	18	1	...	2	5	...	...	...	...	1	...	3	1	...	...	...	...	8	...	1	...	...	...	...	...	...	...	29	27
Darling Downs North	...	...	...	...	...	...	...	...	...	...	9	7	...	...	...	1	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	14	7
Darling Downs East	...	...	...	...	...	...	...	...	...	...	9	10	1	...	1	3	...	...	...	...	1	2	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	18	12
Darling Downs West	...	...	...	...	...	...	...	...	...	...	2	7	1	...	...	5	...	...	...	...	...	2	...	...	...	...	...	...	1	1	...	...	...	...	...	...	2	...	13	8
Darling Downs Central	...	...	...	...	...	...	...	...	...	...	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	6	4
Drayton and Toowoomba	...	...	...	...	...	...	...	...	1	...	55	41	9	...	6	17	...	...	...	...	...	1	1	1	1	...	14	...	13	...	4	...	...	...	...	...	4	5	110	63
East Moreton	...	2	...	...	...	...	...	1	...	...	24	19	2	...	5	19	...	...	...	...	1	...	...	...	...	...	4	1	9	1	...	2	...	...	...	...	4	1	65	30
Etheridge	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	4	1
Fassifern	...	...	...	...	...	1	...	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	1	...	6	3
Gilberton	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
Gladstone	...	...	1	...	...	...	...	...	...	5	11	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	9	12
Gympie	...	3	...	...	...	2	...	...	...	24	26	...	...	3	...	7	...	...	...	...	...	...	...	...	...	...	1	...	9	1	1	...	...	...	...	...	4	4	45	40
Ipswich	...	...	...	...	...	1	1	...	...	45	39	3	4	6	10	1	...	...	...	...	...	...	...	...	...	...	5	...	22	...	1	...	...	...	...	...	4	1	76	67
Kennedy North	...	...	...	...	...	1	...	...	...	15	22	3	...	3	..	17	...	...	...	...	...	...	2	...	...	...	...	...	7	...	...	...	...	...	...	...	...	...	41	29
Kennedy South	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	1	1
Leichhardt	...	...	...	...	...	...	...	...	...	12	14	...	...	2	5	...	...	...	...	...	...	1	...	2	...	...	1	...	1	...	...	...	...	...	...	...	...	...	23	15
Logan	...	...	...	...	...	1	1	...	...	18	15	...	...	1	21	...	...	...	...	...	...	...	...	...	...	...	5	...	7	...	...	...	...	...	...	...	...	...	47	22
Mackay	...	...	...	...	...	...	...	...	...	26	11	1	...	4	91	...	...	...	...	1	...	...	...	...	2	...	...	...	7	...	5	...	...	...	...	...	2	...	127	23
Maranoa	...	...	...	...	...	1	...	...	...	13	7	5	...	4	9	...	...	...	...	...	...	5	...	4	...	...	...	...	3	1	...	...	...	...	...	...	3	2	45	12
Marathon	...	...	...	...	...	...	...	...	1	...	1	...	...	2	5	...	...	...	...	...	...	3	2	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	15	1
Maryborough	...	...	...	...	1	1	...	1	...	45	39	4	...	15	84	...	...	...	...	...	...	...	...	...	...	...	3	...	23	1	6	2	...	...	...	...	...	...	157	68
Oxley	...	1	...	...	1	1	1	...	...	34	27	2	...	3	3	...	...	...	...	...	...	...	1	...	2	...	...	...	6	...	1	...	...	...	1	...	4	5	53	40
Palmer	...	...	...	...	...	...	...	...	...	...	3	3	1	6	4	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	4	1	78	6
Peak Downs	...	...	...	...	...	...	...	...	...	3	1	...	...	2	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	9	1
Rockhampton	...	1	...	...	...	...	1	1	...	56	71	12	...	10	44	6	...	...	...	...	...	2	...	1	...	4	...	27	2	3	9	...	...	...	...	...	2	...	150	102
Somerset	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	10	...	...	...	...	...	...	12	1
Springsure	...	...	...	...	1	...	1	...	...	3	4	3	...	3	7	...	...	...	...	1	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	...	21	6
Stanley	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	...	4	3
Stanthorpe	...	...	...	...	...	...	...	...	...	19	8	1	...	1	3	...	...	4	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	2	...	30	10
St. Lawrence	...	...	...	...	...	...	...	...	...	8	5	1	...	1	5	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...	1	...	...	...	...	...	...	...	17	8
Tambo	...	...	...	...	...	...	...	...	...	1	1	1	...	1	19	...	...	...	...	...	...	2	1	...	...	...	...	...	1	2	1	...	...	...	...	...	...	...	27	3
Taroom	...	...	...	...	...	...	...	...	...	...	1	...	...	2	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	1
Tiaro	...	...	...	...	...	...	...	...	...	2	6	...	...	...	2	...	...	...	...	...	...	...	...	...	...	3	...	2	...	...	...	...	...	...	...	1	...	8	8
Townsville	...	...	...	...	1	...	...	...	...	31	23	6	...	5	3	3	...	...	...	...	...	...	...	1	...	...	...	9	3	3	...	...	...	...	...	3	1	56	36
Warrego	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	2	1
Warwick	...	...	...	...	...	...	...	...	...	25	21	5	...	3	7	...	...	...	...	...	...	4	...	...	...	4	...	11	1	...	...	...	...	...	...	...	1	...	50	32
West Moreton	...	...	...	...	...	...	...	...	...	30	24	1	...	5	6	1	...	...	...	...	...	...	...	...	...	5	...	4	...	...	...	...	...	...	...	...	...	...	48	28
Westwood	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...
Wide Bay	...	...	...	...	...	...	...	...	...	4	3	...	...	...	8	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	13	3
	22	1	1	2	9	13	7	5	...	888	799	114	10	174	500	170	2	4	...	11	2	49	17	16	4	62	4	307	25	48	44	...	...	...	1	1	109	46	2,249	1,218

TABLE No. X.

CAUSES of DEATHS of MALES at different periods of life Registered during the Year 1876.

CLASS, ORDER AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Total Deaths Males from each cause.	Total Deaths Females from each cause.	Total Deaths from each cause.
CLASS I.—Order I.																									
1A. Chicken Pox, &c.	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
2. Measles	1	1	...	1	...	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	13	19	14	33
3. Scarlatina	1	..	2	3	2	8	2	...	1	...	1	...	...	...	...	...	...	...	...	...	...	12	16	28
3A. Diphtheria	3	12	1	5	1	22	3	1	...	...	...	...	...	...	1	...	...	...	...	...	1	28	26	54
4. Quinsy	1	...	1	1	...	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	5	1	6
5. Croup	12	17	6	4	2	41	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	44	30	74
7. Typhus (and Infantile Fever)	3	3	2	...	2	10	...	4	3	5	5	2	4	1	1	1	...	...	...	...	1	37	35	72
8. Erysipelas	1	...	...	...	...	1	...	1	...	...	...	...	...	1	...	1	...	...	...	...	...	4	3	7
9. Metria	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	13	13
10. Carbuncle, Boil, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Influenza, Corza, Catarrh	7	1	...	...	...	8	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1
12. Dysentery	41	21	5	1	5	73	3	1	9	15	15	10	7	8	6	8	5	4	6	6	5	57	238	60	298
13. Diarrhœa	71	23	5	1	2	102	1	1	...	...	2	1	1	1	4	1	4	4	2	1	3	10	138	125	263
14. Cholera	3	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	4	7
15. Ague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
16. Remittent Fever, Fever, &c.	...	...	...	...	...	...	1	1	6	9	15	20	17	22	8	5	3	1	...	...	...	14	122	25	147
17. Rheumatism	1	...	...	...	...	1	...	...	...	1	...	1	...	...	1	...	...	1	...	...	...	6	2	8
18. Others	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1	...	1
CLASS I.—Order II.																									
1. Syphilis	1	...	...	...	...	1	...	...	...	...	1	...	1	...	1	1	...	...	...	...	...	1	6	3	9
CLASS I.—Order III.																									
1. Privation	...	...	...	...	...	...	1	...	...	1	1	1	2	3	1	1	1	...	...	...	...	3	15	1	16
2. Want of Breast Milk	4	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	5	9
3. Purpura and Scurvy	1	...	...	...	...	1	...	...	1	4	...	...	...	1	...	...	...	...	...	...	...	1	8	1	9
4. Alcoholism { Delirium Tremens / Intemperance ... }	...	...	...	...	...	...	...	...	...	...	3	2	2	6	5	2	...	2	...	1	...	...	23	1	24
5. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	1	1	...	1
CLASS I.—Order IV.																									
1. Thrush	11	1	1	...	...	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	13	5	18
2. Worms, Hydatia, &c.	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
TOTAL OF CLASS I.	162	79	24	16	14	295	17	10	21	35	43	38	34	43	31	20	13	12	8	8	8	104	740	373	1,113
CLASS II.—Order I.																									
1. Gout	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	2	1	3
2. Dropsy	1	1	...	...	...	2	...	1	1	1	3	1	4	5	3	3	1	1	1	1	...	8	36	24	60
3. Cancer, Tumor, and Polypus	...	1	1	...	...	2	1	...	...	2	...	1	2	...	2	3	...	1	...	1	1	4	20	16	36
5. Mortification	1	...	...	...	...	1	...	...	1	1	1	1	...	2	...	...	...	...	1	...	...	...	8	2	10
CLASS II.—Order II.																									
1. Scrofula	...	1	...	1	1	3	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2	7	2	9
2. Tabes Mesenterica	4	1	2	1	...	8	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	10	10	20
3. Phthisis and Hœmoptysis	4	1	1	...	1	7	...	2	12	33	19	10	18	18	6	4	5	1	1	1	1	54	192	68	260
4. Hydrocephalus	7	5	...	...	...	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	12	15	27
5. Others	...	...	...	...	...	...	1	...	...	1	...	...	1	...	1	...	...	1	...	1	...	1	7	3	10
TOTAL OF CLASS II.	17	10	4	2	2	35	5	3	14	38	24	14	26	25	12	10	6	4	3	4	2	69	294	141	435
CLASS III.—Order I.																									
1. Cephalitis	10	1	3	...	...	14	1	...	...	1	1	2	1	3	1	...	...	...	...	...	...	4	28	12	40
2. Apoplexy	...	...	...	...	...	...	1	...	1	1	1	...	3	5	4	3	2	...	...	...	...	3	24	10	34
3. Paralysis	...	...	...	...	...	...	...	...	1	...	1	...	3	2	3	...	1	1	2	...	...	2	16	3	19
4. Insanity	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	1	1	2
6. Epilepsy	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	1	...	...	...	4	6	10
7. Convulsions	94	22	1	1	...	118	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	120	119	239
8. Brain Disease, &c.	8	2	1	...	2	13	...	...	1	...	1	4	1	3	...	1	1	...	...	...	...	2	27	16	43
CLASS III.—Order II.																									
1. Pericarditis	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	4	2	6
2. Aneurism	...	...	...	...	...	...	...	1	...	1	1	...	...	2	2	...	3	...	1	...	...	...	11	2	13
3. Heart Disease	1	...	...	...	...	1	2	3	...	1	5	8	13	9	8	4	7	3	1	1	1	2	69	28	97
CLASS III.—Order III.																									
1. Laryngitis	1	...	1	...	1	3	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	5	4	9
2. Bronchitis	20	6	2	2	1	31	2	...	1	...	...	...	...	1	1	1	1	2	2	...	...	1	43	28	71
3. Pleurisy	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	1	...	1	...	...	...	3	8	3	11
4. Pneumonia	4	4	3	1	...	12	3	2	2	3	1	2	4	3	3	1	2	1	1	...	...	16	56	19	75
4A. Congestion of the Lungs and Pulmonary Apoplexy	4	...	...	1	...	5	...	...	...	1	1	...	..	2	...	1	...	...	...	...	...	3	13	12	25
5. Asthma	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	2	...	1	1	...	1	9	2	11
6. Lung Disease	1	1	...	...	...	2	...	...	...	...	...	1	...	1	1	...	1	...	1	1	...	4	12	1	13
CLASS III.—Order IV.																									
1. Gastritis	4	4	...	...	...	8	...	...	1	1	3	...	3	1	...	...	...	...	...	...	...	1	18	13	31
2. Enteritis	19	1	1	...	1	22	...	...	5	5	3	1	1	1	...	...	1	...	...	...	...	4	43	24	67
3. Peritonitis	...	...	...	...	...	...	1	...	2	1	...	2	1	1	...	...	...	...	...	1	...	4	13	12	25
4. Ascites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	2	...	2
5. Ulceration of Intestines	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	1	...	...	...	...	...	...	4	3	7
6. Hernia	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	3	2	5
7. Ileus	5	...	...	...	...	5	...	1	2	...	...	...	...	1	...	...	...	1	1	...	...	1	12	6	18
8. Intussusception	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	2
10. Fistula	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	2
11. Stomach Disease, &c.	3	...	1	...	...	4	...	...	...	...	1	...	...	...	...	1	...	...	...	2	...	1	9	8	17
13. Hepatitis	...	...	...	...	...	...	...	...	1	1	1	1	2	1	...	...	...	...	...	1	...	...	8	5	13
14. Jaundice	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	4	6
15. Liver Disease	...	...	...	...	...	...	...	...	...	1	...	2	2	2	2	2	3	1	2	...	...	1	18	2	20
16. Spleen Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	3	...	3
CLASS III.—Order V.																									
1. Nephritis	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	2
3. Nephria	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	3	1	4
5. Stone	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	3	...	3
6. Cystitis	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	2
7. Kidney Disease	1	...	...	...	...	1	...	...	...	...	...	1	2	...	...	1	2	2	...	1	...	...	10	4	14
Carried forward...	177	43	13	5	5	243	13	7	20	18	21	29	45	42	30	20	27	13	17	8	1	54	608	353	961

TABLE No. X.—continued.

CAUSES of DEATHS of MALES at different periods of life Registered during the Year 1876—continued.

CLASS, ORDER, AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Total Deaths Males from each cause.	Total Deaths Females from each cause.	Total Deaths from cause.
Brought forward	177	43	13	5	5	243	13	7	20	18	21	29	45	42	30	20	27	13	17	8	1	54	608	353	961
CLASS III.—Order VI.																									
2. Uterus Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
3. Orchitis, &c.	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	2	...	2
CLASS III.—Order VII.																									
2. Joint Disease	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	1	...	...	...	...	4	...	4
CLASS III.—Order VIII.																									
1. Phlegmon	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
2. Ulcer	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
TOTAL OF CLASS III.	177	43	13	5	5	243	14	7	20	21	21	30	45	42	30	20	27	14	17	8	1	55	615	357	972
CLASS IV.—Order I.																									
1. Premature Birth	20	...	...	...	...	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	20	16	36
2. Cyanosis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
3. Spina Bifida	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
4. Other Malformations	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	5	6
5. Teething	29	21	1	...	...	51	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	51	59	110
CLASS IV.—Order II.																									
1. Paramenia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
2. Childbirth	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	30	30
CLASS IV.—Order III.																									
1. Old Age	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	2	10	...	16	4	20
2. Senile Decay	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	12	2	5	6	...	28	14	42
CLASS IV.—Order IV.																									
1. Atrophy	49	5	3	2	...	59	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	62	55	117
2. Debility	63	3	...	1	...	67	...	...	...	2	1	2	1	1	3	2	2	...	...	...	...	6	87	76	163
TOTAL OF CLASS IV.	163	29	4	3	...	199	...	...	...	2	2	2	1	1	5	2	5	12	6	7	16	6	266	261	527
CLASS V.—Order I.																									
1. Fractures and Contusions	1	...	...	...	...	1	2	...	1	1	2	1	4	3	1	...	2	...	...	1	...	3	22	...	22
2. Gunshot Wounds...	...	...	...	...	...	...	...	1	...	3	...	...	...	...	...	...	...	...	...	...	...	...	4	...	4
3. Cuts, Stabs, &c.	...	...	...	...	...	...	...	1	1	1	...	2	...	...	...	...	...	...	...	...	...	...	5	...	5
4. Burns	...	1	1	1	...	3	...	...	...	...	...	...	...	...	1	1	...	...	1	...	1	1	8	13	21
5. Scalds	...	2	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	3	5	8
6. Sunstroke	...	1	...	...	...	1	1	1	1	2	1	...	3	5	...	...	1	...	...	...	...	1	17	...	17
7. Poison	...	1	1	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	3	3	6
8. Bite of a Venomous Reptile or Insect ...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	3	1	4
9. Drowning	...	3	2	...	1	6	7	4	4	7	15	4	8	4	...	2	1	1	1	1	1	11	77	17	94
10. Suffocation...	5	...	...	...	...	5	...	...	1	1	...	...	2	...	...	2	1	1	...	...	...	...	13	3	16
11. Killed by a fall from a horse	...	...	...	...	...	...	...	5	1	...	1	2	4	1	...	...	...	...	...	1	...	...	15	...	15
12. Killed by a kick from a horse	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	2	...	2
13. Killed by a tread of a horse	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	1
14. Killed by a cow	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1
15. Killed by a shark...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
16. Killed by lightning	...	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...	...	...	...	...	4	1	5
17. Killed by fall of a tree	...	...	...	1	...	1	...	...	1	...	...	1	...	...	1	...	...	...	...	...	...	...	4	...	4
18. Killed by being run against a tree	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...	...	...	...	...	...	...	4	...	4
19. Killed by a fall down a mining shaft ...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	2	...	5	...	5
20. Killed by a fall of earth in a mining shaft ...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...	...	...	...	4	...	4
21. Killed by explosion of gunpowder	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	2	..	2
22. Killed by a dray	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	1	...	...	...	...	...	...	4	...	4
23. Killed by upsetting of a vehicle	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
24. Killed by machinery	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	3	...	3
25. Blood poisoning	...	1	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3
26. Overlain by its mother	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
27. Amputation	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	2	...	2
28. Injury at birth	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
29. Injury to spine (manner not stated)...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	2	...	2
30. Internal injuries (manner not stated) ...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	..	...	...	...	...	3	...	3
31. Navel hœmorrhage	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
*																									
CLASS V.—Order III.																									
1. Murder { By Whites	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	...	1	...	4	1	5
1. Murder { By Blacks	...	..	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	2	..	2
2. Manslaughter	...	...	...	...	..	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	1	3	...	3
CLASS V.—Order IV.																									
Suicide { Wounds { A. Gunshot	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	3	...	3
Suicide { Wounds { B. Cuts, Stabs, &c.... ...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	..	...	2	...	2
Suicide { Poison	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	3	2	5
Suicide { Drowning	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	3	1	4
Suicide { Hanging	...	...	...	...	...	...	...	...	2	...	...	...	...	3	...	...	1	...	...	...	...	6	1	7
Suicide { Otherwise	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	3	...	3
CLASS V.—Order V.																									
1. Execution, hanging	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
TOTAL OF CLASS V.	7	9	5	2	1	24	11	14	14	18	34	21	31	21	6	7	8	3	3	3	3	24	245	53	298
Sudden Deaths (cause not ascertained)... ...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	1
Deaths, cause ill defined	5	2	...	...	...	7	...	...	1	...	3	4	3	2	2	1	...	1	...	...	1	5	30	15	45
Deaths, cause unspecified	7	1	1	...	1	10	2	...	...	1	1	1	7	2	2	2	1	2	...	...	...	27	58	18	76
TOTAL DEATHS OF MALES FROM ALL CAUSES...	538	173	51	28	23	813	49	34	70	115	128	110	147	137	88	62	60	48	37	30	31	290	2,249	1,218	3,467

* Order II. of Class V., Wounds in Battle, omitted.

TABLE No. XI.

CAUSES of DEATHS of FEMALES at different periods of life Registered during the Year 1876.

CLASS, ORDER AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Total Deaths Females from each cause.	Total Deaths Males from each cause.	Total Deaths from each cause.
CLASS I.—Order I.																									
1A. Chicken Pox, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
2. Measles	2	2	1	1	...	6	...	1	3	...	...	...	...	...	1	...	...	...	...	...	...	3	14	19	33
3. Scarlatina	1	2	2	2	...	7	7	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	16	12	28
3A. Diphtheria	4	6	4	7	...	21	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	26	28	54
4. Quinsy	...	...	..	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	5	6
5. Croup	7	5	7	5	1	25	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	30	44	74
7. Typhus (and Infantile Fever)	3	3	1	1	5	13	6	3	4	4	3	1	1	...	...	...	...	...	...	...	...	...	35	37	72
8. Erysipelas	1	1	...	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	4	7
9. Metria	...	...	...	...	...	...	...	...	3	...	3	5	2	...	...	...	...	...	...	...	...	...	13	...	13
10. Carbuncle, Boil, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
11. Influenza, Corza, Catarrh	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	9	12
12. Dysentery	18	13	6	...	...	37	2	...	2	1	2	1	5	2	...	2	...	2	1	...	1	2	60	238	298
13. Diarrhœa	67	25	4	3	...	99	...	...	...	2	4	2	8	1	5	1	2	...	...	...	...	1	125	138	263
14. Cholera	1	...	1	...	...	2	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	4	3	7
15. Ague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
16. Remittent Fever, Fever, &c.	...	...	1	...	...	1	...	...	2	9	3	3	6	...	...	1	...	...	...	...	...	...	25	122	147
17. Rheumatism	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	2	6	8
18. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
CLASS I.—Order II.																									
1. Syphilis	1	...	1	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	3	6	9
CLASS I.—Order III.																									
1. Privation	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	15	16
2. Want of Breast Milk	5	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	4	9
3. Purpura and Scurvy	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	8	9
4. Alcoholism { Delirium Tremens / Intemperance ... }	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	23	24
5. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	1	...	1	1
CLASS I.—Order IV.																									
1. Thrush	4	1	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	13	18
2. Worms, Hydatia, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
TOTAL OF CLASS I.	116	59	28	19	7	229	22	8	16	17	16	13	24	4	7	5	2	2	1	...	1	6	373	740	1,113
CLASS II.—Order I.																									
1. Gout	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	2	3
2. Dropsy	1	1	1	...	2	5	1	...	...	2	1	1	3	1	2	2	1	1	3	...	1	...	24	36	60
3. Cancer, Tumor, and Polypus	...	...	1	...	...	1	...	...	1	...	2	2	3	1	...	1	...	5	...	...	...	...	16	20	36
5. Mortification	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	8	10
CLASS II.—Order II.																									
1. Scrofula	1	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	7	9
2. Tabes Mesenterica	8	1	1	...	...	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	10	10	20
3. Phthisis and Hœmoptysis	2	1	2	...	1	6	2	...	5	13	11	11	6	5	3	2	1	1	1	...	...	1	68	192	260
4. Hydrocephalus	9	4	1	...	1	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	15	12	27
5. Others	1	...	...	1	...	2	...	...	...	1	...	...	...	...	..	...	...	...	...	...	...	...	3	7	10
TOTAL OF CLASS II.	23	7	6	2	4	42	3	1	6	16	14	14	12	7	5	5	2	8	4	...	1	1	141	294	435
CLASS III.—Order I.																									
1. Cephalitis	6	2	2	...	...	10	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	12	28	40
2. Apoplexy	...	...	...	...	...	...	...	...	...	1	1	1	2	1	1	1	...	1	...	...	...	...	10	24	34
3. Paralysis	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	3	16	19
4. Insanity	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	..	...	...	...	...	1	1	2
6. Epilepsy	...	1	...	...	...	1	...	3	...	...	...	1	...	1	...	...	...	...	...	...	...	...	6	4	10
7. Convulsions	76	33	3	3	1	116	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	119	120	239
8. Brain Disease, &c.	4	1	2	...	3	10	1	...	...	...	...	1	1	...	2	1	...	...	...	...	...	...	16	27	43
CLASS III.—Order II.																									
1. Pericarditis	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	2	4	6
2. Aneurism	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	2	11	13
3. Heart Disease	...	...	...	1	...	1	2	...	...	1	4	3	3	1	4	1	5	1	1	1	...	...	28	69	97
CLASS III.—Order III.																									
1. Laryngitis	2	...	1	...	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	5	9
2. Bronchitis	11	4	1	2	1	19	1	...	...	...	...	1	...	...	...	1	2	...	1	2	1	...	28	43	71
3. Pleurisy	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	3	8	11
4. Pneumonia	4	4	1	...	...	9	...	...	...	1	1	2	1	...	...	2	1	...	1	1	...	...	19	56	75
4A. Congestion of the Lungs and Pulmonary Apoplexy	2	1	...	3	...	6	1	...	...	...	2	1	..	...	...	...	...	1	...	...	1	...	12	13	25
5. Asthma	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	2	9	11
6. Lung Disease	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	12	13
CLASS III.—Order IV.																									
1. Gastritis	4	2	1	2	1	10	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1	...	13	18	31
2. Enteritis	7	2	3	2	1	15	2	1	1	2	2	...	...	1	...	...	...	...	...	...	...	...	24	43	67
3. Peritonitis	2	...	2	...	...	4	...	...	...	1	3	1	1	1	1	...	...	...	...	...	...	...	12	13	25
4. Ascites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
5. Ulceration of Intestines	...	...	...	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	3	4	7
6. Hernia	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	2	3	5
7. Ileus	4	...	...	...	...	4	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	6	12	18
8. Intussusception	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
10. Fistula	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	1	2
11. Stomach Disease, &c.	5	...	...	...	...	5	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	8	9	17
13. Hepatitis	1	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	1	...	1	...	...	...	5	8	13
14. Jaundice	2	...	...	...	...	2	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	4	2	6
15. Liver Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	2	18	20
16. Spleen Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	3
CLASS III.—Order V.																									
1. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
3. Nephria	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3	4
5. Stone	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	3
6. Cystitis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
7. Kidney Disease	1	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	4	10	14
Carried forward...	132	51	16	13	8	220	12	4	3	7	20	17	11	8	10	11	13	4	5	4	4	...	353	608	961

TABLE No. XI.—continued.

CAUSES of DEATHS of FEMALES at different periods of life Registered during the Year 1876—continued.

CLASS, ORDER, AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Total Deaths Females from each cause.	Total Deaths Males from each cause.	Total Deaths from cause.
Brought forward	132	51	16	13	8	220	12	4	3	7	20	17	11	8	10	11	13	4	5	4	4	...	353	608	961
CLASS III.—Order VI.																									
2. Uterus Disease	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	2	...	2
3. Orchitis, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
CLASS III.—Order VII.																									
2. Joint Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	4
CLASS III.—Order VIII.																									
1. Phlegmon	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	1
2. Ulcer	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
TOTAL OF CLASS III.	132	51	16	13	8	220	12	4	4	8	21	17	12	8	10	11	13	4	5	4	4	...	357	615	972
CLASS IV.—Order I.																									
1. Premature Birth	16	...	...	...	...	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	16	20	36
2. Cyanosis	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1
3. Spina Bifida	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
4. Other Malformations	5	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	1	6
5. Teething	31	25	3	...	...	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	59	51	110
CLASS IV.—Order II.																									
1. Paramenia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
2. Childbirth	...	...	..	...	...	...	...	...	1	6	6	5	8	3	1	...	...	...	...	...	...	...	30	...	30
CLASS IV.—Order III.																									
1. Old Age	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	4	16	20
2. Senile Decay	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	4	3	3	2	...	14	28	42
CLASS IV.—Order IV.																									
1. Atrophy	45	6	1	1	...	53	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	62	117
2. Debility	64	1	2	2	...	69	...	...	...	1	1	...	3	...	1	1	...	...	...	...	...	...	76	87	163
TOTAL OF CLASS IV.	162	32	6	3	...	203	2	...	1	7	7	5	11	3	3	1	2	4	4	4	4	...	261	266	527
CLASS V.—Order I.																									
1. Fractures and Contusions	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	22	22
2. Gunshot Wounds...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	4
3. Cuts, Stabs, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	5
4. Burns	..	1	...	2	...	3	3	...	2	2	1	...	...	1	...	...	...	...	...	...	1	...	13	8	21
5. Scalds	2	1	2	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	3	8
6. Sunstroke	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	17	17
7. Poison	...	1	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	3	3	6
8. Bite of a Venomous Reptile or Insect ...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3	4
9. Drowning	...	4	1	...	...	5	3	2	2	...	1	1	1	...	...	...	1	...	...	...	1	...	17	77	94
10. Suffocation...	3	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	13	16
11. Killed by a fall rom a horse	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	15	15
12. Killed by a kick from a horse	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
13. Killed by a tread of a horse	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
14. Killed by a cow	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
15. Killed by a shark...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
16. Killed by lightning	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	4	5
17. Killed by fall of a tree	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	4
18. Killed by being run against a tree ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	4
19. Killed by a fall down a mining shaft ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	5
20. Killed by a fall of earth in a mining shaft ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	4
21. Killed by explosion of gunpowder	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
22. Killed by a dray	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	4
23. Killed by upsetting of a vehicle	...	...	..	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
24. Killed by machinery	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	3
25. Blood poisoning	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	2	3
26. Overlain by its mother	1	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
27. Amputation	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
28. Injury at birth	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
29. Injury to spine (manner not stated)...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
30. Internal injuries (manner not stated) ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	3
31. Navel hœmorrhage	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
*																									
CLASS V.—Order III.																									
1. Murder { By Whites	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	4	5
1. Murder { By Blacks	..	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
2. Manslaughter	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	3	3
CLASS V.—Order IV.																									
Suicide { Wounds { A. Gunshot	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	3
Suicide { Wounds { B. Cuts, Stabs, &c.... ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
Suicide { Poison	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	2	3	5
Suicide { Drowning	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3	4
Suicide { Hanging	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	6	7
Suicide { Otherwise	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	3
CLASS V.—Order V.																									
1. Execution, hanging	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
TOTAL OF CLASS V.	8	7	3	2	1	21	7	2	7	3	3	2	1	3	1	...	1	...	.	...	...	2	53	245	298
Sudden Deaths (cause not ascertained)... ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
Deaths, cause ill defined	6	1	...	1	1	9	...	1	1	...	...	1	1	2	...	...	...	...	...	...	...	...	15	30	45
Deaths, cause unspecified	9	1	...	...	1	11	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	4	18	58	76
TOTAL DEATHS OF FEMALES FROM ALL CAUSES	456	158	59	40	22	735	47	16	35	51	62	52	61	27	26	23	20	18	14	8	10	13	1,218	2,249	3,467

* Order II. of Class V., Wounds in Battle, omitted.

TABLE No. XII.

CAUSES of DEATHS of MALES and FEMALES at different periods of life Registered during the Year 1876.

CLASS, ORDER AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Total Deaths from each cause.	Total Deaths Males from each cause.	Total Deaths Females from each cause.
CLASS I.—Order I.																									
1A. Chicken Pox, &c.	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...
2. Measles	3	3	1	2	...	9	2	1	4	...	...	...	...	...	1	...	...	...	...	...	...	16	33	19	14
3. Scarlatina	2	2	4	5	2	15	9	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	28	12	16
3A. Diphtheria	7	18	5	12	1	43	6	2	1	...	...	...	...	...	1	...	...	...	...	...	...	1	54	28	26
4. Quinsy	1	...	1	1	1	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	5	1
5. Croup	19	22	13	9	3	66	6	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	74	44	30
7. Typhus (and Infantile Fever)	6	6	3	1	7	23	6	7	7	9	8	3	5	1	1	1	...	...	...	...	...	1	72	37	35
8. Erysipelas	2	1	...	...	...	3	...	1	...	...	...	...	...	2	...	1	...	...	...	...	...	...	7	4	3
9. Metria	...	...	...	...	...	...	...	...	3	...	3	5	2	...	...	...	...	...	...	...	...	...	13	...	13
10. Carbuncle, Boil, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...
11. Influenza, Corza, Catarrh	9	1	...	...	...	10	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	12	9	3
12. Dysentery	59	34	11	1	5	110	5	1	11	16	17	11	12	10	6	10	5	6	7	6	6	59	298	238	60
13. Diarrhœa	138	48	9	4	2	201	1	1	...	2	6	3	9	2	9	2	6	4	2	1	3	11	263	138	125
14. Cholera	4	...	1	...	...	5	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	7	3	4
15. Ague	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	...
16. Remittent Fever, Fever, &c.	...	...	1	...	...	1	1	1	8	18	18	23	23	22	8	6	3	1	...	...	...	14	147	122	25
17. Rheumatism	1	...	...	...	...	1	...	...	1	1	...	1	...	...	2	...	...	1	...	...	...	1	8	6	2
18. Others	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...
CLASS I.—Order II.																									
1. Syphilis	2	...	1	...	...	3	...	...	...	...	2	...	1	...	1	1	...	...	...	...	...	1	9	6	3
CLASS I.—Order III.																									
1. Privation	...	1	..	...	...	1	1	...	...	1	1	1	2	3	1	1	1	...	...	...	...	3	16	15	1
2. Want of Breast Milk	9	...	...	...	...	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	9	4	5
3. Purpura and Scurvy	1	...	...	...	...	1	...	...	1	5	...	...	...	1	...	...	...	...	...	...	...	1	9	8	1
4. Alcoholism { Delirium Tremens / Intemperance }	...	...	...	...	...	...	...	...	...	...	3	3	2	6	5	2	...	2	...	1	...	...	24	23	1
5. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...
CLASS I.—Order IV.																									
1. Thrush	15	2	1	...	...	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	18	13	5
2. Worms, Hydatia, &c.	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...
TOTAL OF CLASS I.	278	138	52	35	21	524	39	18	37	52	59	51	58	47	38	25	15	14	9	8	9	110	1,113	740	373
CLASS II.—Order I.																									
1. Gout	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...	3	2	1
2. Dropsy	2	2	1	...	2	7	1	1	1	3	4	2	7	6	5	5	2	2	4	1	1	8	60	36	24
3. Cancer, Tumor, and Polypus	...	1	2	...	...	3	1	...	1	2	2	3	5	1	2	4	...	6	...	1	1	4	36	20	16
5. Mortification	2	...	...	...	...	2	...	1	1	1	1	1	...	2	...	...	...	...	1	...	...	...	10	8	2
CLASS II.—Order II.																									
1. Scrofula	1	1	...	2	1	5	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2	9	7	2
2. Tabes Mesenterica	12	2	3	1	...	18	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	20	10	10
3. Phthisis and Hœmoptysis	6	2	3	...	2	13	2	2	17	46	30	21	24	23	9	6	6	2	2	1	1	55	260	192	68
4. Hydrocephalus	16	9	1	...	1	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	27	12	15
5. Others	1	...	...	1	...	2	1	...	...	2	...	...	1	...	1	...	...	1	...	1	...	1	10	7	3
TOTAL OF CLASS II.	40	17	10	4	6	77	8	4	20	54	38	28	38	32	17	15	8	12	7	4	3	70	435	294	141
CLASS III.—Order I.																									
1. Cephalitis	16	3	5	...	...	24	1	...	...	2	2	2	1	3	1	...	...	...	...	...	...	4	40	28	12
2. Apoplexy	...	...	...	...	...	...	1	...	2	2	2	1	5	6	5	4	2	1	...	...	...	3	34	24	10
3. Paralysis	...	...	...	...	...	...	...	...	1	...	1	...	3	3	3	2	1	1	2	...	...	2	19	16	3
4. Insanity	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	..	...	...	...	...	2	1	1
6. Epilepsy	...	1	...	...	...	1	...	3	1	...	...	1	...	2	1	...	...	...	1	...	...	...	10	4	6
7. Convulsions	170	55	4	4	1	234	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	239	120	119
8. Brain Disease, &c.	12	3	3	...	5	23	1	...	1	...	1	5	2	3	2	2	1	...	...	...	...	2	43	27	16
CLASS III.—Order II.																									
1. Pericarditis	...	...	...	...	...	...	...	...	...	...	1	1	...	2	1	1	...	...	...	...	...	...	6	4	2
2. Aneurism	...	...	...	...	...	...	...	1	...	1	2	1	...	2	2	...	3	...	1	...	...	...	13	11	2
3. Heart Disease	1	...	...	1	...	2	4	3	...	2	9	11	16	10	12	5	12	4	2	2	1	2	97	69	28
CLASS III.—Order III.																									
1. Laryngitis	3	...	2	...	2	7	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	9	5	4
2. Bronchitis	31	10	3	4	2	50	3	...	1	...	...	1	...	1	1	2	3	2	3	2	1	1	71	43	28
3. Pleurisy	...	1	...	...	...	1	...	...	1	...	...	2	1	...	...	2	...	1	...	...	...	3	11	8	3
4. Pneumonia	8	8	4	1	...	21	3	2	2	4	2	4	5	3	3	3	3	1	2	1	...	16	75	56	19
4A. Congestion of the Lungs and Pulmonary Apoplexy	6	1	...	4	...	11	1	...	...	1	3	1	..	2	...	1	...	1	...	...	1	3	25	13	12
5. Asthma	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	4	...	1	1	...	1	11	9	2
6. Lung Disease	2	1	...	...	...	3	...	...	...	...	...	1	...	1	1	...	1	...	1	1	...	4	13	12	1
CLASS III.—Order IV.																									
1. Gastritis	8	6	1	2	1	18	...	...	1	1	3	...	4	1	...	...	...	...	1	...	1	1	31	18	13
2. Enteritis	26	3	4	2	2	37	2	1	6	7	5	1	1	2	...	...	1	...	...	...	...	4	67	43	24
3. Peritonitis	2	...	2	...	...	4	1	...	2	2	3	3	2	2	1	...	...	...	...	1	...	4	25	13	12
4. Ascites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	2	2	...
5. Ulceration of Intestines	...	...	...	...	...	...	1	...	...	...	2	1	1	1	...	1	...	...	...	...	...	...	7	4	3
6. Hernia	...	1	...	...	...	1	...	...	...	...	...	...	2	...	...	...	1	...	...	...	1	...	5	3	2
7. Ileus	9	...	...	...	...	9	...	1	2	...	...	1	...	1	...	...	1	1	1	...	...	1	18	12	6
8. Intussusception	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	2	...
10. Fistula	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	2	1	1
11. Stomach Disease, &c.	8	...	1	...	...	9	...	...	1	1	1	1	2	2	...	1	1	...	...	2	...	1	17	9	8
13. Hepatitis	1	...	...	...	...	1	...	...	1	1	1	2	2	...	...	1	1	...	...	1	1	...	13	8	5
14. Jaundice	3	...	...	...	...	3	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	6	2	4
15. Liver Disease	...	...	...	...	...	...	...	...	...	1	...	2	2	2	3	3	3	1	2	...	...	1	20	18	2
16. Spleen Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	3	3	...
CLASS III.—Order V.																									
1. Nephritis	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	2	..
3. Nephria	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	4	3	1
5. Stone	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	...	...	3	3	...
6. Cystitis	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	2	...
7. Kidney Disease	2	...	...	...	...	2	...	...	...	...	1	1	2	...	1	1	2	3	...	1	...	...	14	10	4
Carried forward...	309	94	29	18	13	463	25	11	23	25	41	46	56	50	40	31	40	17	22	12	5	54	961	608	353

TABLE No. XII.—continued.

CAUSES of DEATHS of MALES and FEMALES at different periods of life Registered during the Year 1876—continued.

CLASS, ORDER, AND DISEASE.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Total Deaths from cause.	Total Deaths Males from each cause.	Total Deaths Females from each cause.
Brought forward	309	94	29	18	13	463	25	11	23	25	41	46	56	50	40	31	40	17	22	12	5	54	961	608	353
CLASS III.—Order VI.																									
2. Uterus Disease	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	2	...	2
3. Orchitis, &c.	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	2	2	...
CLASS III.—Order VII.																									
2. Joint Disease	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	1	...	...	...	...	4	4	...
CLASS III.—Order VIII.																									
1. Phlegmon	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	1
2. Ulcer	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	1	1
TOTAL OF CLASS III.	309	94	29	18	13	463	26	11	24	29	42	47	57	50	40	31	40	18	22	12	5	55	972	615	357
CLASS IV.—Order I.																									
1. Premature Birth	36	...	...	...	...	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	36	20	16
2. Cyanosis	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
3. Spina Bifida	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...
4. Other Malformations	6	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	1	5
5. Teething	60	46	4	...	...	110	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	110	51	59
CLASS IV.—Order II.																									
1. Paramenia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
2. Childbirth	...	...	...	...	...	...	...	...	1	6	6	5	8	3	1	...	...	...	...	...	...	...	30	...	30
CLASS IV.—Order III.																									
1. Old Age	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	3	12	...	20	16	4
2. Senile Decay	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	16	5	8	8	...	42	28	14
CLASS IV.—Order IV.																									
1. Atrophy	94	11	4	3	...	112	2	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	117	62	55
2. Debility	127	4	2	3	...	136	...	...	...	3	2	2	4	1	4	3	2	...	...	...	...	6	163	87	76
TOTAL OF CLASS IV.	325	61	10	6	...	402	2	...	1	9	9	7	12	4	8	3	7	16	10	11	20	6	527	266	261
CLASS V.—Order I.																									
1. Fractures and Contusions	1	...	...	...	...	1	2	...	1	1	2	1	4	3	1	...	2	...	...	1	...	3	22	22	...
2. Gunshot Wounds...	...	...	...	...	...	...	...	1	...	...	3	...	...	...	...	...	...	...	...	...	...	...	4	4	...
3. Cuts, Stabs, &c.	...	...	...	...	...	...	...	1	1	1	...	2	...	...	...	...	...	...	...	...	...	...	5	5	...
4. Burns	2	1	3	...	6	3	...	2	2	1	...	...	1	1	1	...	...	1	...	1	2	21	8	13
5. Scalds	2	3	2	...	7	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	8	3	5
6. Sunstroke	...	1	...	...	1	1	1	1	2	1	...	3	5	...	...	1	...	...	...	...	1	17	17	...
7. Poison	...	2	1	...	...	3	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	6	3	3
8. Bite of a Venomous Reptile or Insect ...	...	...	...	...	1	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	4	3	1
9. Drowning	...	7	3	...	1	11	10	6	6	7	16	5	9	4	...	2	2	1	1	1	1	12	94	77	17
10. Suffocation...	8	...	...	...	...	8	...	...	1	1	...	...	2	...	...	2	1	1	...	...	...	...	16	13	3
11. Killed by a fall from a horse	...	...	...	...	...	...	...	5	1	...	1	2	4	1	...	...	...	...	...	1	...	...	15	15	...
12. Killed by a kick from a horse	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	2	2	...
13. Killed by a tread of a horse	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1	...
14. Killed by a cow	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...
15. Killed by a shark...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...
16. Killed by lightning	...	1	...	...	...	1	...	...	...	1	...	1	1	1	...	...	...	...	...	...	...	...	5	4	1
17. Killed by fall of a tree	...	...	1	...	1	...	1	...	1	...	...	1	...	...	1	...	...	...	...	...	...	...	4	4	...
18. Killed by being run against a tree	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...	...	...	...	...	...	...	4	4	...
19. Killed by a fall down a mining shaft ...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	2	5	5	...
20. Killed by a fall of earth in a mining shaft ...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	4	4	...
21. Killed by explosion of gunpowder	...	...	...	...	..	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	2	2	..
22. Killed by a dray	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	1	...	...	...	...	...	4	4	...
23. Killed by upsetting of a vehicle	...	...	..	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
24. Killed by machinery	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	3	3	...
25. Blood poisoning	...	1	1	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	2	1
26 Overlain by its mother	1	..	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
27. Amputation	...	...	...	...	...	...	...	...	...	...	...	1	...	..	1	...	...	...	...	...	..	...	2	2	...
28. Injury at birth	2	...	...	...	2	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	2	1	1
29. Injury to spine (manner not stated)... ...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	..	...	...	...	...	2	2	...
30. Internal injuries (manner not stated) ...	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	3	3	...
31. Navel hœmorrhage	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
*																									
CLASS V.—Order III.																									
1. Murder { By Whites	...	...	...	...	...	...	...	...	1	...	1	1	...	1	...	...	...	...	...	1	...	5	4	1
{ By Blacks	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	2	2	..
2. Manslaughter	...	...	...	...	..	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	3	3	...
CLASS V.—Order IV.																									
Suicide { Wounds { A. Gunshot	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	3	3	...
{ B. Cuts, Stabs, &c.... ...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	..	...	2	2	...
{ Poison	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	1	...	...	...	...	1	5	3	2
{ Drowning	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	1	...	...	...	...	...	4	3	1
{ Hanging	...	...	...	...	...	...	...	...	3	...	...	...	...	3	...	...	1	...	...	...	...	7	6	1
{ Otherwise	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	3	3	...
CLASS V.—Order V.																									
1. Execution, hanging	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...
TOTAL OF CLASS V.	15	16	8	4	2	45	18	16	21	21	37	23	32	24	7	7	9	3	3	3	3	26	298	245	53
Sudden Deaths (cause not ascertained)... ...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	...
Deaths, cause ill defined	11	3	...	1	1	16	...	1	2	...	3	5	4	4	2	1	...	1	...	...	1	5	45	30	15
Deaths, cause unspecified	16	2	1	...	2	21	3	...	...	1	2	1	7	2	2	3	1	2	...	...	...	31	76	58	18
TOTAL DEATHS OF MALES AND FEMALES FROM ALL CAUSES	994	331	110	68	45	1548	96	50	105	166	190	162	208	164	114	85	80	66	51	38	41	303	3,467	2,249	1,218

* Order II. of Class V., Wounds in Battle, omitted.

TABLE No. XIII.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1876.

CAUSES of DEATHS of MALES and FEMALES at different periods of life, Registered during the Year 1876.

CLASS, ORDER, AND DISEASE.	JANUARY. M.	JANUARY. F.	FEBRUARY. M.	FEBRUARY. F.	MARCH. M.	MARCH. F.	APRIL. M.	APRIL. F.	MAY. M.	MAY. F.	JUNE. M.	JUNE. F.	JULY. M.	JULY. F.	AUGUST. M.	AUGUST. F.	SEPTEMBER. M.	SEPTEMBER. F.	OCTOBER. M.	OCTOBER. F.	NOVEMBER. M.	NOVEMBER. F.	DECEMBER. M.	DECEMBER. F.	Total Persons.	Total Males.	Total Females.
CLASS I.—Order I.																											
1A. Chicken Pox, &c.	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...
2. Measles	9	...	3	7	1	3	3	1	3	2	...	...	...	...	...	...	...	1	...	1	...	3	2	...	33	19	14
3. Scarlatina	5	4	...	...	...	...	1	...	1	...	...	...	1	3	...	2	1	1	1	1	...	3	2	2	28	12	16
3A. Diphtheria	4	2	3	1	...	2	3	4	10	4	2	3	1	3	2	...	1	1	...	1	2	1	...	4	54	28	26
4. Quinsy	1	1	...	...	1	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	1	...	6	5	1
5. Croup	2	...	3	1	1	1	6	4	8	4	7	2	6	7	5	6	...	2	3	...	1	2	2	1	74	44	30
7. Typhus (and Infantile Fever)	3	5	3	3	6	5	3	3	5	9	2	...	1	1	1	...	1	2	2	3	3	8	2	...	72	37	35
8. Erysipelas	...	...	1	1	...	1	...	...	...	...	1	...	...	...	...	...	1	1	...	...	1	3	...	...	7	4	3
9. Metria	...	1	...	...	...	...	...	1	...	1	...	...	...	2	...	1	...	...	...	1	...	3	...	3	13	...	13
10. Carbuncle, Boil, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...
11. Influenza, Corza, Catarrh	...	...	...	...	1	...	1	...	1	2	1	...	...	1	4	...	...	...	...	...	...	1	...	...	12	9	3
12. Dysentery	26	6	37	6	34	7	23	7	23	5	14	5	6	2	8	4	9	3	10	5	18	3	30	7	298	238	60
13. Diarrhœa	15	14	12	14	16	12	12	18	15	12	6	5	7	6	3	4	4	2	13	4	23	16	12	18	263	138	125
14. Cholera	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	2	7	3	4
15. Ague	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...
16. Remittent Fever, Fever, &c.	16	5	7	2	19	1	23	4	6	2	16	3	11	1	5	...	3	...	5	3	2	1	9	3	147	122	25
17. Rheumatism	2	1	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	1	1	...	1	...	8	6	2
18. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...
	84	40	69	35	79	32	75	42	74	41	50	18	35	27	29	18	19	11	35	19	54	32	66	42	1,026	669	357
CLASS I.—Order II.																											
1. Syphilis	...	...	2	1	...	1	...	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	1	...	9	6	3
	...	...	2	1	...	1	...	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	1	...	9	6	3
CLASS I.—Order III.																											
1. Privation	4	...	3	...	...	...	2	...	...	...	2	...	1	...	...	...	1	...	...	1	...	2	...	...	16	15	1
2. Want of Breast Milk	1	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	1	...	...	2	1	...	...	9	4	5
3. Purpura and Scurvy	...	...	3	1	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	9	8	1
4. Alcoholism { Delirium Tremens / Intemperance }	2	...	1	...	3	...	1	...	1	...	2	1	4	...	...	...	3	...	2	...	1	...	3	...	24	23	1
5. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...
	7	...	7	1	4	...	3	...	2	2	4	1	5	1	1	...	4	1	2	1	4	1	8	...	59	51	8
CLASS I.—Order IV.																											
1. Thrush	2	1	1	...	1	1	2	...	1	1	...	...	2	...	...	...	...	1	1	...	1	1	2	...	18	13	5
2. Worms	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...
	93	41	79	37	84	34	80	42	77	44	55	20	44	28	30	18	23	13	39	20	59	34	77	42	1,113	740	373
CLASS II.—Order I.																											
1. Gout	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	3	2	1
2. Dropsy	2	4	4	2	2	2	1	...	1	2	6	1	5	4	4	3	2	2	2	1	3	3	...	...	60	36	24
3. Cancer, Tumor, and Polypus	3	3	2	1	1	1	4	1	1	1	3	2	2	2	1	...	...	1	2	1	1	3	...	...	36	20	16
5. Mortification	...	...	2	1	1	...	...	...	...	...	...	...	...	1	...	...	2	...	1	...	...	...	1	...	10	8	2
	5	7	8	4	4	4	6	1	3	3	10	3	7	7	5	3	4	3	5	2	5	6	4	...	109	66	43
CLASS II.—Order II.																											
1. Scrofula	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	1	1	...	...	...	...	...	3	...	9	7	2
2. Tabes Mesenterica	...	2	2	1	...	1	2	1	2	1	1	...	1	...	...	...	...	...	1	...	1	...	...	3	20	10	10
3. Phthisis and Hœmoptysis	10	6	13	4	17	7	19	10	17	5	13	2	24	2	13	6	10	8	14	6	15	7	27	5	260	192	68
4. Hydrocephalus	2	2	...	1	1	...	...	1	1	1	2	...	...	1	2	1	1	...	2	1	2	3	2	2	27	12	15
5. Others	1	...	...	...	...	1	...	...	1	...	1	...	...	2	1	...	1	...	1	...	1	...	...	...	10	7	3
	18	17	23	10	22	13	27	13	25	10	28	5	32	14	21	12	16	12	21	10	24	15	37	10	435	294	141
CLASS III.—Order I.																											
1. Cephalitis	3	4	1	...	1	1	1	...	1	1	1	...	4	...	2	...	1	1	5	1	3	1	5	3	40	28	12
2. Apoplexy	4	2	...	1	2	2	3	...	4	2	2	...	1	...	1	...	...	1	3	1	...	2	1	...	34	24	10
3. Paralysis	4	1	1	...	2	...	1	...	...	...	2	...	...	...	...	1	...	4	1	...	2	1	...	...	19	16	3
4. Insanity	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	1	4	1	3
6. Epilepsy	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
7. Convulsions	1	...	...	...	1	...	1	1	...	...	...	2	...	1	...	1	...	...	...	...	...	...	...	1	10	4	6
8. Brain Disease, &c.	20	14	8	8	9	16	9	4	12	14	11	6	9	8	4	8	7	8	7	9	11	12	13	12	239	120	119
	6	4	1	2	3	1	1	2	1	1	7	1	1	2	1	...	1	1	2	...	1	...	2	2	43	27	16
CLASS III.—Order II.																											
1. Pericarditis	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	2	...	1	...	...	1	...	...	6	4	2
2. Aneurism	1	...	...	...	...	...	1	...	2	1	...	...	3	...	1	...	...	...	3	...	...	1	...	...	13	11	2
3. Heart Disease	4	2	3	1	3	1	5	2	3	1	9	...	8	3	5	3	8	2	4	7	5	5	12	1	97	69	28
	5	2	3	1	3	1	6	2	5	2	9	...	12	4	6	3	10	2	8	7	5	7	12	1	116	84	32
CLASS III.—Order III.																											
1. Laryngitis	1	1	...	...	2	...	...	...	...	1	...	1	...	...	...	...	...	...	1	1	...	1	...	...	9	5	4
2. Bronchitis	3	1	4	2	2	2	4	2	4	6	5	4	4	4	6	2	3	3	3	1	4	...	1	1	71	43	28
3. Pleurisy	...	...	...	...	1	...	...	...	1	...	2	1	1	2	...	...	...	...	...	...	2	...	1	...	11	8	3
4. Pneumonia	4	...	5	1	2	...	3	...	6	1	5	2	9	4	3	4	6	3	4	2	3	...	6	2	75	56	19
4A. Congestion of the Lungs and Pulmonary Apoplexy	1	1	1	...	1	1	1	...	1	...	1	3	2	2	1	2	1	...	1	2	...	...	2	...	25	13	12
5. Asthma	1	...	...	...	1	...	1	...	1	1	...	...	...	1	1	...	1	...	1	...	2	...	...	...	11	9	2
6. Lung Disease	2	...	1	...	1	...	1	...	1	...	2	...	...	...	2	...	...	...	...	...	...	1	1	...	13	12	1
	12	3	11	3	10	3	10	2	14	9	15	11	17	13	13	8	11	6	9	6	12	2	12	3	215	146	69
CLASS III.—Order IV.																											
1. Gastritis	1	1	3	...	2	...	2	2	1	1	4	1	...	...	1	1	...	4	2	1	1	1	1	1	31	18	13
2. Enteritis	3	1	8	5	4	2	3	2	3	4	2	4	3	...	5	4	2	1	4	...	2	1	4	...	67	43	24
3. Peritonitis	1	...	...	1	2	...	2	1	2	2	3	1	...	1	2	...	1	...	...	5	...	1	...	...	25	13	12
4. Ascites	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	2	...
5. Ulceration of Intestines	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	1	1	...	...	...	...	...	...	7	4	3
6. Hernia	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	1	1	...	...	1	...	...	...	5	3	2
7. Ileus	1	2	2	...	2	1	1	1	1	...	...	...	1	1	...	1	...	...	2	1	1	...	1	...	18	12	6
8. Intussusception	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	2	...
10. Fistula	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	2	1	1
11. Stomach Disease, &c.	...	...	1	1	2	2	1	...	1	2	1	...	...	...	1	...	...	...	1	...	...	...	...	...	17	9	8
13. Hepatitis	...	1	...	...	1	1	1	...	1	...	2	1	1	...	...	...	1	1	1	1	...	...	...	...	13	8	5
14. Jaundice	1	...	...	...	1	1	...	...	1	...	...	1	...	...	...	...	1	...	...	...	...	...	1	...	6	2	4
15. Liver Disease	4	...	2	...	1	...	...	...	1	...	3	1	2	...	...	...	1	...	2	...	1	1	1	...	20	18	2
16. Spleen Disease, &c.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	3	3	...
	12	5	17	7	15	7	11	7	11	9	16	10	8	2	10	5	8	9	13	9	7	6	10	4	218	138	80
CLASS III.—Order V.																											
1. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	2	2	...
3. Nephria	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	4	3	1
5. Stone	...	...	..	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	3	3	...
6. Cystitis	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	...
7. Kidney Disease	2	...	2	...	...	...	...	2	1	...	2	...	1	...	1	...	...	...	...	1	...	1	1	...	14	10	4
	4	...	2	...	...	...	1	2	2	...	2	...	2	...	1	...	1	...	...	1	...	1	5	1	25	20	5
CLASS III.—Order VI.																											
2. Uterus Disease	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	2
3. Orchitis, &c.	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	2	2	...
	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...	4	2	2
CLASS III.—Order VII.																											
2. Joint Disease	1	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	4	4	...
	1	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	4	4	...
CLASS III.—Order VIII.																											
1. Phlegmon	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
2. Ulcer	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	1
	72	35	44	23	47	31	44	23	51	39	68	30	54	30	39	24	43	30	48	34	44	30	61	28	972	615	357
CLASS IV.—Order I.																											
1. Premature Birth	2	2	3	2	...	2	1	1	...	1	2	3	...	1	1	...	...	2	4	...	2	2	5	...	36	20	16
2. Cyanosis	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
3. Spina Bifida	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...
4. Other Malformations	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	6	1	5
5. Teething	8	13	4	4	5	5	5	5	8	7	3	6	2	2	1	3	2	3	5	2	5	2	3	7	110	51	59
	10	15	7	6	5	7	6	7	8	8	5	10	2	3	2	3	2	5	11	3	7	5	8	9	154	73	81
CLASS IV.—Order II.																											
1. Paramenia	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
2. Childbirth	...	2	...	1	...	...	...	3	...	3	...	2	...	7	...	5	...	3	...	3	...	...	...	1	30	...	30
	...	2	...	2	...	...	...	3	...	3	...	2	...	7	...	5	...	3	...	3	...	...	...	1	31	...	31
CLASS IV.—Order III.																											
1. Old Age	1	...	1	1	2	...	1	...	1	...	2	...	2	1	...	1	2	1	1	...	2	...	1	...	20	16	4
2. Senile Decay	4	2	4	2	1	...	4	...	4	2	1	...	2	1	5	2	1	1	1	1	1	3	...	...	42	28	14
	5	2	5	3	3	...	5	...	5	2	3	...	4	2	5	3	3	2	2	1	3	3	1	...	62	44	18
CLASS IV.—Order IV.																											
1. Atrophy	4	4	3	4	5	7	7	10	9	5	7	2	4	4	1	...	2	2	5	4	9	9	6	4	117	62	55
2. Debility	16	13	9	6	6	5	5	11	7	6	6	4	3	8	5	8	6	3	6	6	7	4	11	2	163	87	76
	35	36	24	21	19	19	23	31	29	24	21	18	13	24	13	19	13	15	24	17	26	21	26	16	527	266	261
CLASS V.—Order I.																											
1. Fractures and Contusions	1	...	4	...	...	...	1	...	4	...	1	...	1	...	...	...	3	...	3	...	3	...	1	...	22	22	...
2. Gunshot Wounds	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	4	4	...
3. Cuts, stabs, &c.	...	...	...	...	2	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	5	5	...
4. Burns	...	1	...	...	1	...	1	2	2	...	...	1	...	3	1	...	4	...	...	...	...	1	1	...	21	8	13
5. Scalds	...	...	...	...	...	1	...	1	...	1	...	...	1	2	...	...	1	...	1	...	...	...	...	...	8	3	5
6. Sunstroke	5	...	3	...	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	4	...	17	17	...
7. Poison	...	...	...	1	...	...	1	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	1	...	6	3	3
8. Bite of a Venomous Reptile or Insect	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	4	3	1
9. Drowning	10	2	11	3	3	...	8	1	4	...	2	...	3	3	6	3	5	...	9	...	8	2	8	3	94	77	17
10. Suffocation	...	1	...	...	...	...	1	...	1	...	2	1	...	...	2	...	2	...	4	1	...	...	1	...	16	13	3
11. Killed by a fall from a horse	3	...	...	...	...	...	1	...	1	...	2	...	2	...	...	...	1	...	1	...	1	...	3	...	15	15	...
12. Killed by a kick from a horse	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	2	2	...
13. Killed by a tread of a horse	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...
14. Killed by a cow	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...
15. Killed by a shark	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...
16. Killed by lightning	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	5	4	1
17. Killed by a fall of a tree	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	4	4	...
18. Killed by being run against a tree	1	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	4	4	...
19. Killed by a fall down a mining shaft	1	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	5	5	...
20. Killed by a fall of earth in mining shaft	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	4	4	...
21. Killed by explosion of gunpowder	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	...
22. Killed by a dray	1	...	...	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	4	4	...
23. Killed by upsetting of a vehicle	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1
24. Killed by machinery	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	3	3	...
25. Blood poisoning	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	2	1
26. Overlain by mother	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1
27. Amputation	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	...
28. Injury at birth	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	1	1
29. Injury to spine (manner not stated)	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	2	...
30. Internal injuries (manner not stated)	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	3	...
31. Navel hœmorrhage	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1
	30	4	19	4	13	2	17	5	17	1	15	2	9	9	15	4	16	4	19	1	21	7	24	5	263	215	48
CLASS V.—Order III.																											
1. Murder { By Whites / By Blacks	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	5	4	1
	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	...
2. Manslaughter	...	...	...	...	...	...	...	...	...	...	...	...	1	...

BUREAU OF STATISTICS
SYDNEY.

TABLE No. XIV.

CAUSES of DEATHS of MALES and FEMALES in the District of BRISBANE, Registered during each Month of the Year 1876.

CAUSES of DEATHS of MALES and FEMALES at different periods of life, Registered in the District of BRISBANE, during the Year 1876.

CLASS, ORDER, AND DISEASE.	JANUARY. M.	JANUARY. F.	FEBRUARY. M.	FEBRUARY. F.	MARCH. M.	MARCH. F.	APRIL. M.	APRIL. F.	MAY. M.	MAY. F.	JUNE. M.	JUNE. F.	JULY. M.	JULY. F.	AUGUST. M.	AUGUST. F.	SEPTEMBER. M.	SEPTEMBER. F.	OCTOBER. M.	OCTOBER. F.	NOVEMBER. M.	NOVEMBER. F.	DECEMBER. M.	DECEMBER. F.	Total Males.	Total Females.	Total Persons.
CLASS I.—Order I.																											
1A. Chicken Pox, &c.	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1
2. Measles	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
3. Scarlatina	2	...	...	...	...	1	...	1	2	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	6	4	10
3A. Diphtheria	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	5	3	8
4. Quinsy	1	...	...	...	...	...	2	1	1	2	2	...	1	...	1	1	...	...	...	...	...	...	...	...	1	...	1
5. Croup	...	...	...	...	...	...	2	1	2	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8	4	12
6. Epidemic	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Typhus (and Infantile Fever)	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	1	1	2
8. Erysipelas	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Metria	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	1	2	...	...	11	15	26
10. Carbuncle, Boil, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	6	7
11. Influenza, Corza, Catarrh	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	3
12. Dysentery	11	...	8	1	6	...	4	1	2	...	1	...	1	2	1	2	1	2	4	3	3	2	4	3	49	12	61
13. Diarrhœa	7	7	5	8	9	6	9	11	11	10	...	4	2	3	2	2	2	1	7	3	15	11	6	9	75	76	151
14. Cholera	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15. Ague	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16. Remittent Fever, Fever, &c.	...	...	...	...	...	...	5	2	2	2	5	3	...	...	...	...	...	...	1	...	...	1	...	...	14	11	25
17. Rheumatism	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	1	...	1	2	3
18. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	27	15	14	11	18	7	23	16	19	23	12	8	6	4	4	7	3	4	12	9	21	17	14	15	173	136	309
CLASS I.—Order II.																											
1. Syphilis	...	...	1	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	3	1	4
	...	...	1	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	3	1	4
CLASS I.—Order III.																											
1. Privation	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Want of Breast Milk	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	1	3	4
3. Purpura and Scurvy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1
4. Alcoholism {Delirium Tremens / Intemperance}	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	3	...	3
5. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	...	...	1	...	1	...	2	...	5	3	8
CLASS I.—Order IV.																											
1. Thrush	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	1	3	4
2. Worms	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	1	3	4	7
TOTAL OF CLASS I.	27	15	15	11	18	8	23	16	19	26	13	9	8	5	4	7	3	4	13	9	22	18	17	15	182	143	325
CLASS II.—Order I.																											
1. Gout	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	2
2. Dropsy	1	3	...	...	...	1	1	...	...	...	1	3	...	1	2	...	...	...	2	...	1	...	...	...	9	12	21
3. Cancer, Tumor, and Polypus	1	1	2	...	...	...	...	1	...	...	...	2	...	1	1	...	...	...	1	1	...	2	1	...	5	6	11
4. Mortification	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
	2	4	2	1	...	2	1	1	1	1	3	2	1	3	2	...	...	2	2	1	1	3	1	...	16	20	36
CLASS II.—Order II.																											
1. Scrofula	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	1	3
2. Tabes Mesenterica	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Phthisis and Hœmoptysis	2	1	...	1	4	3	1	2	1	3	...	1	7	...	2	3	4	2	7	1	4	3	3	2	35	22	57
4. Hydrocephalus	...	...	1	1	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	1	...	1	2	1	4	7	11
5. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
TOTAL OF CLASS II.	4	7	3	3	4	5	3	4	4	6	4	3	9	7	4	3	4	4	9	3	6	7	8	3	62	55	117
CLASS III.—Order I.																											
1. Cephalitis	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	1	1	1	...	2	1	7	3	10
2. Apoplexy	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	1	4
3. Paralysis	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	2	4
4. Insanity	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	4
5. Epilepsy	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Epilepsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
7. Convulsions	9	2	1	...	2	3	2	1	3	4	1	...	2	...	2	1	1	1	...	5	4	4	2	3	33	29	62
8. Brain Disease, &c.	4	3	1	...	1	2	1	3	2	4	3	4	...	1	...	...	...	...	...	1	...	1	...	...	16	8	24
	19	7	2	2	5	3	5	5	5	3	9	2	...	3	3	1	3	2	3	6	6	4	5	5	65	43	108
CLASS III.—Order II.																											
1. Pericarditis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Aneurism	...	1	2	1	...	...	...	...	2	1	...	...	1	...	1	...	...	...	1	1	...	...	1	2	2	1	3
3. Heart Disease	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	1	...	...	...	...	...	2	...	...	11	9	20
	1	1	2	1	...	...	...	...	2	2	...	...	3	1	1	1	...	1	2	1	...	3	2	...	13	11	24
CLASS III.—Order III.																											
1. Laryngitis	...	1	...	...	...	...	...	...	...	2	2	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1
2. Bronchitis	1	...	...	...	1	...	1	...	...	...	...	...	...	1	...	1	...	...	2	...	...	...	...	...	6	8	14
3. Pleurisy	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	3	...	3
4. Pneumonia	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	2	...	...	...	...	1	...	3	2	5
4a. Congestion of the Lungs and Pulmonary Apoplexy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	1	3
5. Asthma	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
6. Lung Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	2	1	...	...	2	...	1	...	...	2	2	2	2	2	...	2	2	3	...	...	2	...	1	1	14	13	27
CLASS III.—Order IV.																											
1. Gastritis	1	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1	4
2. Enteritis	...	...	7	4	...	...	1	...	2	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	11	6	17
3. Peritonitis	1	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	2	2	4
4. Ascites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Ulceration of Intestines	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
6. Hernia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	2
7. Ileus	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	2	...	2
8. Intussusception	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
10. Fistula	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
11. Stomach Disease, &c.	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	3	5
13. Hepatitis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	3
14. Jaundice	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	3
15. Liver Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	4
16. Spleen Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
	4	1	9	4	2	3	3	1	2	2	1	1	...	1	1	1	...	3	2	...	1	1	1	2	26	20	46
CLASS III.—Order V.																											
1. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Nephria	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	2
5. Stone	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
6. Cystitis	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Kidney Disease	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	3	2	5	1	3
CLASS III.—Order VI.																											
2. Uterus Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Orchitis, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
CLASS III.—Order VII.																											
2. Joint Disease	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	3
	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	3
CLASS III.—Order VIII.																											
1. Phlegmon	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Ulcer	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	28	10	14	7	9	6	9	6	9	9	14	5	5	7	5	5	5	9	7	8	10	8	10	9	125	89	214
TOTAL OF CLASS III.	43	31	6	11	4	2	1	1	1	1	55	46	2	6	2	...	4	3	7	4	5	7	7	4	8	3	9
CLASS IV.—Order I.																											
1. Premature Birth	1	2	1	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	...	5	3	8
2. Cyanosis	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
3. Spina Bifida	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Other Malformations	3	4	2	1	1	1	2	1	3	3	1	1	1	...	...	1	...	...	1	2	3	2	1	5	21	22	43
5. Teething	4	6	3	1	1	1	2	3	3	4	1	2	1	...	2	...	...	1	5	2	3	3	2	6	27	29	56
CLASS IV.—Order II.																											
1. Paramenia	...	...	1	...	...	...	...	2	...	...	2	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...
2. Childbirth	...	1	...	...	...	...	2	...	2	...	...	...	4	...	...	...	...	...	...	1	...	...	1	...	11	11	22
	...	1	...	...	...	...	2	...	2	...	...	...	4	...	...	...	...	...	...	1	...	...	1	...	11	11	22
CLASS IV.—Order III.																											
1. Old Age	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Senile Decay	2	1	1	...	...	...	1	...	1	...	...	...	1	1	2	1	...	...	...	...	...	...	...	...	7	3	10
	2	1	1	1	...	...	1	...	1	...	...	...	1	1	2	1	...	...	...	...	...	...	...	...	8	4	12
CLASS IV.—Order IV.																											
1. Atrophy	2	2	1	1	4	5	3	4	7	5	3	1	3	2	...	...	1	...	2	3	5	7	3	1	34	31	65
2. Debility	4	3	2	1	1	...	...	3	4	4	1	...	3	3	...	...	...	...	...	...	2	...	3	...	18	14	32
TOTAL OF CLASS IV.	12	13	7	4	6	6	6	12	15	15	5	3	5	10	4	1	2	1	7	6	10	10	8	8	87	89	176
CLASS V.—Order I.																											
1. Fractures and Contusions	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	3	...	3
2. Gunshot Wounds	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Cuts, stabs, &c.	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1
4. Burns	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	2
5. Scalds	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
6. Sunstroke	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Poison	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2	...	2
8. Bite of a Venomous Reptile or Insect	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Drowning	3	2	1	1	...	1	...	...	...	...	...	...	1	...	2	...	2	...	1	...	...	2	1	...	15	3	18
10. Suffocation	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	4	1	5
11. Killed by a fall from a horse	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Killed by a kick from a horse	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Killed by a tread of a horse	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14. Killed by a cow	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15. Killed by a shark	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
16. Killed by lightning	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	2	1	3
17. Killed by a fall of a tree	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
18. Killed by being run against a tree	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
19. Killed by a fall down a mining shaft	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
20. Killed by a fall of earth in mining shaft	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
21. Killed by explosion of gunpowder	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
22. Killed by a dray	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
23. Killed by upsetting of a vehicle	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
24. Killed by machinery	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	1	...	1
25. Blood poisoning	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	1	2
26. Overlain by mother	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	2
27. Amputation	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	1
28. Injury at birth	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
29. Injury to spine (manner not stated)	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30. Internal injuries (manner not stated)	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	1
31. Navel hœmorrhage	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	6	2	3	1	1	...	1	1	2	...	...	...	1	...	3	...	3	1	5	1	3	2	3	1	31	9	40
CLASS V.—Order III.																											
1. Murder {By Whites / By Blacks}	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
2. Manslaughter	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1
CLASS V.—Order IV.																											
Suicide: Wounds {A. Gunshot / B. Cuts, Stabs, &c.}	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
Suicide: Poison	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	1
Suicide: Drowning	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
Suicide: Hanging	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide: Otherwise	...	...	...	...	...	...	...	...	...	...

TABLE No. XV.

CAUSES of DEATHS of MALES Registered in the Several Registration Districts during the Year 1876.

CLASS, ORDER, AND DISEASE.	Balonne.	Blackall.	Bowen.	Brisbane.	Bundaberg.	Burke.	Burnett.	Caboolture.	Cardwell.	Charleville.	Clermont.	Cook.	Cunnamulla.	Dalby.	Darling Downs North	Darling Downs East.	Darling Downs West.	Darling Downs Central.	Drayton and Toowoomba.	East Moreton.	Etheridge.	Fassifern.	Gilberton.	Gladstone.	Gympie.	Ipswich.	Kennedy North.	Kennedy South.	Leichhardt.	Logan.	Mackay.	Maranoa.	Marathon.	Maryborough.	Oxley.	Palmer.	Peak Downs.	Rockhampton.	Somerset.	Springsure.	Stanley.	Stanthorpe.	St. Lawrence.	Tambo.	Taroom.	Tiaro.	Townsville.	Warrego.	Warwick.	West Moreton.	Westwood.	Wide Bay.	Total Males.	Total Females.	Total Persons.
CLASS I.—Order I.																																																						
1A. Chicken Pox, &c.	...	...	...	1	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	15	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
2. Measles	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	19	14	33
3. Scarlatina	...	...	..	6	...	...	...	1	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	12	16	28
3A. Diphtheria	...	...	1	5	...	...	...	1	1	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	6	...	...	...	...	...	...	...	...	1	...	...	1	28	26	54
4. Quinsy	1	...	...	8	2	...	...	3	...	...	1	...	...	2	...	...	1	1	...	1	...	...	1	...	2	2	1	...	2	2	1	...	1	1	...	...	...	4	...	...	...	...	1	...	...	...	...	...	...	...	...	5	1	6
5. Croup	...	...	...	11	1	...	...	...	...	...	1	...	...	...	...	...	...	...	2	1	...	...	...	1	1	...	2	...	...	...	...	2	...	7	1	...	...	1	...	...	...	...	...	...	...	3	...	...	5	...	...	44	30	74
7. Typhus (and Infantile Fever)	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	37	35	72
8. Erysipelas	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	3	7
9. Metria	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	13	13
10. Carbuncle, Boil, &c.	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
11. Influenza, Corza, Catarrh	1	7	1	49	5	2	2	...	...	...	...	8	...	5	2	2	6	...	9	9	1	...	...	...	2	7	1	...	1	2	38	3	3	24	4	12	1	11	...	3	1	2	1	2	...	...	2	1	3	4	...	1	9	3	12
12. Dysentery	...	...	...	75	...	...	...	1	...	...	...	1	...	...	1	...	...	...	1	12	...	...	...	...	...	2	...	...	...	1	1	4	...	5	8	...	...	16	...	...	...	...	...	...	...	...	5	...	4	1	...	138	125	263
13. Diarrhœa	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	4	7
14. Cholera	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
15. Ague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16. Remittent Fever, Fever, &c.	...	2	1	14	...	1	1	...	2	...	1	34	...	...	...	...	...	...	1	...	...	...	...	1	...	3	3	...	1	...	8	...	1	1	...	33	1	2	...	...	...	...	...	1	...	...	10	...	...	...	...	...	122	25	147
17. Rheumatism	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	2	8
18. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1
	5	9	3	173	9	3	4	6	3	...	4	44	...	8	4	4	7	...	17	26	1	1	...	2	6	16	9	...	8	6	65	11	4	40	15	45	2	42	1	4	1	3	4	4	...	...	29	1	8	10	...	2	669	357	1,026
CLASS I.—Order II.																																																							
1. Syphilis	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	3	9
	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	3	9
CLASS I.—Order III.																																																					
1. Privation	...	1	...	...	...	2	...	...	...	3	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	2	...	...	...	...	1	...	1	...	...	15	1	16
2. Want of Breast Milk	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	5	9
3. Purpura and Scurvy	...	1	...	1	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	8	1	9
4. Alcoholism { Delirium Tremens / Intemperance }	...	...	...	3	...	1	1	...	...	...	...	3	...	1	1	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	2	...	...	2	...	3	...	...	...	23	1	24
5. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1
	...	2	...	5	...	3	1	...	...	4	...	3	3	1	1	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	4	...	...	...	1	...	2	1	1	...	1	...	7	...	...	2	1	4	1	...	...	51	8	59
CLASS I.—Order IV.																																																					
1. Thrush	...	...	...	1	1	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	...	...	1	...	1	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	13	5	18
2. Worms, Hydatia, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
TOTAL OF CLASS I.	5	11	3	182	10	6	5	7	4	4	4	48	3	9	5	4	7	...	18	27	1	2	...	2	8	19	9	...	8	6	66	16	5	42	16	46	2	45	2	5	1	4	4	11	...	...	31	2	12	11	...	2	740	373	1,113
CLASS II.—Order I.																																																					
1. Gout	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3
2. Dropsy	1	...	...	9	...	...	...	...	...	...	...	3	...	...	...	...	...	...	2	1	...	...	...	...	1	1	...	...	2	1	...	1	6	1	1	...	...	4	...	...	...	...	1	...	...	...	...	...	...	...	...	36	24	60
3. Cancer, Tumor, and Polypus	...	...	...	5	...	...	...	...	...	...	...	1	...	...	1	...	...	...	1	1	...	...	...	...	2	...	...	...	1	...	1	...	1	...	...	...	...	4	...	...	...	...	1	...	...	...	...	...	...	...	...	20	16	36
4. Mortification	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	2	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	8	2	10
	1	...	...	16	...	...	...	1	...	...	...	4	...	1	...	...	...	...	4	2	...	...	...	...	3	2	...	1	2	2	...	1	9	1	1	...	10	...	...	...	1	1	...	...	1	2	...	...	...	...	...	66	43	109
CLASS II.—Order II.																																																					
1. Scrofula	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	7	2	9
2. Tabes Mesenterica	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	2	...	...	1	...	1	...	2	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	10	10	20
3. Phthisis and Hœmoptysis	...	4	1	35	5	...	2	1	2	5	1	8	...	2	...	...	...	...	4	2	...	1	...	...	2	6	2	...	...	16	14	2	2	36	1	...	...	11	...	6	...	...	1	9	1	1	1	...	4	1	...	3	192	68	260
4. Hydrocephalus	...	...	...	4	...	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	12	15	27
5. Others	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	7	3	10
TOTAL OF CLASS II.	1	4	1	62	5	...	5	2	2	5	2	12	...	3	...	...	...	...	10	5	...	1	...	...	5	11	5	...	1	19	17	2	3	48	3	1	...	22	1	6	...	1	3	9	1	2	4	...	6	1	...	3	294	141	435
CLASS III.—Order I.																																																					
1. Cephalitis	...	...	...	7	...	...	...	...	...	...	...	1	...	...	...	...	...	...	4	...	...	...	...	...	1	2	...	...	...	2	1	...	4	3	...	...	2	...	...	...	...	...	...	...	1	...	...	...	1	...	28	12	40
2. Apoplexy	...	...	...	3	...	...	...	...	...	...	2	...	...	2	...	...	...	...	1	1	...	...	...	...	1	1	1	...	...	1	2	...	1	4	1	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	24	10	34
3. Paralysis	...	...	...	4	...	...	...	1	...	...	2	1	...	...	...	...	...	...	1	1	...	...	...	...	1	...	1	...	...	...	...	...	1	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	16	3	19
4. Insanity	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	2
6. Epilepsy	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	4	6	10
7. Convulsions	...	...	...	33	...	...	...	2	1	...	1	...	...	3	1	3	...	1	5	4	...	...	...	1	...	10	2	...	...	3	2	6	2	1	7	5	...	...	4	1	2	1	2	1	...	...	...	1	3	...	2	5	1	3	120	119	239
8. Brain Disease	...	...	...	16	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	27	16	43
	...	...	1	65	...	...	1	3	1	...	6	2	...	5	1	3	...	1	10	8	...	...	...	1	3	13	5	...	4	2	11	6	1	14	12	2	...	9	1	4	1	2	1	...	...	2	3	...	4	8	1	3	220	167	387
CLASS III.—Order II.																																																					
1. Pericarditis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	2	6
2. Aneurism	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	...	...	...	1	2	1	...	...	...	1	...	1	1	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	11	2	13
3. Heart Disease	1	1	...	11	...	...	1	...	...	1	...	6	1	2	1	...	2	...	4	2	...	...	...	...	1	2	3	...	1	...	1	3	...	3	2	2	1	4	...	1	...	1	1	2	...	...	1	...	4	2	...	1	69	28	97
	1	1	...	13	...	...	1	...	...	1	1	6	1	2	1	...	2	...	4	3	...	...	...	...	2	3	3	...	1	...	1	3	...	7	2	3	1	6	...	1	...	1	1	2	...	...	1	...	5	3	...	1	84	32	116
CLASS III.—Order III.																																																					
1. Laryngitis	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	5	4	9
2. Bronchitis	...	...	...	6	...	...	...	...	...	...	1	...	...	...	1	...	...	...	6	...	...	...	...	...	3	4	1	...	...	6	...	...	1	2	...	...	...	1	2	...	...	...	1	...	...	...	...	1	...	...	...	43	28	71
3. Pleurisy	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8	3	11
4. Pneumonia	...	...	...	3	...	...	1	...	...	2	...	1	1	...	...	...	...	...	9	2	...	...	...	...	...	2	...	...	...	4	1	3	...	2	2	1	...	6	1	1	...	2	...	1	2	...	2	...	...	...	...	56	19	75
4A. Congestion of the Lungs and Pulmonary Apoplexy	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	2	...	...	...	1	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	13	12	25
5. Asthma	...	...	...	...	1	...	1	...	1	...	...	2	1	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	4	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	9	2	11
6. Lung Disease	...	...	...	...	1	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	12	1	13
	...	...	...	14	1	1	2	1	...	2	3	4	1	...	1	1	...	...	19	4	...	...	...	...	4	7	1	...	...	10	7	4	1	9	2	2	1	17	1	1	...	3	3	1	2	...	4	...	6	3	...	3	146	69	215
CLASS III.—Order IV.																																																					
1. Gastritis	...	...	...	3	...	...	1	...	...	...	...	1	...	1	...	...	...	...	3	1	...	...	...	...	1	4	1	...	...	3	1	...	1	1	1	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	18	13	31
2. Enteritis	...	...	...	11	...	1	...	1	...	...	...	3	1	1	1	1	...	...	3	...	...	...	...	...	4	...	1	...	...	...	1	...	4	2	1	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	43	24	67
3. Peritonitis	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	4	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	13	12	25
4. Ascites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2
5. Ulceration of Intestines	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	3	7
6. Hernia	...	...	...	...	...	...	...	1	...	...	1	1	...	3	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	2	5
7. Ileus	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	12	6	18
8. Intussusception	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2
10. Fistula	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
11. Stomach Disease, &c.	...	...	...	2	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	9	8	17
13. Hepatitis	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8	5	13
14. Jaundice	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	4	6
15. Liver Disease	...	...	...	4	...	1	4	...	...	...	1	1	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	18	2	20
16. Spleen Disease, &c.	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	3
	...	...	...	26	...	2	6	2	...	...	2	10	1	6	1	1	...	...	12	6	1	...	...	...	6	5	3	...	1	1	4	2	...	12	5	2	...	8	1	...	...	6	1	1	...	1	1	...	1	1	...	...	138	80	218
CLASS III.—Order V.																																																					
1. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2
3. Nephria	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1	4
5. Stone	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...

TABLE No. XVI.

CAUSES of DEATHS of FEMALES Registered in the Several Registration Districts during the Year 1876.

CLASS, ORDER, AND DISEASE.	Balonne.	Blackall.	Bowen.	Brisbane.	Bundaberg.	Burke.	Burnett.	Caboolture.	Cardwell.	Charleville.	Clermont.	Cook.	Cunnamulla.	Dalby.	Darling Downs North.	Darling Downs East.	Darling Downs West.	Darling Downs Central.	Drayton and Toowoomba.	East Moreton.	Fitheridge.	Fassifern.	Gilberton.	Gladstone.	Gympie.	Ipswich.	Kennedy North.	Kennedy South.	Leichhardt.	Logan.	Mackay.	Maranoa.	Marathon.	Maryborough.	Oxley.	Palmer.	Peak Downs.	Rockhampton.	Somerset.	Springsure.	Stanley.	Stanthorpe.	St. Lawrence.	Tambo.	Taroom.	Taro.	Townsville.	Warrego.	Warwick.	West Moreton.	Westwood.	Wide Bay.	Total Females.	Total Males.	Total Persons.
CLASS I.—Order I.																																																						
1A. Chicken Pox, &c.	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
2. Measles	4	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	3	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	12	12	24
3. Scarlatina	...	...	..	4	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	3	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	14	19	33
3A. Diphtheria	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	3	1	...	...	...	...	...	...	...	8	...	...	...	...	...	...	...	...	...	1	...	...	...	16	12	28
4. Quinsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	4	...	...	1	...	...	26	28	54
5. Croup	1	...	...	4	1	...	1	...	...	...	...	...	...	1	...	...	...	...	2	3	...	...	...	...	2	...	...	...	...	2	...	...	...	...	...	1	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	1	5	6
7. Typhus (and Infantile Fever)	...	...	...	15	1	...	...	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	3	1	1	1	...	...	1	1	...	...	2	...	...	...	1	...	...	...	...	...	...	...	1	...	1	...	1	3	...	...	30	44	74
8. Erysipelas	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	4	...	...	...	...	...	...	...	...	...	...	1	...	...	35	37	72
9. Metria	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	2	...	...	...	...	...	3	4	7
10. Carbuncle, Boil, &c.	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	13	...	13
11. Influenza, Corza, Catarrh	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
12. Dysentery	...	...	...	12	...	...	1	1	...	...	...	...	...	4	...	1	...	1	4	4	...	...	...	1	1	4	2	...	...	...	...	...	...	4	3	...	...	3	...	...	1	...	...	...	...	...	...	...	...	...	...	3	9	12
13. Diarrhœa	...	...	...	76	...	...	...	2	...	...	1	1	...	...	1	1	...	1	4	1	...	...	...	1	1	4	2	...	...	...	...	...	...	4	3	...	...	12	...	1	...	...	1	...	...	...	2	...	2	4	...	1	60	238	298
14. Cholera	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	6	...	...	...	...	...	...	...	5	...	...	12	...	1	...	...	1	...	...	...	2	1	...	5	1	...	...	125	138	263
15. Ague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	3	7
16. Remittent Fever, Fever, &c.	...	...	...	11	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	1	1	1	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
17. Rheumatism	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	25	122	147
18. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	6	8
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
	5	...	1	136	2	...	2	4	...	...	2	3	...	5	1	2	...	1	11	11	...	...	...	4	8	16	10	...	6	6	9	3	...	12	8	2	1	34	1	3	...	3	4	...	...	4	17	...	9	10	...	1	357	669	1,026
CLASS I.—Order II.																																																								
1. Syphilis	...	...	...	1	...	...	...	...	...	...	2	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	6	9
	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	6	9
CLASS I.—Order III.																																																							
1. Privation	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	15	16
2. Want of Breast Milk	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	4	9
3. Purpura and Scurvy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	8	9
4. Alcoholism { Delirium Tremens / Intemperance }	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	23	24
5. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
	...	...	...	3	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8	51	59
CLASS I.—Order IV.																																																							
1. Thrush	...	...	...	3	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	13	18
2. Worms, Hydatia, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
TOTAL OF CLASS I.	5	...	1	143	2	...	2	4	...	...	4	6	...	5	1	2	...	1	12	12	...	...	...	4	8	16	10	...	6	6	9	3	...	12	8	2	1	34	1	3	...	3	4	2	...	4	17	...	9	10	...	1	373	740	1,113
CLASS II.—Order I.																																																							
1. Gout	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	3
2. Dropsy	...	...	...	12	...	...	...	1	...	...	...	...	...	1	...	...	...	...	3	2	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	24	36	60
3. Cancer, Tumor, and Polypus	...	...	...	6	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	16	20	36
5. Mortification	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	8	10
	...	...	...	20	...	...	...	1	...	...	...	1	...	1	1	...	...	...	3	2	...	...	...	1	1	...	...	...	2	...	...	1	1	...	...	4	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	43	66	109
CLASS II.—Order II.																																																						
1. Scrofula	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	7	9
2. Tabes Mesenterica	...	...	...	4	...	...	...	...	...	...	2	...	...	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	10	10	20
3. Phthisis and Hœmoptysis	...	...	...	22	1	...	...	...	...	...	1	...	...	2	...	...	...	...	2	1	...	...	...	3	4	3	...	...	2	1	1	...	9	2	1	...	3	...	...	2	...	...	...	...	1	2	...	3	2	...	...	68	192	260
4. Hydrocephalus	...	...	2	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	15	12	27
5. Others	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	7	10
TOTAL OF CLASS II.	...	...	2	55	1	...	...	1	...	...	3	1	...	4	1	...	...	...	6	3	...	...	...	1	5	5	3	...	...	2	3	1	...	14	4	1	...	9	...	1	2	...	...	...	...	1	3	...	6	3	...	...	141	294	435
CLASS III.—Order I.																																																						
1. Cephalitis	...	...	...	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	2	2	...	...	...	...	...	...	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	12	28	40
2. Apoplexy	...	...	1	1	...	...	...	...	...	...	...	2	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	10	24	34
3. Paralysis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	16	19
4. Insanity	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
6. Epilepsy	...	...	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	4	10
7. Convulsions	...	...	1	29	...	...	1	1	1	...	...	2	...	5	1	1	2	...	...	4	...	2	1	2	6	8	1	1	3	...	3	2	...	7	4	1	...	14	...	1	...	1	...	...	...	3	3	...	2	4	...	2	119	120	239
8. Brain Disease	...	...	1	8	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	1	...	...	...	16	27	43
	...	...	3	43	...	...	2	1	1	...	...	4	...	9	1	1	3	...	1	4	...	2	1	2	6	11	3	1	3	...	3	3	...	10	5	1	...	23	...	1	...	1	...	...	...	3	4	...	4	5	...	2	167	220	387
CLASS III.—Order II.																																																						
1. Pericarditis	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	4	6
2. Aneurism	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	11	13
3. Heart Disease	...	...	...	9	...	...	...	...	...	...	1	1	...	...	...	...	...	...	5	...	...	...	...	...	...	3	1	...	...	...	...	...	1	1	2	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	28	69	97
	...	...	...	11	...	...	...	...	...	...	1	2	...	...	...	...	...	...	5	...	...	...	...	...	...	3	2	...	...	...	...	...	1	1	2	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	32	84	116
CLASS III.—Order III.																																																						
1. Laryngitis	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	5	9
2. Bronchitis	...	...	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	...	...	...	...	1	1	...	...	...	1	...	...	...	...	5	2	...	...	1	...	...	...	1	1	...	...	...	1	...	...	...	...	28	43	71
3. Pleurisy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	8	11
4. Pneumonia	...	...	...	2	...	...	...	...	...	...	2	...	1	...	...	...	...	5	...	...	...	...	...	1	3	...	...	...	1	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	19	56	75
4A. Congestion of the Lungs and Pulmonary Apoplexy	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	3	...	...	...	4	...	...	...	...	...	...	...	...	...	1	...	...	...	12	13	25
5. Asthma	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	9	11
6. Lung Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	12	13
	...	...	...	13	...	...	...	...	...	...	2	...	1	...	...	1	...	12	2	...	...	...	...	3	8	...	...	...	3	1	...	...	6	5	...	...	7	...	...	...	1	1	...	...	...	2	...	1	...	...	...	69	146	215
CLASS III.—Order IV.																																																						
1. Gastritis	..	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	3	1	1	...	2	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	13	18	31
2. Enteritis	...	...	...	6	...	...	1	...	1	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...	...	6	...	...	2	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	24	43	67
3. Peritonitis	...	...	...	2	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	2	2	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	12	13	25
4. Ascites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
5. Ulceration of Intestines	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	4	7
6. Hernia	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	3	5
7. Ileus	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6	12	18
8. Intussusception	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
10. Fistula	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
11. Stomach Disease, &c.	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	8	9	17
13. Hepatitis	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	5	8	13
14. Jaundice	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	2	6
15. Liver Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	18	20
16. Spleen Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	3
	...	...	1	20	...	...	1	...	1	...	1	1	...	3	...	2	...	...	1	3	1	...	...	2	6	12	2	...	5	1	...	...	5	1	1	...	2	...	...	...	1	...	...	...	3	...	2	2	...	...	80	138	218
CLASS III.—Order V.																																																						
1. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
3. Nephria	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3	4
5. Stone	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1

Table No. XVIII.

CAUSES of DEATHS in QUEENSLAND, during the Year 1876, arranged in the order of degree of FATALITY.

CAUSE OF DEATH.	No. of Deaths, Males and Females, Registered from each cause.		Total Deaths from each cause in 1876.	Total Deaths from each cause in 1875.	Increase* or Decrease† in 1876.
	Males.	Females.			
Dysentery	238	60	298	455	†157
Diarrhœa	138	125	263	265	† 2
Phthisis	192	68	260	228	* 32
Convulsions	120	119	239	290	† 51
Debility	87	76	163	221	† 58
Remittent Fever	122	25	147	230	† 83
Atrophy	62	55	117	131	† 14
Teething	51	59	110	131	† 21
Heart Disease	69	28	97	92	* 5
Drowning	77	17	94	127	† 33
Pneumonia	56	19	75	72	* 3
Croup	44	30	74	67	* 7
Typhus Fever	37	35	72	158	† 86
Bronchitis...	43	28	71	73	† 2
Enteritis	43	24	67	49	* 18
Dropsy	36	24	60	34	* 26
Diphtheria	28	26	54	62	† 8
Brain Disease	27	16	43	30	* 13
Senile Decay	28	14	42	16	* 26
Cephalitis	28	12	40	38	* 2
Cancer	20	16	36	35	* 1
Premature Birth	20	16	36	46	† 10
Apoplexy	24	10	34	30	* 4
Measles	19	14	33	178	†145
Gastritis	18	13	31	11	* 20
Childbirth... ...	...	30	30	33	† 3
Scarlatina	12	16	28	51	† 23
Hydrocephalus	12	15	27	31	† 4
Congestion of Lungs ...	13	12	25	45	† 20
Peritonitis...	13	12	25	22	* 3
Alcoholism	23	1	24	21	* 3
Fractures, &c.	22	...	22	33	† 11
Burns	8	13	21	6	* 15
Tabes Mesenterica ...	10	10	20	42	† 22
Liver Disease	18	2	20	18	* 2
Old Age	16	4	20	28	† 8
Paralysis	16	3	19	27	† 8
Thrush	13	5	18	23	† 5
Ileus	12	6	18	23	† 5
Stomach Disease	9	8	17	8	* 9
Sunstroke	17	...	17	29	† 12
Privation	15	1	16	9	* 7
Suffocation	13	3	16	14	* 2
Fall from a horse... ...	15	...	15	13	* 2
Kidney Disease	10	4	14	12	* 2
Metria	...	13	13	4	* 9
Anuerism	11	2	13	11	* 2
Lung Disease	12	1	13	16	† 3
Hepatitis	8	5	13	10	* 3
Influenza	9	3	12	16	† 4
Pleurisy	8	3	11	7	* 4
Asthma	9	2	11	6	* 5
Mortification	8	2	10	3	* 7
Others Tubercular Diseases	7	3	10	7	* 3
Epilepsy	4	6	10	19	† 9
Syphilis	6	3	9	5	* 4
Want of Breast Milk ...	4	5	9	9	
Scurvy	8	1	9	11	† 2
Scrofula	7	2	9	4	* 5
Laryngitis...	5	4	9	3	* 6
Rheumatism	6	2	8	9	† 1
Scalds	3	5	8	9	† 1
Cholera	3	4	7	7	
Erysipelas	4	3	7	7	
Ulceration of Inestines ...	4	3	7	9	† 2
Hanging (suicide) ...	6	1	7	6	* 1
Quinsy	5	1	6	2	* 4
Pericarditis	4	2	6	3	* 3
Carried forward ...	2035	1150	3185		

CAUSE OF DEATH.	No. of Deaths, Males and Females, Registered from each cause.		Total Deaths from each cause in 1876.	Total Deaths from each cause in 1875	Increase* or Decrease† in 1876.
	Males.	Females			
Brought forward ...	2035	1150	3185		
Jaundice	2	4	6	14	† 8
Other Malformations ...	1	5	6	6	
Poison (accidental) ...	3	3	6	14	† 8
Hernia	3	2	5	5	
Cuts, Stabs, &c. (accident)	5	...	5	6	† 1
Lightning	4	1	5	1	* 4
Fall Down Mining Shaft...	5	...	5	1	* 4
Murder by Whites ...	4	1	5	8	† 3
Poison (Suicide)	3	2	5	4	* 1
Nephria	3	1	4	17	† 13
Joint Disease	4	...	4	9	† 5
Gunshot Wounds (accident)	4	...	4	6	† 2
Snake Bite	3	1	4	11	† 7
Fall of Tree	4	...	4	3	* 1
Run against a Tree ...	4	...	4	1	* 3
Fall of Earth in a Mining Shaft	4	...	4	4	
Killed by a Dray	4	...	4	11	† 7
Drowning (suicide) ...	3	1	4	4	
Gout	2	1	3	...	* 3
Spleen Disease	3	...	3	1	* 2
Stone	3	...	3	1	* 2
Machinery	3	...	3	1	* 2
Blood Poisoning	2	1	3	4	† 1
Internal Injuries	3	...	3	1	* 2
Manslaughter	3	...	3	...	* 3
Gunshot Wounds (suicide)	3	...	3	6	† 3
Suicide (otherwise) ...	3	...	3	3	
Insanity	1	1	2	3	† 1
Ascites	2	...	2	4	† 2
Intussusception	2	...	2	1	* 1
Fistula	1	1	2	2	
Nephritis	2	...	2	2	
Cystitis	2	...	2	6	† 4
Uterus Disease	...	2	2	3	† 1
Orchitis	2	...	2		* 2
Ulcer	1	1	2	3	† 1
Kick from a Horse ...	2	...	2	4	† 2
Explosion of Gunpowder...	2	...	2	2	
Amputation	2	...	2	1	* 1
Injury at Birth	1	1	2	1	* 1
Injury to Spine	2	...	2	...	* 2
Murder by Blacks ...	2	...	2	10	† 8
Cuts (suicide)	2	...	2	...	* 2
Chicken-pox	1	...	1	2	† 1
Carbuncle	1	...	1	1	
Ague	1	...	1	5	† 4
Others, Miasmatic Diseases	1	...	1	5	† 4
Ditto Dietic Diseases ...	1	...	1	...	* 1
Hydatia, &c.	1	...	1	1	
Phlegmon	...	1	1	2	† 1
Cyanosis	...	1	1	2	† 1
Spina Bifida	1	...	1	1	
Paramenia	...	1	1	1	
Tread of a Horse... ...	1	...	1	...	* 1
Killed by a Cow	1	...	1	1	
Taken by a Shark... ...	1	...	1	...	* 1
Upsetting of a Vehicle ...	...	1	1	...	* 1
Overlain by Mother ...	...	1	1	3	† 2
Navel Hœmorrhage ...	...	1	1	...	* 1
Execution	1	...	1	...	* 1
	2,160	1,185	3,345		
Sudden Death, cause not ascertained	1	...	1		
Deaths, cause ill defined ...	30	15	45		
Deaths, cause unspecified...	58	18	76		
TOTAL	2,249	1,218	3,467		

APPENDIX B.

RETURN of the Registry Districts, with the names of the Persons holding the Office of District Registrar, during the Year 1876.

METROPOLITAN DISTRICT.*

HENRY JORDAN, Registrar-General.

W. T. BLAKENEY, Deputy Registrar-General.

COUNTRY DISTRICTS.

Balonne	John Boyle Tonson.
Blackall and Tambo	Thomas J. Sadlier.
Bowen	Waldron Burrowes.
East Moreton and Oxley	Henry Jordan, Registrar-General, and William Theophilus Blakeney, Deputy Registrar-General.
Bundaberg	Horace Burkitt.
Burke	Christopher Francis succeeded by Samuel Mills Barter.
Burnett	John Connolly.
Caboolture	Thomas Bryce.
Cardwell	Brinsley Guise Sheridan.
Charleville	William E. Parry-Okeden.
Clermont	William Cave.
Cook	James C. Baird.
Cunnamulla	William Osborne Norris.
Dalby and Darling Downs North	Frederick W. Roche.
Darling Downs West	Theophilus P. Pugh succeeded by Charles A. J. Woodcock succeeded by Allan R. Wettenhall.
Darling Downs East and Warwick	Alexander Stewart.
Drayton and Toowoomba, and Darling Downs Central ...	John Alexander Boyce.
Etheridge and Gilberton	Bernard C. McGroarty.
Fassifern	George Angus succeeded by James J. Anderson.
Gladstone	John S. Powe.
Gympie	Walter Compigne succeeded by Robert D. Beeston.
Ipswich and West Moreton	William Hendren.
Kennedy North	William Samwell.
Kennedy South	John T. Houghton.
Leichhardt	Edmund Morey succeeded by Arthur Morley Francis.
Logan	Robert Miller.
Mackay	W. R. Goodall.
Maranoa	Henry T. McFarlane.
Marathon	Aynsley J. Elliot.
Maryborough and Wide Bay	Stanley G. Hill.
Palmer	Philip F. Sellheim.
Peak Downs	George F. Price.
Rockhampton and Westwood	Frank N. Beddek.
Somerset	Henry M. Chester.
Springsure	John G. MacDonald.
Stanley	George R. McPhail.
Stanthorpe	Charles William Pitts.
St. Lawrence	Henry Montague Cockburn.
Taroom	R. C. H. Uhr.
Tiaro	John McMullan.
Townsville	Fitzroy W. H. Somerset.
Warrego	John McK. Dunne.

TABLE No. I.

CAUSES of DEATHS of MALES and FEMALES Registered in the District of BRISBANE, during each Month of the Year 1872.

CAUSES of DEATHS of MALES and FEMALES at different periods of life, Registered in the District of BRISBANE, during the Year 1872.

CLASS, ORDER AND DISEASE.	JANUARY. M.	JANUARY. F.	FEBRUARY. M.	FEBRUARY. F.	MARCH. M.	MARCH. F.	APRIL. M.	APRIL. F.	MAY. M.	MAY. F.	JUNE. M.	JUNE. F.	JULY. M.	JULY. F.	AUGUST. M.	AUGUST. F.	SEPTEMBER. M.	SEPTEMBER. F.	OCTOBER. M.	OCTOBER. F.	NOVEMBER. M.	NOVEMBER. F.	DECEMBER. M.	DECEMBER. F.	Total Males.	Total Females.	Total Persons.
CLASS I.—Order I.																											
1A. Chicken Pox, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Scarlatina	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3A. Diphtheria	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
4. Quinsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
5. Croup	...	...	...	...	1	...	...	...	4	...	...	...	...	...	1	1	1	1	1	1	...	...	...	...	...	...	...
6. Whooping Cough	...	...	...	...	...	...	...	...	...	...	...	...	...	...	9	2	...	...	...	...	...	...	...	...	...	...	...
7. Typhus (and Infantile Fever)	1	...	...	1	1	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Erysipelas	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	1	...	...	...	...	...	...	...	...	...	...
9. Metria	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
10. Carbuncle, Boil, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Influenza, Corza, Catarrh	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
12. Dysentery	...	5	3	6	2	1	2	1	2	1	3	...	...	3	...	...	1	...	...	1	2	...	...	...	8	1	9
13. Diarrhœa	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	1	...	...	...	...	6	2	...	...	8	2	10
14. Cholera	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	4	16	24	40
15. Ague	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
16. Remittent Fever, Fever, &c.	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	2	5	7
17. Rheumatism	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1
18. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	2	5	3	8	6	2	2	1	6	3	4	4	1	1	2	3	2	2	2	3	10	5	4	6	44	43	87
CLASS I.—Order II.																											
1. Syphilis	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
CLASS I.—Order III.																											
1. Privation	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Want of Breast Milk	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	2
3. Purpura and Scurvy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Alcoholism { Delirium Tremens	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	2	2	4
4. Alcoholism { Intemperance	1	...	...	1	...	...	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	...	...	...	4	2	6
CLASS I.—Order IV.																											
1. Thrush	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	2
2. Worms, Hydatia, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	4	5	3	9	6	2	2	1	6	3	4	4	1	1	4	3	2	4	3	3	10	5	4	6	49	46	95
TOTAL OF CLASS I.																											
CLASS II.—Order I.																											
2. Dropsy	...	2	...	...	...	...	...	...	1	1	...	...	...	...	...	...	3	2	...	...	...	1	...	...	1	4	5
3. Cancer, Tumor, and Polypus	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	4	4	8
4. Noma	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
5. Mortification	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2
	...	2	...	1	...	1	...	...	1	1	...	...	...	...	...	...	3	3	...	...	...	2	1	...	5	10	15
CLASS II.—Order II.																											
1. Scrofula	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	2	4
2. Tabes Mesenterica	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Phthisis and Hœmoptysis	3	4	1	1	1	1	...	1	1	2	2	2	5	1	2	1	3	2	1	1	5	3	4	2	28	19	47
4. Hydrocephalus	1	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	6	4	10
5. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	5	6	2	3	2	2	...	2	3	3	2	3	5	1	2	1	6	6	2	2	7	6	7	...	43	35	78
TOTAL OF CLASS II.																											
CLASS III.—Order I.																											
1. Cephalitis	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	2	1	...	...	...	...	3	2	5
2. Apoplexy	...	1	...	...	...	...	...	...	...	...	1	2	...	...	...	...	2	1	1	...	...	1	...	...	5	4	9
3. Paralysis	2	...	1	2	...	...	...	...	2	...	1	...	...	...	...	...	...	...	2	1	1	...	1	...	10	4	14
4. Insanity	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Epilepsy	...	...	...	...	1	2	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	2	3
7. Convulsions	4	3	1	5	2	1	1	...	1	1	2	1	1	...	3	...	4	1	2	3	3	2	6	3	27	26	53
8. Brain Disease, &c.	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	1	...	...	2	6	6	12
	6	5	3	7	3	1	1	2	4	3	4	4	1	...	5	1	6	7	7	4	7	8	5	2	52	44	96
CLASS III.—Order II.																											
1. Pericarditis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Aneurism	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Heart Disease	...	...	2	1	1	...	...	...	...	...	...	1	2	...	...	1	1	...	...	1	1	...	1	6	6	6	12
	...	...	2	1	1	...	...	...	...	...	...	1	2	...	...	1	1	...	...	1	1	...	1	6	6	6	12
CLASS III.—Order III.																											
1. Laryngitis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	1
2. Bronchitis	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	1	...	...	...	...	1	...	...	...	1	6	7
3. Pleurisy	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	3
4. Pneumonia	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	1	2	...	...	...	5	6	11
4a. Congestion of the Lungs and Pulmonary Apoplexy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	3	5	8
5. Asthma	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	4	...	...	...	7	1	8
6. Lung Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	...	...	...	3	...	3
	3	1	1	...	...	...	...	...	...	...	1	1	2	1	2	3	6	1	4	...	2	1	2	2	23	10	33
CLASS III.—Order IV.																											
1. Gastritis	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	1	2	3	5
2. Enteritis	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	2	3	
3. Peritonitis	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	4	4	
4. Ascites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Ulceration of Intestines	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Hernia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Ileus	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
8. Intussusception	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10. Fistula	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	3	1	4
11. Stomach Disease, &c.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Hepatitis	2	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	5	...	5
14. Jaundice	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15. Liver Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16. Spleen Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	5	...	1	...	1	...	...	1	2	1	1	1	1	...	1	3	...	...	...	...	2	1	1	1	15	7	22
CLASS III.—Order V.																											
1. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Nephria	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
4. Diabetes	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Cystitis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Kidney Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	2
CLASS III.—Order VI.																											
1. Ovarian Dropsy	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	2	...	2
2. Uterus Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	2	...	2
CLASS III.—Order VII.																											
2. Joint Disease	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2
	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2
CLASS III.—Order VIII.																											
1. Phlegmon	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Ulcer	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
3. Skin Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	15	6	7	8	5	1	1	3	6	5	7	6	5	4	7	5	16	12	11	4	10	12	8	6	98	72	170
TOTAL OF CLASS III.																											
CLASS IV.—Order I.																											
1. Premature Birth	...	...	...	...	...	1	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	5	6		
2. Cyanosis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	5	6
3. Spina Bifida	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	2
4. Other Malformations	...	...	...	1	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	1	1
5. Teething	1	5	1	...	1	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	7	8	15
	1	5	1	...	2	2	3	1	1	...	1	...	...	...	2	...	...	2	1	...	...	...	...	1	10	15	25
CLASS IV.—Order II.																											
1. Paramenia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Childbirth	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	4	4	
	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	...	...	4	4	
CLASS IV.—Order III.																											
1. Old Age	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Senile Decay	1	...	5	...	1	...	...	...	...	...	1	1	...	...	...	...	...	1	1	1	...	1	...	...	8	...	8
	1	...	5	...	1	...	...	...	...	...	1	1	...	...	...	...	...	1	1	1	...	1	...	...	9	4	13
CLASS IV.—Order IV.																											
1. Atrophy	2	4	3	...	2	2	...	1	2	4	...	1	1	1	...	...	2	...	1	3	2	4	4	...	19	20	39
2. Debility	1	1	1	2	...	...	...	1	...	4	...	...	1	...	2	...	...	2	1	1	2	...	...	...	8	11	19
	5	10	10	2	5	5	2	5	3	9	1	4	2	1	4	2	2	5	4	5	4	5	4	1	46	54	100
TOTAL OF CLASS IV.																											
CLASS V.—Order I.																											
1. Fractures and Contusions	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Gunshot Wounds	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Cuts, Stabs, &c.	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	1	1	2
4. Burns	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	1	1	2
5. Scalds	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	2	1	3
6. Sunstroke	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
7. Poison	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Bite of a Venomous Reptile or Insect	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Drowning	2	1	2	...	2	...	3	...	2	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	16	1	17
10. Suffocation	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1
11. Killed by a fall from a horse	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	3
15. Killed by fall of a tree	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
16. Killed by a kick from a horse	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
17. Killed by a dray	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	3
18. Injury received during birth	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	1
	3	1	2	...	3	...	3	...	6	...	1	...	...	...	1	1	3	1	...	1	2	2	1	...	25	6	31
CLASS V.—Order III.																											
1. Murder { By Whites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Murder { By Blacks	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Manslaughter	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLASS V.—Order IV.																											
Suicide: Wounds { A. Gunshot	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
Suicide: Wounds { B. Cuts, Stabs, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide: Poison	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide: Drowning	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide: Hanging	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide: Otherwise	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
CLASS V.—Order V.																											
1. Execution, hanging	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
	3	1	3	...	3	...	3	...	6	...	2	...	...	...	1	1	3	1	...	1	2	2	1	...	27	6	33
TOTAL OF CLASS V.																											
Sudden Deaths (cause not ascertained)	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Deaths, cause ill defined	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
Deaths, cause unspecified	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1	1	2
TOTAL DEATHS OF MALES AND FEMALES FROM ALL CAUSES	32	28	25	22	21	10	8	12	24	20	17	17	13	7	18	12	30	28	20	15	33	30	24	13	265	214	479

CLASS, ORDER AND DISEASE.	Under 1 year. M.	Under 1 year. F.	1 to 2. M.	1 to 2. F.	2 to 3. M.	2 to 3. F.	3 to 4. M.	3 to 4. F.	4 to 5. M.	4 to 5. F.	Total under 5 years. M.	Total under 5 years. F.	5 to 10. M.	5 to 10. F.	10 to 15. M.	10 to 15. F.	15 to 20. M.	15 to 20. F.	20 to 25. M.	20 to 25. F.	25 to 30. M.	25 to 30. F.	30 to 35. M.	30 to 35. F.	35 to 40. M.	35 to 40. F.	40 to 45. M.	40 to 45. F.	45 to 50. M.	45 to 50. F.	50 to 55. M.	50 to 55. F.	55 to 60. M.	55 to 60. F.	60 to 65. M.	60 to 65. F.	65 to 70. M.	65 to 70. F.	70 to 75. M.	70 to 75. F.	75 and upwards M.	75 and upwards F.	Unspecified M.	Unspecified F.	Total Males.	Total Females.	Total Persons.
CLASS I.—Order I.																																														
1A. Chicken Pox, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE No. II.

CAUSES of DEATHS of MALES and FEMALES Registered in the District of BRISBANE, during each Month of the Year 1873.

CAUSES of DEATHS of MALES and FEMALES at different periods of life, Registered in the District of BRISBANE, during the Year 1873.

CLASS, ORDER AND DISEASE.	JANUARY. M.	JANUARY. F.	FEBRUARY. M.	FEBRUARY. F.	MARCH. M.	MARCH. F.	APRIL. M.	APRIL. F.	MAY. M.	MAY. F.	JUNE. M.	JUNE. F.	JULY. M.	JULY. F.	AUGUST. M.	AUGUST. F.	SEPTEMBER. M.	SEPTEMBER. F.	OCTOBER. M.	OCTOBER. F.	NOVEMBER. M.	NOVEMBER. F.	DECEMBER. M.	DECEMBER. F.	Total Males.	Total Females.	Total Persons.
CLASS I.—Order I.																											
1A. Chicken Pox, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Scarlatina	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	2	...	2
3A. Diphtheria	1	1	...	2	...	1	1	3	...	1	...	1	1	1	...	1	...	...	...	...	...	...	2	1	5	12	17
4. Quinsy	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
5. Croup	...	...	2	...	1	...	2	1	2	2	1	...	1	...	...	...	2	1	2	...	3	1	1	2	13	11	24
6. Whooping Cough	...	2	...	1	...	1	1	3	1	...	...	1	...	2	...	1	1	2	...	1	1	1	2	1	6	10	16
7. Typhus (and Infantile Fever)	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Erysipelas	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	3
9. Metria	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	2	4
10. Carbuncle, Boil, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Influenza, Coryza, Catarrh	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Dysentery	2	1	...	...	2	1	3	3	...	...	2	2	1	1	...	...	...	...	...	1	...	...	2	...	13	8	21
13. Diarrhœa	2	3	1	...	1	...	3	3	2	2	1	3	1	1	...	1	2	2	2	1	5	5	8	20	29	49	
14. Cholera	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15. Ague	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
16. Remittent Fever, Fever, &c.	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	2	...	1	...	...	...	9	4	13
17. Rheumatism	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	2	2	4
	5	7	5	3	5	3	14	17	6	8	5	8	5	7	...	3	5	4	6	5	4	10	13	15	73	90	163
CLASS I.—Order II.																											
1. Syphilis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Gonorrhœa, Stricture of the Urethra	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLASS I.—Order III.																											
1. Privation	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
2. Want of Breast Milk	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	2	1	...	...	...	...	...	3	5	8
3. Purpura and Scurvy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Alcoholism { Delirium Tremens	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Alcoholism { Intemperance	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	4	3	7
	...	...	...	1	...	...	1	1	1	3	1	...	...	...	...	...	2	2	1	2	...	1	...	...	8	8	16
CLASS I.—Order IV.																											
1. Thrush	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	2	1	3
2. Worms, Hydatis, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TOTAL OF CLASS I.	5	7	5	4	5	3	16	18	7	11	6	9	5	7	...	3	5	6	8	6	6	10	15	15	83	99	182
CLASS II.—Order I.																											
2. Dropsy	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	2	1	3	1	3
3. Cancer, Tumor, and Polypus	...	1	1	...	1	...	...	...	...	1	...	1	...	...	2	...	...	1	2	...	1	1	...	1	5	8	13
4. Noma	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
5. Mortification	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	1	2	3
	1	1	1	...	1	...	...	...	...	1	1	1	1	1	...	3	...	1	2	1	1	1	1	1	9	11	20
CLASS II.—Order II.																											
1. Scrofula	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	...	2
2. Tabes Mesenterica	...	2	1	...	...	...	...	...	2	...	2	...	...	...	...	...	...	1	...	2	...	...	6	2	8	2	8
3. Phthisis and Hœmoptysis	...	1	4	...	...	3	4	...	4	...	...	3	5	1	...	1	2	3	1	2	...	4	26	18	44		
4. Hydrocephalus	...	1	...	...	...	...	1	1	...	1	1	...	...	1	1	...	...	...	1	1	2	2	3	3	8	6	14
5. Others	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	2	...	2	...	2
	1	5	6	...	1	3	7	1	6	2	4	4	6	3	1	4	2	4	5	4	5	4	7	5	51	39	90
TOTAL OF CLASS II.																											
CLASS III.—Order I.																											
1. Cephalitis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Apoplexy	1	1	1	1	...	...	...	1	...	...	...	...	3	...	1	...	...	1	...	...	1	...	8	4	12		
3. Paralysis	...	...	...	...	...	1	...	...	...	1	...	...	1	2	...	...	...	...	...	...	...	1	1	1	3	1	4
4. Insanity	...	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	1	...	...	...	7	1	8
6. Epilepsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Convulsions	2	3	1	1	...	1	2	2	3	3	4	1	2	2	...	...	2	1	2	3	...	2	1	1	28	17	45
8. Brain Disease, &c.	...	...	1	1	2	...	1	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	6	4	10
	3	4	3	3	2	2	4	3	6	6	7	3	7	2	1	...	2	2	5	2	5	...	5	2	50	29	79
TOTAL OF CLASS III.																											
CLASS III.—Order II.																											
1. Pericarditis	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	2	2	2	4
2. Aneurism	...	...	1	...	...	...	...	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	5
3. Heart Disease	...	...	...	1	1	...	1	...	2	...	...	2	1	1	...	2	1	...	1	...	...	1	5	5	7	5	12
	...	...	1	1	1	...	3	...	2	...	...	3	1	1	...	2	1	...	1	1	...	...	...	1	10	9	19
TOTAL OF CLASS III.																											
CLASS III.—Order III.																											
1. Laryngitis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	2	2	4
2. Bronchitis	2	1	2	...	...	...	...	1	...	2	...	1	...	...	1	2	1	...	...	...	...	...	1	1	12	5	17
3. Pleurisy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
4. Pneumonia	...	1	1	...	...	1	1	1	3	...	...	...	...	...	...	...	3	1	...	...	...	2	...	...	10	3	13
4A. Congestion of the Lungs and Pulmonary Apoplexy	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	4	3	7
5. Asthma	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	3	7
6. Lung Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
TOTAL OF CLASS III.	2	3	3	...	...	1	2	2	6	...	1	...	4	...	1	3	6	3	...	...	...	...	3	2	28	14	42
CLASS III.—Order IV.																											
1. Gastritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Enteritis	...	...	...	...	...	...	1	1	1	...	1	...	...	1	2	...	...	...	1	1	...	...	...	...	7	2	9
3. Peritonitis	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	5	5	10
4. Ascites	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	1
5. Ulceration of Intestines	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Hernia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
7. Ileus	1	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	1	...	...	1	...	...	5	2	7		
8. Intussusception	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10. Fistula	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Stomach Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
13. Hepatitis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14. Jaundice	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15. Liver Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
16. Spleen Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	1	...	...	3	...	...	3	3	2	1	4	1	3	1	3	...	3	1	2	...	...	1	3	3	24	14	38
TOTAL OF CLASS III.																											
CLASS III.—Order V.																											
1. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Nephria	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1
4. Diabetes	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3
6. Cystitis	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
7. Kidney Disease	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	3	1	6	1	7
	...	...	...	...	1	...	1	1	...	1	1	...	...	...	...	...	1	...	1	1	...	...	1	...	6	3	9
TOTAL OF CLASS III.																											
CLASS III.—Order VI.																											
1. Ovarian Dropsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Uterus Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TOTAL OF CLASS III.																											
CLASS III.—Order VII.																											
2. Joint Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1
TOTAL OF CLASS III.																											
CLASS III.—Order VIII.																											
1. Phlegmon	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Ulcer	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	2
3. Skin Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	6	7	7	7	4	3	13	9	16	8	14	7	15	4	5	5	13	6	9	4	5	2	13	8	120	70	190
TOTAL OF CLASS III.																											
CLASS IV.—Order I.																											
1. Premature Birth	...	...	...	...	1	...	...	4	...	1	...	...	...	...	...	1	...	...	...	...	...	...	1	6	7		
2. Cyanosis	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2		
3. Spina Bifida	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Other Malformations	...	...	...	...	...	...	...	...	...	...	...	1	...	4	...	...	1	...	...	...	...	...	3	1	4		
5. Teething	...	1	1	1	1	...	2	5	...	2	1	...	1	...	...	...	2	...	1	2	3	...	...	...	9	16	25
	...	1	1	1	1	...	2	5	...	2	1	...	1	...	...	...	2	...	1	2	3	...	...	...	9	16	25
TOTAL OF CLASS IV.																											
CLASS IV.—Order II.																											
1. Paramenia	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Childbirth	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	2
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	2	2	
TOTAL OF CLASS IV.																											
CLASS IV.—Order III.																											
1. Old Age	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	1	1	...	...	...	...	...	...	...	3	2	5
2. Senile Decay	1	...	...	...	...	...	3	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	5	1	6
	1	...	...	...	...	...	3	...	...	...	1	1	1	1	1	1	1	...	...	...	...	...	...	...	8	3	11
TOTAL OF CLASS IV.																											
CLASS IV.—Order IV.																											
1. Atrophy	5	5	1	6	1	1	3	9	...	6	1	2	2	1	1	...	...	1	4	2	1	4	4	2	23	39	62
2. Debility	4	2	1	2	...	1	1	1	...	...	...	3	...	2	...	...	...	...	1	1	1	1	...	...	7	13	20
	10	8	3	9	2	2	9	15	...	8	3	6	4	4	2	4	1	2	6	6	2	5	5	4	47	73	120
TOTAL OF CLASS IV.																											
CLASS V.—Order I.																											
1. Fractures and Contusions	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Gunshot Wounds	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1
3. Cuts, Stabs, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Burns	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	1	3	4		
5. Scalds	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1		
6. Sunstroke	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	2	...	2		
7. Poison	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
8. Bite of a Venomous Reptile or Insect	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
9. Drowning	1	...	1	...	1	...	4	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	10	1	11		
10. Suffocation	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
12. Injury to spine	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	3		
13. Result of an accident	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1		
14. Injury to chest	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1		
19. Killed by a spar falling	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1		
20. Killed by timber truck passing over	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
22. Killed by injury received from a kick in the side	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1		
28. Killed by a fall of earth	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
30. Killed by a fall from a horse	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	2	1	3		
	2	...	2	...	1	...	5	...	1	1	...	1	...	...	1	...	4	3	3	...	2	1	22	6	28		
TOTAL OF CLASS V.																											
CLASS V.—Order III.																											
1. Murder { By Whites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Murder { By Blacks	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Manslaughter	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TOTAL OF CLASS V.																											
CLASS V.—Order IV.																											
Suicide { Wounds { A. Gunshot	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide { Wounds { B. Cuts, Stabs, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide { Poison	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide { Drowning	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide { Hanging	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide { Otherwise	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	2	1	3		
TOTAL OF CLASS V.																											
CLASS V.—Order V.																											
1. Execution, hanging	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	2	...	3	...	1	...	5	...	1	1	...	1	...	1	1	...	1	...	5	3	3	...	2	1	24	7	31
TOTAL OF CLASS V.																											
Sudden Deaths (cause not ascertained)	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Deaths, cause

TABLE No. III.

CAUSES of DEATHS of MALES and FEMALES Registered in the District of BRISBANE, during each Month of the Year 1874.

CAUSES of DEATHS of MALES and FEMALES at different periods of life, Registered in the District of BRISBANE, during the Year 1874.

CLASS, ORDER, AND DISEASE.	JANUARY. M.	JANUARY. F.	FEBRUARY. M.	FEBRUARY. F.	MARCH. M.	MARCH. F.	APRIL. M.	APRIL. F.	MAY. M.	MAY. F.	JUNE. M.	JUNE. F.	JULY. M.	JULY. F.	AUGUST. M.	AUGUST. F.	SEPTEMBER. M.	SEPTEMBER. F.	OCTOBER. M.	OCTOBER. F.	NOVEMBER. M.	NOVEMBER. F.	DECEMBER. M.	DECEMBER. F.	Total Males.	Total Females.	Total Persons.
CLASS I.—Order I.																											
1a. Chicken Pox, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Measles	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Scarlatina	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
3a. Diphtheria	...	...	...	2	2	...	2	2	...	6	2	...	...	...	2	...	...	...	1	...	1	...	...	...	7	13	20
4. Quinsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5. Croup	..	2	4	1	2	4	1	1	1	2	1	1	3	...	...	...	1	2	1	...	1	2	...	...	16	14	30
6. Whooping Cough	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	2	1	3
7. Typhus and Infantile Fever)	1	...	...	...	2	...	...	3	...	3	2	...	...	...	...	...	...	...	...	...	1	2	1	...	7	8	15
8. Erysipelas	...	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	2	2
9. Metria	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	2
10. Carbuncle, Boil, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Influenza, Corza, Catarrh	...	2	...	1	...	...	1	2	2	1	...	...	1	...	...	1	2	1	1	...	3	5	6	1	14	16	30
12. Dysentery	10	8	...	5	4	5	3	6	3	6	2	1	...	1	...	2	4	1	3	3	3	9	8	10	49	57	97
13. Diarrhœa	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2
14. Cholera	...	1	1	2	2	4	1	...	...	2	1	...	3	...	...	1	...	...	...	2	...	...	...	...	8	12	20
16. Remittent Fever, Fever, &c.	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	1	4
17. Rheumatism	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1
18. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	13	14	5	11	12	17	9	14	6	20	8	4	7	3	2	4	8	4	7	6	8	17	16	12	101	126	227
CLASS I.—Order II.																											
1. Syphilis	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	2	...	...	...	...	3	2	5
2. Gonorrhœa, Stricture of the Urethra	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	1
	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	2	1	...	...	...	4	2	6
CLASS I.—Order III.																											
1. Privation	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Want of Breast Milk	...	...	1	...	...	...	...	...	...	...	1	...	1	1	...	1	...	...	1	...	...	...	1	...	5	2	7
3. Purpura and Scurvy	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	4	...	4
4. Alcoholism { Delirium Tremens } { Intemperance ... }	1	...	1	...	2	...	1	...	...	...	2	1	...	...	...	...	...	...	1	...	1	...	...	...	8	1	9
	1	...	2	...	3	...	1	...	...	...	4	1	1	1	...	1	...	...	2	...	2	...	1	...	17	3	20
CLASS I.—Order IV.																											
1. Thrush	...	1	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	4
2. Worms	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	4
TOTAL OF CLASS I.	15	15	7	12	17	17	10	14	6	20	12	5	8	4	3	5	8	4	10	8	11	17	17	12	124	133	257
CLASS II.—Order I.																											
1. Gout	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Dropsy	...	1	...	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	2	...	...	1	6	8	14
3. Cancer, Tumor, and Polypus	1	...	...	...	1	...	...	1	1	1	...	2	...	...	...	...	1	1	1	...	...	3	...	1	8	5	13
5. Mortification	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	1	1	...	1	1	1	...	1	1	1	1	2	...	...	...	...	1	1	1	...	1	2	3	1	10	11	21
CLASS II.—Order II.																											
1. Scrofula	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
2. Tabes Mesenterica	1	...	1	...	1	1	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	...	6	3	9
3. Phthisis and Hœmoptysis	3	1	3	...	1	4	4	...	...	...	4	1	9	4	2	1	4	3	5	4	2	1	2	2	39	21	60
4. Hydrocephalus	1	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	5	3	8
5. Others	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
	5	2	4	1	3	7	6	2	1	2	6	4	9	4	3	1	5	4	8	4	4	4	6	3	61	39	100
CLASS III.—Order I.																											
1. Cephalitis	...	...	...	...	...	...	1	...	1	...	1	1	1	...	1	1	...	1	2	...	...	2	...	...	8	6	14
2. Apoplexy	...	...	...	...	1	...	...	...	1	2	1	...	1	...	1	2	...	...	2	...	1	...	...	1	7	9	16
3. Paralysis	...	...	...	...	1	...	...	1	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	4	1	5
4. Insanity	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Epilepsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	2	5
7. Convulsions	...	2	2	3	1	1	3	...	2	1	4	6	1	2	1	3	...	2	1	5	1	2	6	5	31	26	57
8. Brain Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	5	...	5
	...	2	2	4	3	1	5	3	5	6	9	7	5	4	5	3	2	2	11	2	7	8	4	2	58	44	102
CLASS III.—Order II.																											
1. Pericarditis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Aneurism	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	4	...	4
3. Heart Disease	3	...	...	1	...	1	1	1	1	3	2	1	...	1	2	...	1	1	2	...	2	...	2	...	19	7	26
	5	...	...	1	1	1	1	1	1	3	2	1	...	1	2	...	1	1	2	...	2	...	2	...	23	7	30
CLASS III.—Order III.																											
1. Laryngitis	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	1
2. Bronchitis	...	...	1	...	1	1	...	...	...	...	...	3	1	...	...	...	1	...	...	...	1	...	...	...	6	5	11
3. Pleurisy	1	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	3	...	3
4. Pneumonia	...	1	...	...	...	...	...	1	1	...	...	...	...	1	...	...	1	1	...	...	...	1	...	...	3	2	5
4a. Congestion of the Lungs and Pulmonary Apoplexy	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	2	1	...	...	1	...	...	...	5	6	11
5. Asthma	...	3	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Lung Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	4
	1	...	1	...	1	1	1	2	2	...	1	4	3	2	1	...	2	2	1	2	3	...	2	3	19	16	35
CLASS III.—Order IV.																											
1. Gastritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	1	2
2. Enteritis	...	...	1	...	1	...	...	...	2	...	1	2	...	...	...	...	1	...	...	...	...	...	...	...	6	2	8
3. Peritonitis	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	2	1	3
4. Ascites	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	3
5. Ulceration of Intestines	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
6. Hernia	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	3	1	4	...	...	6	1	7
7. Ileus	...	...	...	...	...	1	...	2	...	1	...	...	1	...	...	...	...	...	1	5	2	7	...	...	10	2	12
8. Intussusception	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
10. Fistula	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
11. Stomach Disease, &c.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
13. Hepatitis	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	...	3
14. Jaundice	...	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	3	...	3
15. Liver Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	1	3	4
16. Spleen Disease, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...
	3	1	1	...	4	1	2	1	5	...	3	2	3	...	3	...	...	...	2	2	1	2	...	2	27	11	38
CLASS III.—Order V.																											
1. Nephritis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3
3. Nephria	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
5. Stone	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
6. Cystitis	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
7. Kidney Disease	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2
	...	...	...	...	...	1	...	2	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	5	1	6
CLASS III.—Order VI.																											
1. Ovarian Dropsy	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Uterus Disease	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	2	2	4
	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	2	2	4
CLASS III.—Order VII.																											
2. Joint Disease	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	1	1	2
	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	1	1	2
CLASS III.—Order VIII.																											
2. Ulcer	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3
3. Skin Disease, &c.	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
	9	3	4	5	10	5	10	7	17	9	16	13	14	8	12	4	6	5	16	6	13	10	8	9	135	84	219
CLASS IV.—Order I.																											
1. Premature Birth	...	...	2	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	1	1	...	2	...	6	3	9
2. Cyanosis	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Spina Bifida	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Other Malformations	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	1	...	...	...	1	...	2	1	2	3
5. Teething	2	1	...	2	...	...	1	4	2	...	3	1	...	...	2	...	1	1	2	1	1	...	1	2	15	12	27
	2	1	2	2	...	...	1	4	2	...	4	2	...	1	2	1	1	1	2	2	3	1	3	2	22	17	39
CLASS IV.—Order II.																											
1. Paramenia	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
2. Childbirth	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	1	...	...	6	6	12
	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	1	1	...	1	...	...	7	7	14
CLASS IV.—Order III.																											
1. Old Age	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Senile Decay	1	...	1	...	1	2	...	2	2	...	...	1	1	1	...	...	1	1	...	2	...	2	...	...	11	7	18
	1	...	1	...	1	2	...	2	2	...	...	1	1	1	...	...	1	1	...	2	...	2	...	...	11	7	18
CLASS IV.—Order IV.																											
1. Atrophy	6	3	2	5	1	2	3	4	1	5	2	3	...	5	2	...	2	5	3	32	35	67
2. Debility	4	1	1	...	1	1	1	2	2	1	...	...	3	...	...	1	4	...	3	2	2	4	1	24	9	33
TOTAL OF CLASS IV.	13	5	6	7	3	5	5	13	7	6	6	6	4	9	4	2	7	3	8	6	12	6	14	7	89	75	164
CLASS V.—Order I.																											
1. Fractures and Contusions	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	2
2. Gunshot Wounds	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
3. Cuts, Stabs, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4. Burns	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...	1	2	3
5. Scalds	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2
6 Sunstroke	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
7. Poison	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
8. Bite of a Venomous Reptile or Insect	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
9. Drowning	1	...	...	...	6	1	1	...	1	...	4	...	...	2	1	...	...	...	2	...	3	...	2	...	22	2	24
10. Suffocation	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
11. Concussion of Brain by a fall from a horse	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
12. Killed by a dray	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	...	3
13. Killed by a fall of earth	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
14. Killed by lightning	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
15. Killed by a kick from a horse	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2
16. Killed by a fall down a mining shaft	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1
17. Killed by a blast	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
18. Killed by being crushed between a dray and tree	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
19. Killed by a falling tree	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
24. Killed by a fall of earth	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
29. Killed by a fall from a scaffold	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	1
30. Killed by a fall from a window	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1
34. Strangled by umbilical cord	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	1
35. Hœmorrhage, umbilical cord not properly tied	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
26. Overlain by its mother	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	1
	3	1	2	...	7	2	2	...	2	1	5	...	1	2	3	1	1	...	3	...	5	...	4	1	38	8	46
CLASS V.—Order III.																											
1. Murder { By Whites	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1. Murder { By Blacks	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
2. Manslaughter	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
CLASS V.—Order IV.																											
Suicide { Wounds { A. Gunshot	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide { Wounds { B. Cuts, Stabs, &c.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide { Poison	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide { Drowning	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Suicide { Hanging	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1
Suicide { Otherwise	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	1
CLASS V.—Order V.																											
1. Execution, hanging	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	2
TOTAL OF CLASS V.	3	1	2	...	9	2	2	...	2	1	5	...	1	2	3	1	1	...	3	...	5	...	6	1	42	8	50
Sudden Deaths (cause not ascertained)	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE No. IV.

CAUSES of DEATHS of MALES and FEMALES Registered in the District of BRISBANE, during each Month of the Year 1875.

JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		Total Males.	Total Females.	Total Persons.	CLASS, ORDER AND DISEASE.
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
																											CLASS I.—Order I.
...	...	...	...	...	2	3	3	9	5	6	7	9	4	2	...	1	1	3	2	...	...	...	...	28	27	55	1A. Chicken Pox, &c.
...	2	...	...	...	...	...	1	3	2	1	3	2	1	3	3	4	7	3	3	2	5	2	1	29	28	57	2. Measles
...	...	...	...	...	...	...	...	...	...	1	2	1	2	4	3	4	3	1	...	2	2	1	1	20	18	38	3. Scarlatina
1	...	...	...	...	...	...	1	2	3	1	1	2	1	2	4	3	4	1	...	3	1	2	2	18	17	35	3A. Diphtheria
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4. Quinsy
...	2	...	...	1	1	2	1	3	2	1	2	2	1	1	...	...	2	1	1	...	1	1	3	13	15	28	5. Croup
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	6. Whooping Cough
...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	7. Typhus (and Infantile Fever)
...	...	...	...	2	1	5	7	7	3	4	3	3	3	1	3	1	1	3	...	...	...	3	4	29	25	54	8. Erysipelas
...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	2	1	3	9. Metritis
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	10. Carbuncle, Boil, &c.
...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	11. Influenza, Corza, Catarrh
...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	2	...	...	...	2	1	3	12. Dysentery
3	1	2	4	3	2	7	4	21	5	8	8	6	8	4	2	1	3	3	3	6	4	6	4	64	47	111	13. Diarrhœa
5	5	6	2	7	9	8	6	12	10	9	6	6	4	2	3	1	...	5	12	8	6	6	6	79	64	143	14. Cholera
...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	16. Remittent Fever, Fever, &c.
1	1	...	2	...	1	1	3	1	2	3	1	2	4	1	...	...	...	2	...	3	1	1	1	11	22	33	17. Rheumatism
...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	1	4	...	4	1	5	18. Others
9	9	10	11	14	16	26	26	53	31	35	31	34	29	16	17	11	19	19	16	25	22	20	24	272	251	523	
																											CLASS I.—Order II.
...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	3	...	3	1. Syphilis
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2. Gonorrhœa, Stricture of the Urethra
...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	3	...	3	
																											CLASS I.—Order III.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1. Privation
...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	2	3	5	2. Want of Breast Milk
...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3. Purpura and Scurvy
1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	4	2	6	4. Alcoholism {Delirium Tremens / Intemperance}
1	1	...	1	...	1	1	...	1	...	...	...	...	...	...	...	1	...	1	...	2	1	...	...	6	5	11	
																											CLASS I.—Order IV.
...	...	...	...	...	...	2	1	...	5	...	...	2	1	...	...	...	...	1	1	...	1	...	...	5	9	14	1. Thrush
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2. Worms, Hydatia, &c.
10	10	11	12	14	17	29	27	54	36	35	31	36	30	16	17	13	19	21	17	26	25	21	24	286	265	551	TOTAL OF CLASS I.
																											CLASS II.—Order I.
...	...	...	...	1	...	2	...	...	...	1	...	1	1	...	...	2	1	1	...	...	...	2	2	11	4	15	2. Dropsy
1	...	...	1	...	...	2	...	1	...	1	...	...	2	2	...	...	...	1	2	...	...	1	1	10	6	16	3. Cancer, Tumor, and Polypus
...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	3	4. Noma
...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	5. Mortification
1	...	...	1	...	1	4	...	1	...	3	3	1	3	2	...	2	1	2	2	...	...	3	3	22	13	35	
																											CLASS II.—Order II.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1. Scrofula
...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2. Tabes Mesenterica
6	...	2	1	3	5	1	3	5	1	3	...	5	3	1	3	3	6	2	4	...	1	3	3	44	26	70	3. Phthisis and Hœmoptysis
2	1	1	...	1	1	1	1	...	...	1	...	...	...	1	...	...	...	1	1	...	...	...	...	8	1	9	4. Hydrocephalus
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	5. Others
9	2	4	2	5	8	7	6	6	4	8	3	7	6	10	3	6	4	10	7	5	2	9	6	86	53	139	TOTAL OF CLASS II.
																											CLASS III.—Order I.
...	3	...	...	1	...	1	3	1	1	...	...	...	...	...	...	1	...	...	1	2	1	2	...	7	10	17	1. Cephalitis
...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	2	2. Apoplexy
...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	3	6	9	3. Paralysis
...	...	1	...	1	...	...	1	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	4. Insanity
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	4	7	6. Epilepsy
1	3	3	2	6	1	3	4	2	4	5	6	1	2	1	4	5	6	4	5	6	4	3	4	44	43	87	7. Convulsions
1	...	...	1	1	...	...	...	...	...	2	1	...	...	2	1	...	...	1	...	...	2	1	...	5	3	8	8. Brain Disease, &c.
2	6	5	4	8	2	4	8	4	6	5	6	9	2	3	7	6	1	5	8	9	8	4	8	64	66	130	
																											CLASS III.—Order II.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1. Pericarditis
...	...	...	...	...	...	...	...	...	...	1	1	1	...	1	...	...	...	...	...	...	...	...	...	4	1	5	2. Aneurism
3	...	...	1	...	1	1	3	2	...	1	1	...	...	...	...	2	1	2	3	...	...	...	...	10	10	20	3. Heart Disease
2	...	1	1	...	1	1	3	2	...	2	2	1	...	1	...	2	1	2	3	...	...	...	...	14	11	25	
																											CLASS III.—Order III.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1. Laryngitis
...	...	...	...	1	...	2	...	2	2	1	...	1	2	2	...	1	2	2	...	1	...	...	...	12	9	21	2. Bronchitis
...	...	...	...	...	...	...	1	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	1	1	2	3. Pleurisy
...	...	...	...	...	...	...	...	1	2	2	1	3	...	...	...	...	1	...	...	...	...	...	...	6	6	12	5. Pneumonia
1	...	...	...	...	...	...	...	...	...	2	1	7	1	...	...	1	...	3	...	...	...	...	...	9	13	22	4A. Congestion of the Lungs and Pulmonary Apoplexy
...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	5. Asthma
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6. Lung Disease
1	...	1	...	1	1	2	1	5	5	5	5	4	12	3	...	1	2	2	3	3	1	...	...	28	30	58	
																											CLASS III.—Order IV.
...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3	1. Gastritis
1	...	...	...	...	...	1	...	...	...	...	...	2	1	1	...	1	...	...	...	...	...	...	...	10	5	15	2. Enteritis
...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	1	...	...	2	2	...	...	2	5	7	3. Peritonitis
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4. Ascites
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	5. Ulceration of Intestines
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	2	6. Hernia
...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	...	4	3	7	7. Ileus
1	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	1	1	...	1	1	...	...	4	3	7	8. Intussusception
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	10. Fistula
...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	...	...	...	3	...	3	11. Stomach Disease, &c.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	1	...	...	3	4	7	13. Hepatitis
...	...	1	...	2	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	3	4	7	14. Jaundice
...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	3	15. Liver Disease
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	16. Spleen Disease, &c.
2	1	3	3	1	4	1	2	1	1	5	1	3	1	3	2	2	1	3	3	4	...	2	3	30	22	52	
																											CLASS III.—Order V.
...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1. Nephritis
...	...	1	...	1	1	1	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	2	...	8	2	10	3. Nephria
...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	4. Diabetes
...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	5. Cystitis
...	...	1	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	2	...	6	...	6	7. Kidney Disease
...	...	2	...	3	1	2	...	...	2	2	...	...	...	2	...	...	2	...	...	...	...	4	...	17	3	20	
																											CLASS III.—Order VI.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1. Ovarian Dropsy
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2. Uterus Disease
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
																											CLASS III.—Order VII.
1	...	1	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	5	...	5	2. Joint Disease
1	...	1	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	5	...	5	
																											CLASS III.—Order VIII.
...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	1	1	2	1. Phlegmon
...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	1	1	2	2. Ulcer
...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	2	3. Skin Disease, &c.
8	8	13	8	14	10	10	14	12	14	20	14	18	16	14	9	11	5	14	17	17	9	10	11	161	135	296	TOTAL OF CLASS III.
																											CLASS IV.—Order I.
...	...	...	...	...	...	1	2	...	...	3	...	1	1	...	...	1	...	...	...	...	...	...	...	6	3	9	1. Premature Birth
...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	1	2. Cynosis
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1	3. Spina Bifida
...	...	...	...	...	...	1	1	...	...	1	1	1	1	...	...	1	3	...	...	1	3	3	3	2	3	5	4. Other Malformations
2	1	1	3	1	1	2	...	1	1	1	1	2	1	...	1	...	1	3	...	3	3	3	4	15	18	33	5. Teething
2	1	2	3	1	2	3	2	1	1	4	2	3	3	1	1	2	...	1	3	1	3	3	4	24	25	49	
																											CLASS IV.—Order II.
...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	2	...	2	...	...	...	...	1	1	...	1	1. Paramenia
...	...	...	1	...	3	2	...	2	...	...	...	2	...	...	...	...	...	1	...	...	...	1	...	13	...	13	2. Childbirth
...	...	...	1	...	3	...	2	...	...	...	...	2	...	...	...	2	...	1	...	...	...	1	...	14	...	14	
																											CLASS IV.—Order III.
1	...	...	...	...	1	1	...	2	...	...	...	1	...	...	...	...	...	1	1	2	1	3	...	11	3	14	1. Old Age
1	...	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	4	2. Senile Decay
2	...	1	...	...	1	3	...	2	...	...	...	1	...	...	...	...	...	1	1	2	1	3	...	15	3	18	
																											CLASS IV.—Order IV.
7	1	1	2	2	5	2	6	9	1	8	3	3	4	1	2	2	1	2	1	3	6	5	6	2	47	36	83	1. Atrophy
3	2	...	2	3	...	1	2	1	...	3	4	1	4	2	2	1	4	...	1	4	...	...	3	1	25	17	42	2. Debility
14	4	4	8	6	11	9	12	13	2	15	11	8	11	4	7	7	4	7	8	9	9	15	8	111	95	206	TOTAL OF CLASS IV.
																											CLASS V.—Order I.
1	...	...	...	...	...	...	1	...	...	...	...	1	...	2	...	...	...	...	...	1	1	...	...	5	2	7	1. Fractures and Contusions
...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2. Gunshot Wounds
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	1	3. Cuts, Stabs, &c.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4. Burns
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5. Scalds
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	6. Sunstroke
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	7. Poison
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	8. Bite of a Venomous Reptile or Insect
...	...	...	1	2	...	...	...	2	...	6	...	4	1	...	...	...	3	...	5	1	1	...	...	28	2	30	9. Drowning
1	...	3	...	3	...	...	...	...	2	...	1	...	...	...	...	...	...	1	...	...	...	...	...	2	4	6	10. Suffocation
...	1	...	...	...	...	...	...	1	...	1	...	3	...	...	...	...	...	...	1	...	...	...	...	4	2	6	11. Killed by a fall from a horse
...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	2	12. Killed by a dray
...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	2	14. Killed by a fall of earth
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	15. Killed by lightning
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	18. Killed by a fall down a mining shaft
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	19. Killed by a fall of earth in a mining shaft
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	24. Killed by being crushed between a dray and tree
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	26. Killed by fall of a tree
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	17. Killed by explosion of gunpowder
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	28. Overlain by its mother
...	...	1	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	2	29. Amputation
...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	30. Injury received during birth
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	
5	1	5	1	6	...	...	2	5	...	7	...	9	1	2	1	...	1	3	1	6	2	3	...	51	10	61	
																											CLASS V.—Order III.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	2	2	1. Murder {By Whites / By Blacks}
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2. Manslaughter
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	2	2		
																											CLASS V.—Order IV.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	Suicide: Wounds {A. Gunshot / B. Cuts, Stabs, &c.}
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	Suicide: Poison
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	Suicide: Drowning
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	Suicide: Hanging
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	Suicide: Otherwise
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1		
																											CLASS V.—Order V.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1. Execution, hanging
5	1	5	1	6	...	...	2	5	...	7	...	9	1	2	1	...	1	3	2	6	4	3	...	51	13	64	TOTAL OF CLASS V.
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	Sudden Deaths (cause not ascertained)
...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	1	3	Deaths, cause ill defined
...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	2	...	...	1	1	5	5	10	Deaths, cause unspecified
46	25	37	31	47	46	55	61	90	58	85	59	78	64	47	37	37	33	55	52	65	51	60	50	702	567	1,269

APPENDIX D.

REPORT OF THE METEOROLOGICAL OBSERVER, FOR THE YEAR 1876.

TO THE HONOURABLE THE POSTMASTER-GENERAL.

SIR,

During the year 1876, the reading and recording of the instruments at the chief meteorological observatories of the colony has been carefully attended to; the Observers taking an active interest in the regularity and correctness of the work; and, as a necessary consequence, the records are more reliable and useful than before.

Some little difficulty is experienced with a few of the second and third-class stations, partly arising from the want of knowledge of the Observers, or other causes; and, with a view to overcome this, I would suggest that all telegraphic operators be instructed to read and record the instruments usually employed. This instruction I would willingly undertake, being anxious that the system should be extended over the colony, and the observations accurately taken.

The recording of observations is now carried on by many private persons who take an interest in the subject, and in many instances are of great value. When advisable, the returns they forward are published. In the recording of rainfall especially, much assistance has been rendered, and reliable information given from private sources, which could not have been obtained in any other way.

Thanks are due to those who thus assist in the cause of science, and for the general good.

A system of weather intelligence, transmitted by the Telegraph Department of this colony, and of the Colonies of New South Wales, Victoria, and South Australia, is carried out; by this means reliable information will be afforded to the public, which must eventually prove of considerable value, especially to all engaged in shipping, to whom intimation of storms travelling along the coast may prove a timely warning, and lead to precautions being taken by which life and property may be preserved.

The year has not been marked by any special meteorological phenomena; with one exception, the unusual duration and heat of the summer. [This subject is fully referred to further on.]

CLIMATIC EFFECTS ON HEALTH.

In my report for 1872 it was stated that "It is much to be desired that reliable information as to the effect on the health of the public, caused by changes of the weather, could be obtained. To the student such a report would be highly interesting, and to the physician would afford a knowledge of, and a means of preparing for, and guarding against the disastrous effects arising from such causes."

I am happy to state that the Registrar-General now publishes the Vital Statistics of the Registry District of Brisbane, in which the meteorological information furnished from this observatory is utilised, and quotations given of the leading climatic features of the month, as well as those of previous years. The following is the form adopted:—

The total mortality of Brisbane and suburbs, for the month of October, together with the mean shade temperature and mean atmospheric pressure, is seen as follows:—

Period.	Number of Deaths.	Mean Shade Temperature.	Mean height of Barometer.
October, 1876.	68	72·6	29·962

The highest temperature in the shade recorded at the Brisbane Observatory during the month of October was 95·8, on the 30th, and the lowest, 45·5, on the 10th.

The mean temperature of the month (72·6) was 1·5 degrees over the average of the previous ten years.

The greatest range of the thermometer in shade, in any one day (37 degrees), took place on the 12th, viz., from a maximum of 88 degrees to a minimum of 51 degrees.

The mean daily range was 23·2 degrees.

The mean atmospheric pressure (29·962 inches) was 0·110 under the average.

The following table shows the mean of barometer, mean shade temperature, maximum temperature in shade, minimum on grass, mean humidity, the rainfall and prevailing winds at Brisbane, in the month of October, for nine years:—

Year.	Mean of Barometer.	Mean Shade Temperature.	Maximum in Shade.	Minimum on Grass.	Mean Humidity.	Rainfall.		Prevailing Winds.
						Inches.	Days.	
1876	29·962	72·6	95·0	43·5	·637	3·21	16	N.E.
1875	29·979	71·8	94·0	50·0	·650	3·19	13	N.E.
1874	30·189	70·4	93·0	47·0	·662	0·96	9	E.
1873	30·078	71·8	97·0	42·0	·623	1·43	5	N.E.
1872	30·112	69·4	90·0	45·0	·663	1·46	9	N.E.
1871	30·064	68·5	89·0	41·0	·730	3·17	14	N.E.
1870	30·122	70·0	87·0	44·0	·776	4·79	17	N.E.
1869	29·965	71·4	99·0	44·0	·766	3·54	13	N.E.
1868	30·007	74·0	94·0	51·0	·756	3·64	5	N.E.

E. MAC DONNELL,
Government Meteorological Observer.

RAINFALL.

The most important subject to which the care of the meteorologist should be directed, is that of rain, as the interests of the entire community are greatly affected by it. Holding this view, it has always been my desire to obtain accurate and comprehensive records of the rainfall of the colony.

During the past six years, a large amount of information has been obtained from a number of private observers, as well as from most of the telegraph stations throughout the colony. Over sixty monthly reports on the rainfall are received, and, when examined and checked, published in the *Government Gazette.*

Although the number of stations is greater at which records of the rainfall is taken, than in New South Wales or Victoria, I am anxious that observations be reported from many other places, in order to have a complete record of the rainfall of the colony.

The general table of rainfall, Table VII., shows the quantity of rain and number of wet days in each month, as well as the total of rainfall and wet days for the year. The geographical position of each station is also given. The stations are grouped in three classes, viz.:—Stations on the sea-coast, or within ten miles of it; stations exceeding ten miles from the coast, but situated eastward of the coast range, and stations extending from the coast range inland. Nearly 18,000 separate observations, and 600 returns were required to complete this table.

The greatest rainfall in the colony was at Cardwell—lat., 18° 6′; long, 146°—where 93·48 inches fell on 66 days. Of this, 50·55 inches fell on 32 days, during the first three months of the year. The records for several other places show much over the average, viz.:—Beenleigh, 76·95 inches on 84 days; Cape Moreton, 76·55 inches on 127 days; Herbert River, 79·34 inches on 115 days.

The least amount of rain was at Beechal Downs—lat., 27° 9′; long., 149°—where the extremely small quantity of 7·59 inches fell on 25 days, being the total recorded for the year. The great distance inland of this station—500 miles—may account for such a small amount, although the previous year showed 18·95 inches on 41 days.

The rainfall of the colony for the year will be found in Table VII.; and special tables, for a number of years, for Brisbane, Warwick, and Springsure, in IV., V., VI.

Next year I hope to publish with the annual report, the rainfall at the stations in the colony where records have been obtained for seven years and upwards, so as to allow of a comparison of the result. This table will be of great value to persons interested in pastoral or agricultural pursuits. The description proposed will be found in Tables IV., V., VI.

BRISBANE.

This is the chief station, at which the observations are taken, and the instruments examined regularly at 9 a.m., 3 p.m., and 9 p.m., and also at other hours when necessary.

The instruments in use are as follow:—

Standard mercurial barometer.
Maximum registering dry bulb shade thermometer.
Minimum registering dry bulb shade thermometer.
Maximum registering exposed thermometer, bulb in vacuo.
Maximum registering exposed thermometer, bulb exposed.
Minimum registering thermometer, on grass.
Soil thermometer, six inches deep.
Shade dry bulb thermometer.
Shade wet bulb thermometer.
Robinson's anemometer.
Glaisher's rain gauge.
Gold leaf electrometer.
Evaporation gauge.
Box for exposing ozone paper, and
Wind vane.

A summary of the observations is published each month in the *Government Gazette*, showing the maximum, mean, and minimum of the readings of each instrument. For the purpose of comparison, the results obtained during the corresponding months for the previous ten years are shown, including the mean shade temperature of the month; the amount of rainfall, and number of days on which rain fell; the amount of evaporation; the number of positive and negative electrical observations, and the direction of the prevailing winds.

TEMPERATURE.

The principal meteorological feature during the year at Brisbane was the great heat of the summer, which set in early in September, giving promise of a long and severe season, which has certainly been fulfilled.

In my report for 1872, attention was drawn to the steady reduction of temperature during the five previous consecutive years, and the following opinion expressed:—"That we are passing through a cycle of temperature, and may look for still further reductions, or an increase for some years to come; and, from my knowledge of the climate, I fear the latter is likely to occur." That opinion has proved to have been correct, as the years following, up to the present, have shown a well-marked and steady increase.

Year	1876.	1875.	1874.	1873.	1872.	1871.	1870.	1869.	1868.
Mean shade temperature of year	70·8°	70·1°	69·9°	69·5°	69·2°	69·4°	69·7°	70·3°	71·9°

From 1868, when the mean shade temperature was 71·9°, to 1872, with a temperature of 69·2°, the reduction has been regularly marked. In 1873 the increase began which has steadily continued, and shows almost a similar temperature between 1871 and 1873, 1870 and 1874, 1869 and 1875. The year 1876, although warmer than 1875, did not reach a corresponding temperature to 1868, but it is probable that 1877 will do so.

This result is likely to be of some value to science, as tending to prove that a perodicity exists in temperature; and should subsequent experience bear this out, it will go far to assist in the great object of meteorology, viz., to predict weather with reasonable certainty; but the science is as yet too young to enable any definite opinions to be formed. I fear we have not yet come to the end of the warm seasons; but it may be expected that after 1877 a steady reduction of temperature will take place for some years. It will be interesting to watch the result.

The highest temperature in shade during the year 1876, was 108° on December 16th; the middle portion of the month being unusually warm, not only in Brisbane, but throughout the colony. A wave of heat appeared to have passed over, and the effects were distinct as far south as Glen Innes, in New South Wales, at an elevation of about 3,000 feet.

The maximum temperature in shade for each day in the year will be found in Table VIII.

The lowest temperature in shade, 39°, was on August 11th, which is about the usual time of the coldest weather. The minimum temperature in shade for year will be found in Table IX.

The highest temperature in sun, as shown by the solar radiation thermometer, was 134°, on January 15th. The lowest temperature on grass was 34·5°, on August 19th. There was no record of freezing during the year. The temperature in sun and on grass will be found in Tables X. and XI. The extreme range of temperature in one day was 40°, on September 14th, and also on the 16th; the least, 4°, on September 27th. The records for each day of the year will be found in Table XII.

A brief statement of the comparative average mean shade temperature of each month during the year may prove interesting. The averages are taken from the records of corresponding months for the previous ten years. In January, the temperature was 2·1° over the average; February, 1·0° under; March, 1·2° over; April, 0·6° over; May, 1·1° over; June, 0·7° under; July, 0·5° over; August, 1·4° over; September, 0·9° over; October, 1·5° over; November, 4·2° over; December, 1·2° over the average. In every month of the year, excepting February and June, the temperature was considerably over the average.

The mean temperature of the year, in shade, was 70·8°, being 0·8° over the average of the previous eight years.

The daily records taken at Brisbane will be found in Tables VIII., IX., X., XI., XII., XIII., and XIV., and the annual summary in Table I.

RAINFALL.

The rainfall at Brisbane during the year has been a little over the average, 53·42 inches having fallen on 130 days. The average of seventeen years is 52·33 inches and 127 days. Rain fell during each month; and in May an unusual fall took place, 13·85 inches having fallen on 13 days. The smallest monthly fall, 0·32 inches, was in August. The greatest fall in one day was 3·54 inches, on July 25th.

The monthly rainfall at Brisbane for ten years will be found in Table IV., and the daily rainfall in Table XIV.

CAPE MORETON.

The observations at Cape Moreton are taken by Mr. James Brayden with such accuracy and regularity as to make them most reliable records.

The climate at this station is very different from that of Brisbane; as, from its insular position, there is less variation and fewer extremes.

During December the temperature did not exceed 90°, while in Brisbane 108° was reached.

The highest reading in shade was 91°, in January, and the lowest was 46°.

The maximum temperature in sun was 129°, in January; and the lowest on grass 34°, in June.

The mean temperature of the year, 70·9°, was the same as that of the year 1875, but higher than any previous year recorded.

The rainfall was greater than usual, 76·55 inches on 127 days; being much above the average.

The daily mean of the range of temperature in shade for the year was only 11·8°, being about the average. The marked difference between this and the range of Brisbane, 21·9°, shows the great influence exercised by the sea in producing equality of temperature.

The barometric readings have been about the average of the previous years.

The summary for the year will be found in Table II.

TOOWOOMBA.

At this station the observations are taken by Mr. E. L. Hanna, with the same care and accuracy he has devoted to the work for years. The position of Toowoomba—nearly 2,000 feet above the sea-level, and on the eastern limit of the great plateau of the Darling Downs, where marked difference of climate exists from other parts of the colony—renders the observations of much value.

The maximum temperature in sun was 134°, in January; the lowest on grass, 26°, in July and August.

The highest reading in shade, 101°, was in January; the lowest in shade, 30°, occurred in June, July, and August.

The mean temperature of the year, 63·8, was much higher than that recorded for any previous year.

The rainfall was 44·20 inches, on 101 days.

The daily mean of the range of temperature in shade for the year was 22·6°, being much greater than the average.

The mean barometric reading showed considerably less atmospheric pressure than had been previously recorded, viz., 27·848 inches at 8 a.m., 27·803 inches at 2 p.m., and 27·823 inches at 8 p.m. The barometric readings at Toowoomba are corrected to 32° Fahrenheit, but not reduced to mean sea-level.

The summary for the year will be found in Table III.

Appended to this Report will be found the following tables :—

I. Summary of observations taken at Brisbane, for the year.
II. Summary of observations taken at Cape Moreton, for the year.
III. Summary of observations taken at Toowoomba, for the year.
IV. Monthly rainfall at Brisbane, for ten years.
V. Monthly rainfall at Rainworth, near Springsure, for ten years.
VI. Monthly rainfall at Warwick, for ten years.
VII. General table of rainfall at fifty stations, for the year.
VIII. Daily maximum shade temperature at Brisbane.
IX. Daily minimum shade temperature.
X. Daily maximum temperature in sun.
XI. Daily minimum temperature on grass.
XII. Daily range of temperature in shade.
XIII. Daily readings of the barometer at 9 a.m.
XIV. Daily record of rainfall.

I have, &c.,

EDMUND MAC DONNELL,

Government Meteorological Observer.

BRISBANE, QUEENSLAND, DURING THE YEAR 1876.

Latitude, 27° 27′ 32″ South; Longitude, 153° 2′ 40″ East; Distance from Sea-coast, 10 miles; height of Observatory above Mean Sea Level, 130 feet.

1876.	Mean of Barometer.			Mean Shade Temperature of Air.			Mean Temperature of Evaporation.			Mean Humidity.			Exposed Thermometers.			Thermometers in Shade.						Rain.		Total Evaporation.	Ozone.	Electricity during month.		Prevailing Winds.
	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	Maximum in Sun (Bulb in Vacuo).	Maximum in Sun (Bulb exposed).	Minimum on Grass.	Maximum.	Mean Maximum.	Minimum.	Mean Minimum.	Mean Diurnal Range.	Mean Temperature of Month.	Total Fall.	No. of Days Rain Fell.		Mean of 24 hours.	Positive.	Negative.	
January ...	29·901	29·832	29·902	80·6	85·3	73·9	71·7	72·9	68·0	·614	·515	·716	166·0	134·0	59·0	99·5	89·6	63·0	69·0	20·5	79·9	5·86	16	8·430	6·1	75	18	S.
February ...	29·940	29·887	29·934	75·8	81·1	71·3	69·3	71·0	66·6	·690	·580	·760	163·5	123·0	59·0	99·5	84·7	60·0	66·1	18·6	76·0	5·57	14	5·005	6·2	57	30	S.
March ...	30·040	29·964	30·027	75·4	82·5	70·9	69·6	72·0	67·4	·684	·561	·812	159·5	123·0	58·5	95·5	86·3	61·0	66·1	20·2	76·2	2·49	14	6·510	6·2	75	18	S.
April ...	30·068	29·977	30·054	69·1	79·9	66·0	64·3	68·2	63·1	·749	·535	·682	166·0	129·0	49·0	90·0	82·4	53·5	59·7	22·9	71·6	4·00	7	5·990	5·8	70	20	S.
May ...	30·154	30·090	30·150	65·7	71·7	63·1	62·8	63·1	61·1	·840	·715	·881	142·0	109·5	50·5	86·0	75·0	50·0	59·5	15·8	66·8	13·85	20	3·500	6·2	52	41	S.
June ...	30·196	30·117	30·181	57·5	67·0	56·4	54·6	60·6	54·5	·789	·684	·868	128·0	99·0	40·0	80·5	70·3	41·5	50·5	20·0	60·3	2·63	13	3·650	5·7	62	28	S.
July ...	30·113	30·027	30·103	55·9	67·5	53·6	51·2	56·6	49·9	·725	·526	·772	135·0	95·0	35·5	75·0	70·1	37·5	47·1	22·9	59·0	7·18	5	3·040	6·3	81	12	S.W.
August ...	30·232	30·161	30·209	59·8	71·1	56·0	53·6	59·1	51·6	·711	·490	·765	147·5	108·5	34·5	83·5	74·5	39·0	48·4	26·7	62·3	0·32	4	4·950	6·2	79	14	S.
September ...	30·128	30·029	30·099	65·1	75·5	59·7	58·0	62·5	56·2	·652	·488	·766	154·0	116·5	39·0	88·0	78·4	43·0	52·2	26·1	66·7	2·32	9	5·170	5·8	63	27	S.
October ...	30·008	29·900	29·979	72·8	79·5	65·7	64·5	66·4	62·1	·621	·486	·806	155·5	121·0	43·5	95·0	82·5	45·5	59·2	23·2	72·6	3·21	16	8·190	6·3	75	18	N.E.
November ...	29·887	29·789	29·868	80·0	84·8	71·0	68·4	68·8	66·5	·528	·437	·765	170·0	145·0	51·0	102·5	90·0	54·0	65·1	24·9	78·8	2·23	6	9·240	5·9	79	11	N.E.
December ...	30·026	29·935	30·001	80·7	85·2	72·7	70·6	71·2	67·9	·575	·471	·755	175·0	140·0	53·0	108·0	88·7	55·0	67·2	21·4	79·5	3·76	6	9·210	6·1	76	17	N.E.
For year 1876...	30·057	29·975	30·042	69·8	77·6	65·0	63·2	66·0	61·2	·681	·540	·779	175·0	145·0	34·5	108·0	81·5	37·5	59·1	21·9	70·8	53·42	130	72·865	6·0	844	254	S.
„ 1875...	30·048	29·957	30·028	68·6	76·8	64·8	62·6	66·0	61·4	·708	·553	·804	167·0	133·0	37·0	104·5	80·1	37·5	58·6	21·4	70·1	67·03	161	65·537	5·9	789	306	S.W
„ 1874...	30·064	29·983	30·052	68·6	76·5	64·6	62·6	65·9	61·1	·705	·554	·788	166·0	130·0	33·0	100·0	79·5	35·0	57·8	21·8	69·9	38·71	135	76·463	6·0	824	271	S.W.
„ 1873...	30·085	29·996	30·064	69·3	75·2	64·1	61·4	66·8	61·3	·719	·619	·806	161·0	137·0	30·5	101·5	79·4	35·0	58·3	21·3	69·5	62·02	138	76·352	7·3	700	405	N.E.
„ 1872...	30·067	29·987	30·054	69·3	75·2	63·7	62·1	65·8	60·3	·700	·605	·820	156·0	133·0	32·0	96·0	76·9	35·5	57·8	19·5	69·2	49·22	131	72·195	6·9	723	375	N.E.
„ 1871...	30·082	29·979	30·052	69·1	76·7	63·5	63·6	66·5	61·4	·709	·612	·813	161·0	139·0	31·0	95·0	79·8	35·0	57·9	21·6	69·4	45·45	119	70·275	6·7	671	424	N.E.
„ 1870...	30·059	29·949	30·033	69·9	74·5	65·1	64·5	67·6	61·7	·736	·663	·835	162·0	143·0	30·0	95·0	78·1	36·0	59·4	19·0	69·7	79·06	154	67·008	7·9	588	552	N.E.
„ 1869...	30·023	29·939	30·011	69·8	76·6	64·4	65·9	69·2	63·1	·707	·658	·783	...	128·4	27·0	108·0	80·9	34·5	59·5	21·4	70·3	54·39	114	68·670	7·5	612	480	N.E.
„ 1868...	30·171	30·005	30·075	70·0	77·1	66·1	64·7	69·1	62·6	·720	·634	·812	...	130·0	36·0	104·0	80·3	39·0	59·8	21·9	71·9	35·98	110	61·258	5·1	684	408	N.E.

The readings of the Barometer are corrected to 32° Fahrenheit, and mean sea level. The mean temperature of the year, 70·8°, shows an increase over the previous seven years. The mean temperature is deduced from three daily readings of a thermometer in shade, taken at 9 a.m., 3 p.m., and 9 p.m. For further information relative to the Observations taken at Brisbane, see Tables III., VII., VIII., IX., X., XI., XII., XIII.

Table No. II.

ANNUAL SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT CAPE MORETON, QUEENSLAND, DURING THE YEAR 1876.

The observations have been taken by James Brayden, Esquire.

Latitude, 27° 2′ 16″ S.; Longitude, 153° 29′ E.; Height of Observatory above Mean Sea Level, 320 feet.

1876.	MEAN OF BAROMETER.			MEAN SHADE TEMPERATURE OF AIR.			MEAN TEMPERATURE OF EVAPORATION.			MEAN HUMIDITY.			EXPOSED THERMOMETERS.			THERMOMETERS IN SHADE.						RAIN.		ELECTRICITY DURING MONTH.		PREVAILING WINDS.		
	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	9 a.m.	3 p.m.	9 p.m.	Maximum in Sun (Bulb in Vacuo).	Maximum in Sun (Bulb exposed).	Minimum on Grass.	Maximum.	Mean Maximum.	Minimum.	Mean Minimum.	Mean Diurnal Range.	Mean Temperature of Month.	Total Fall.	No. of Wet Days.	Positive.	Negative.	9 a.m.	3 p.m.	9 p.m.
January ...	29·870	29·810	29·841	77·1	82·2	76·4	72·7	75·5	71·9	·770	·710	·770	156·0	129·0	54·0	91·0	84·9	65·0	72·7	12·1	78·5	4·30	12	58	35	E.	S.E.	S.E.
February ...	29·885	29·841	29·880	74·6	78·4	74·4	70·1	72·4	69·9	·770	·710	·770	148·0	118·0	52·0	87·0	80·5	64·0	70·3	10·2	75·8	10·82	14	54	33	S.E.	S.E.	S.E.
March ...	29·995	29·938	29·974	75·4	80·6	75·1	70·4	73·8	69·7	·750	·680	·730	147·0	115·0	40·0	87·0	82·4	67·0	71·0	11·3	77·0	1·89	11	46	47	E.	S.E.	S.E.
April	30·022	29·963	29·999	71·0	76·0	72·0	65·3	68·2	66·3	·715	·651	·700	147·0	116·0	44·0	84·0	78·0	63·0	67·1	10·9	73·0	12·54	9	30	60	S.W.	S.E.	E.
May	30·092	30·019	30·080	68·3	70·9	68·2	64·2	65·4	64·1	·786	·745	·780	140·0	105·0	43·0	80·0	73·1	60·0	65·3	8·1	69·1	18·22	21	54	39	E.	E.	E.
June	30·117	30·663	30·124	60·6	64·8	62·0	56·7	59·7	56·9	·773	·730	·724	129·0	99·0	34·0	73·0	67·0	52·0	57·3	9·6	62·4	8·04	14	23	67	S.W.	S.W.	S.W.
July	30·023	29·990	30·044	57·2	63·4	59·9	52·7	57·3	54·2	·725	·667	·688	144·0	96·0	38·0	69·0	64·5	47·0	54·0	10·8	60·1	4·37	6	76	17	S.W.	S.W.	S.W.
August ...	30·172	30·113	30·159	60·9	66·9	63·6	57·4	62·0	59·1	·795	·738	·781	140·0	103·0	38·0	74·0	68·0	46·0	56·6	11·3	63·8	2·50	8	56	37	S.	S.E.	S.E.
September ...	30·097	30·001	30·039	64·6	71·0	65·9	60·3	64·7	61·7	·762	·698	·775	141·0	109·0	40·0	78·0	72·5	53·0	60·7	11·4	67·1	3·63	7	42	48	W.	S.E.	S.E.
October ...	29·966	29·873	29·962	69·2	75·1	69·9	65·9	70·0	66·5	·792	·747	·828	144·0	115·0	46·0	82·0	76·8	54·0	65·1	11·7	71·4	3·09	10	47	46	N.W.	N.	N.W.
November ...	29·858	29·765	29·809	73·9	78·9	73·6	70·3	74·4	70·6	·814	·737	·848	150·0	117·0	48·0	88·0	82·1	63·0	69·8	12·3	75·7	2·59	8	58	32	N.W.	N.	N.
December ...	29·990	29·928	29·956	75·1	80·9	74·4	70·4	73·8	70·4	·762	·671	·779	152·0	124·0	42·0	90·0	82·4	64·0	71·0	11·3	76·8	4·46	7	61	32	S.E.	N.E.	N.
For year 1876...	30·007	29·992	29·989	68·9	74·1	69·6	64·7	68·1	65·1	·767	.707	·764	156·0	129·0	34·0	91·0	76·0	46·0	65·0	11·8	70·9	76·55	127	605	493	...	S.E.	S.E.
„ 1875...	29·998	29·940	29·980	68·5	73·2	69·2	64·6	67·4	65·2	·786	·702	·782	153·0	123·0	37·0	90·0	75·3	47·0	64·7	10·5	70·9	70·87	108	596	515	S.W.	S.E.	S.E.
„ 1874...	30·016	29·953	29·967	68·4	73·7	69·0	63·8	66·9	64·0	·751	·675	·737	155·0	124·0	39·0	89·0	75·6	47·0	64·7	10·8	70·4	56·09	118	720	375	E.	S.E.	E.
„ 1873...	29·958	29·774	29·943	68·3	74·0	68·7	62·6	66·1	64·5	·760	·687	·757	153·0	118·0	35·0	88·0	75·3	48·0	64·3	9·8	68·4	73·14	130	677	415	S.E.	S.E.	S.E.
„ 1872 ..	30·021	29·866	30·001	68·0	72·7	68·7	63·5	65·3	64·5	·757	·670	·744	154·0	124·0	35·0	92·0	75·6	46·0	64·4	10·9	69·6	75·23	123	685	367	N.E.	S.E.	S.E.
„ 1871...	30·035	29·971	30·007	68·5	74·0	68·9	63·7	66·7	63·7	·743	·661	·740	155·0	118·0	33·0	94·0	76·7	46·0	65·4	11·8	70·5	70·70	120	669	421	S.W.	S.E.	S.E.
„ 1870...	30·003	29·929	29·968	68·6	73·5	68·7	64·1	67·1	64·0	·767	·710	·755	166·0	..	35·0	97·0	76·1	36·0	63·9	12·6	70·2	87·32	138	670	416	S.W.	S.E.	N.E.

The readings of the Barometer are corrected to 32° Fahrenheit, and reduced to Mean Sea Level. The mean temperature of the year, 70·9°, is the same as in 1875; but both are higher than previously recorded. The mean temperature is deduced from three daily readings of a thermometer in shade, taken at 9 a.m., 3 p.m., and 9 p.m.

Table No. III.

ANNUAL SUMMARY OF METEOROLOGICAL OBSERVATIONS TAKEN AT TOOWOOMBA, QUEENSLAND, DURING THE YEAR 1876.

The observations have been taken by E. L. Hanna, Esq.

Latitude, 27° 34′ S.; Longitude, 152° 10′ E.; Height of Observatory above Mean Sea Level, 1,960 feet; Distance from Sea-coast, 80 miles.

1876.	MEAN OF BAROMETER.			MEAN SHADE TEMPERATURE OF AIR.			MEAN TEMPERATURE OF EVAPORATION.			MEAN HUMIDITY.			EXPOSED THERMOMETERS.		THERMOMETERS IN SHADE.						RAIN.		ELECTRICITY DURING MONTH.		PREVAILING WINDS.		
	8 a.m.	2 p.m.	8 p.m.	8 a.m.	2 p.m.	8 p.m.	8 a.m.	2 p.m.	8 p.m.	8 a.m.	2 p.m.	8 p.m.	Maximum in Sun (Bulb Exposed).	Minimum on Grass.	Maximum.	Mean Maximum.	Minimum.	Mean Minimum.	Mean Diurnal Range.	Mean Temperature of Month.	Total Fall.	No. of Wet Days	Positive.	Negative.	8 a.m.	2 p.m.	8 p.m.
January ...	27·704	27.647	27·673	70·1	80·4	71·6	65·4	69·8	66·7	·751	·548	·759	134·0	49·0	101·0	87·0	53·0	60·7	26 3	74·0	5·41	11	48	35	S..E	S.E.	S E.
February ..	27·732	27·728	27·749	64·8	75·6	68·5	63·1	65 9	63·7	·790	·580	·760	123·0	40·0	91·5	79·0	52·0	58·2	20·8	70·3	2·38	8	45	25	S.E.	S.E.	S.E.
March... ..	27·833	27·840	27·816	65·8	73·8	67·7	62·6	65·4	63·1	·820	·590	·820	106·0	45·0	86·0	77·0	46·0	57·3	19·7	69·1	2·72	9	48	30	S.E.	S.E.	S.E.
April	27·865	27·832	27·851	60·9	71·2	59·9	57·1	60·7	55·1	·780	·530	·750	110·0	40 0	82·0	71·9	41·0	49·4	22 5	64·0	2·07	3	65	26	S.E.	S.W.	S.E.
May	27·946	27·886	27·894	57·6	64·1	57·3	5 4·7	58·9	54·7	·840	·710	·850	102·0	36·0	74·0	65·4	39 0	50·3	15·1	59·7	10·57	18	64	15	S.E.	S.E.	S.E.
June	27·946	27·892	27·924	50·1	57·1	51·7	47·3	51·4	48·1	·825	·672	·791	91·0	29·0	66·5	59·2	30·0	41·0	18·5	52·9	2·08	11	54	25	S.W.	S.W.	S.W.
July	27·897	27·848	27·489	45·7	55·2	47·5	42·1	47·6	44·0	·820	·590	·760	88·0	26·0	62·0	56·7	30·0	36·7	20·0	49·5	7·65	7	51	28	S.W.	S.W.	S.W.
August ...	27·970	27·915	27·922	50·5	66·6	51·1	46·7	51·5	46·3	·740	·520	·740	98·0	26·0	69·0	61·9	30·0	39·5	22·9	54·0	0·52	5	68	15	S.W.	S.W.	S.W.
September ..	27·896	27·854	27·902	56·8	65·5	56 9	51·4	53·9	51·5	·690	·480	·690	110·0	28·0	80·5	68·5	33·0	45·4	23·5	59·7	3·47	6	59	23	S.E.	S.E.	S.E.
October ..	27·815	27·762	27·788	62·1	73·3	61·5	56·4	60·8	55·3	·691	·482	·680	113·0	35·0	87·0	75 6	40·0	49·7	25·8	65·6	2·50	9	49	35	S.E.	S.W.	S.W.
November ..	27·726	27·667	27·677	69·8	79·9	69·4	60·9	64·3	68·7	·537	·424	·600	128·0	39·0	96·0	86·3	45·0	56·0	30·3	73·0	1·43	6	67	22	S.W.	S.W.	S.W.
December ..	27·834	27·796	27·830	71·0	81·7	70·7	62·9	66·4	61·8	·618	·439	·598	133·0	40·0	98·5	84·3	45 0	58·3	26·2	74·4	3·40	8	60	25	S.E.	S.E.	S.E.
For Year1876...	27 848	27·803	27·823	60·6	70·5	61·1	55·8	59·7	55·9	·746	·547	7·33	134·0	26·0	101·0	72·7	30·0	50·2	22·6	63·8	44·20	101	678	304	S.E.		S.E.
„ 1874...	27·953	27·915	27·935	58·8	68·4	59·3	55·0	59·3	55·5	·781	·582	·757	142·0	18·0	97·0	71·3	25·0	47·5	23·3	62·2	40·88	76	628	296	S.E.	S.E.	S.E.
„ 1873..	27·968	27·885	27·949	58·3	68·6	58·8	55·8	60·1	55·4	·797	·608	·790	128·0	11·0	95·5	70·2	24·5	49·1	21·8	62·1	50·72	93	773	312	S.E.	S.E.	S.E.
„ 1872..	27·957	27·906	28·028	58·0	68·9	58·4	55·8	61·0	54·7	·814	·614	·782	135·0	18·0	95·0	70·8	26·0	50·1	21·2	62·4	35·75	100	802	280	S.E.	S.E.	S.E.
„ 1871..	27·953	27·922	27·961	58·4	69·1	60·1	55·2	61·1	56·3	·815	·608	·773	152·0	15·0	100·0	71·6	27·0	51·5	20·3	62·5	27·05	94	887	134	S.E.	S.E.	S.E.
„ 1870..	27·941	27·892	27·926	58·3	67·7	60·6	56·1	61·0	57·6	·867	·680	·820	...	14·0	97·0	68·2	27·5	52·9	16·9	62·4	61·04	164	906	110	N.E.	N.E.	E.

The readings of the Barometer are corrected to 32° Fahrenheit only, and not to mean sea level. The mean temperature of the year, 63·8°, shows a increase over the previous year, but is less than those preceding it. The mean temperature is deduced from three dailly readings of a thermometer in shade, taken at 8 a.m., 2 p.m., and 8 p.m.

AMOUNT OF RAIN, AND NUMBER OF DAYS DURING WHICH RAIN FELL, IN EACH MONTH.

Table No. IV.

RAINFALL at BRISBANE, for TEN YEARS.

Latitude, 27° 27′ 32″ S.; Longitude, 153° 2′ 40″ E.; Distance from Coast, 10 Miles; Height of Observatory, 130 feet.

MONTHS.	1867.		1868.		1869.		1870.		1871.		1872.		1873.		1874.		1875.		1876.	
	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.
January	6·85	11	7·22	16	7·97	11	4·92	11	8·79	13	8·37	19	4·67	18	11·08	18	5·25	10	5·86	16
February	12·66	10	6·74	17	4·23	10	3·06	7	4·71	14	6·85	17	7·92	13	2·52	13	27·19	25	5·57	14
March	5·37	18	0·58	7	9·02	19	34·04	26	2·64	12	7·89	15	9·84	20	4·18	19	7·71	25	2·49	14
April	15·28	19	1·68	7	12·04	18	4·61	18	5·11	11	0·32	4	2·80	12	6·57	19	2·59	16	4·00	7
May	8·97	13	1·13	10	0·39	3	2·81	15	0·83	6	0·26	5	0·58	8	1·07	7	6·26	11	13·85	20
June	4·14	7	4·18	11	6·18	7	3·11	12	1·31	6	2·26	8	14·03	15	2·16	10	1·28	11	2·63	13
July	0·72	6	5·48	10	0·53	3	6·13	8	3·32	7	3·90	6	0·98	7	3·96	14	6·48	17	7·18	5
August	0·77	7	0·70	6	0·00	0	1·94	13	0·43	4	0·91	6	3·21	8	0·04	3	0·53	4	0·32	4
September	0·92	7	1·87	7	1·56	7	0·74	8	1·52	5	1·81	11	0·86	4	0·61	6	1·96	8	2·32	9
October	0·25	3	3·64	5	3·54	13	4·79	17	3·17	14	1·46	9	1·43	5	0·96	9	3·19	13	3·21	16
November	2·34	4	2·26	8	3·37	7	8·49	10	4·39	14	6·25	16	5·39	10	1·48	5	2·17	10	2·23	6
December	2·77	7	0·50	6	5·53	16	4·42	9	9·23	13	8·94	15	10·31	18	4·08	12	2·42	12	3·76	6
TOTAL	61·04	112	35·98	110	54·36	114	79·06	154	45·45	119	49·22	131	62·02	138	38·71	135	67·03	162	53·42	130

Total Rainfall during seventeen years, 889·66 inches. Number of days Rain fell, 2,161. Annual mean, 52·33 inches; 127 days.

BUREAU OF STATISTICS LIBRARY SYDNEY.

Table No. V.

RAINFALL at WARWICK, for TEN YEARS.

Latitude, 28° 12′ S.; Longitude, 152° 16′ E.; Distance from Coast, 90 Miles; Height, 1,520 feet.

MONTHS.	1867.		1868.		1869.		1870.		1871.		1872.		1873.		1874.		1875.		1876.	
	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches	Days' Fall.
January	5·24	7	6·14	11	9·92	12	5·60	7	1·38	5	1·57	7	3·46	5	4·06	12	17·10	5	1·99	8
February	10·64	4	4·93	9	4·06	4	1·15	8	5·52	9	0·88	8	1·92	5	2·65	6	5·91	12	3·53	5
March	4·17	10	0·06	1	5·86	4	4·70	19	2·42	5	0·78	5	5·31	11	1·77	7	1·76	7	1·05	4
April	9·05	12	0·19	1	5·64	6	0·74	5	2 62	6	0·25	1	1·10	2	2·15	5	1·87	4	2 20	6
May	3·10	8	0·52	3	1·40	3	2·82	11	0·78	4	0·00	0	0·00	0	0·49	2	2·00	6	4·35	14
June	4·53	6	2·75	9	1·62	4	2·66	9	0·45	1	1·36	3	9·88	13	1·61	5	0·56	4	2·15	10
July	0·40	3	3·29	5	1·38	5	1·51	4	1·64	3	2·32	5	1·83	6	3·58	7	2·68	10	4·64	5
August	6·13	4	1·80	5	0·79	2	5·24	9	0·55	3	1·16	3	3·24	8	0·09	1	0·19	2	0·11	2
September	3·63	8	0·32	3	0·67	2	1·01	4	0·69	2	2·37	6	1·10	1	3·65	8	1·67	4	2·66	6
October	2·32	7	3·03	6	2·76	8	4·28	11	2·24	8	3·04	8	1·56	5	2·06	8	2·97	8	2·96	10
November	1·35	3	2·04	6	0·79	4	3·56	7	4·41	9	2·84	8	2·45	7	1·38	4	2·91	8	0·61	4
December	2·70	4	3·10	5	5·57	13	1·77	6	2·86	3	7·31	11	12·35	18	2·32	5	0·86	6	2·07	9
TOTAL	53·26	76	28·17	64	40·46	67	35·04	100	25·56	58	23·88	65	44·20	80	25·81	70	40·48	76	28·32	83

Total Rainfall during twelve years, 385·65 inches. Number of days Rain fell, 847. Annual mean, 32·14 inches; 71 days.

Table No. VI.

RAINFALL at RAINWORTH, SPRINGSURE, for TEN YEARS.

Lat., 24° 10′ S.; Long., 148° E.; Distance from Coast, 160 Miles; Height, 1,500 feet.—Observations taken by J. GREGSON, Esq.

MONTHS	1865.		1866.		1867.		1868.		1869.		1870.		1871.		1872.		1873.		1874.	
	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.	Inches.	Days' Fall.
January	2·04	3	0·60	3	0·60	2	1·53	5	5·04	8	6·46	8	1·05	4	2·47	5	10·62	13	7·14	14
February	3·65	2	0·00	0	2·66	6	4·63	7	4·75	6	5·72	10	2·35	4	0·54	9	3·05	7	1·36	5
March	0·83	2	0·00	0	4·69	9	0·00	0	12·85	13	4·72	11	3·06	3	0·34	2	6·17	10	3·01	6
April	0·00	0	0·00	0	5·08	6	0·00	0	4·14	6	0·14	2	0·03	1	0·05	1	1·53	3	3·08	5
May	0·00	0	0·77	2	3·26	4	0·23	2	1·04	6	4·18	5	1·34	3	1·42	2	0·00	0	1·89	4
June	0·00	0	1·72	4	2·07	1	0·47	3	0·00	0	4·65	6	0·24	4	0·92	5	5·89	11	1·99	4
July	0·00	0	0·33	2	1·37	5	1·23	3	0·11	1	5·62	5	0·19	1	0·68	2	0·10	3	0·20	1
August	0·00	0	1·36	5	0·00	0	0·07	3	0·84	3	3·13	7	0·00	0	2·63	4	2·78	4	3·90	5
September	3·25	3	0·32	3	1·71	6	1·17	4	0·98	4	No record		0·75	2	0·36	3	0·50	1	1·72	2
October	No record		0·32	2	1·31	5	1·00	5	2·09	5	3·18	5	2·50	5	1·53	8	0·10	1	3·36	6
November	1·10	1	4·76	7	1·11	4	1·67	4	1·85	5	5·36	7	2·92	8	4·18	7	2·20	4	3·01	5
December	3·34	3	7·75	13	0·32	3	3·47	3	5·36	9	1·77	3	0·62	5	1·92	7	3·25	11	3·05	7
TOTAL	14·21	14	17·93	41	24·18	51	15·47	39	39·05	66	44·93	69	15·05	40	17·04	55	36·19	68	33·71	64

Total Rainfall during ten years, 257·76 inches. Number of days Rain fell, 507. Annual mean, 25·77 inches; 50 days.

Table No. VII.

TABLE OF RAINFALL IN QUEENSLAND, DURING THE YEAR 1876.

SHOWING the LATITUDE, LONGITUDE, and DISTANCE from SEA-COAST, of each STATION, the QUANTITY, and NUMBER of DAYS RAIN fell, during each Month, and TOTAL RAINFALL.

	NAME OF STATION.	LATITUDE, SOUTH.	LONGITUDE, EAST.	DISTANCE FROM SEA-COAST.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTAL FOR YEAR.	
					Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.	Wet Days.	Rain Fall.
		° '	° '	Miles.	No.	Inches.	No.	Inches.	No.	Inches.	No.	Inches.	No.	Inches.	No.	Inches.	No.	Inches.	No.	Inches.	No.	Inches.	No.	Inches.	No.	Inches.	No.	Inches.	No.	Inches.
Stations on or within 10 miles of the sea-coast.	Beenleigh	27 49	153 8	10	14	11·61	10	8·01	6	3·91	7	4·24	21	23·60	5	6·94	3	5·67	1	0·32	4	1·98	6	5·74	2	0·72	5	4·21	84	76·95
	Brisbane	27 28	153 6	10	16	5·86	14	5·57	14	2·49	7	4·00	20	13·85	13	2·63	5	7·18	4	0·32	9	2·32	16	3·21	6	2·23	6	3·76	130	53·42
	Cleveland	27 32	155 18	Coast	11	9·32	13	4·77	9	2·80	4	3·80	15	15·53	7	2·65	4	5·90	3	0·60	5	1·10	3	2·25	3	1·70	4	3·30	81	53·72
	St. Helena	27 26	153 16	Coast	9	5·00	11	8·35	6	4·10	4	8·03	17	13·72	8	2·90	3	5·51	1	0·06	4	0·90	4	2·03	4	1·48	5	3·51	76	55·59
	Lytton	27 25	153 11	Coast	8	5·80	11	6·84	3	3·75	4	7·28	16	11·92	7	2·47	3	4·70	0	0·00	3	0·73	4	1·80	3	0·80	4	3·44	66	49·53
	Cabulture	27 7	152 55	5	10	5·89	11	8·88	6	4·57	4	7·66	16	16·42	7	3·75	4	10·42	2	0·53	1	0·50	3	1·72	3	3·75	4	5·00	71	69·09
	Cape Moreton	27 1	153 28	Coast	12	4·30	14	10·82	11	1·89	9	12·54	21	18·32	14	8·04	6	4·37	8	2·50	7	3·63	10	3·09	8	2·59	7	4·46	127	76·55
	Woody Island	25 21	152 57	Coast	12	3·37	15	6·19	15	2·42	5	5·93	16	10·04	9	3·77	3	4·13	9	1·88	3	1·09	8	2·56	10	5·58	10	6·36	115	53·32
	Sandy Cape	24 48	153 25	Coast	12	2·84	16	7·01	14	2·70	6	6·20	14	9·72	7	3·20	3	4·20	13	3·10	7	2·37	5	1·31	7	3·28	10	5·58	114	51·51
	Gladstone	23 50	151 20	Coast	13	9·94	6	3·72	8	2·64	4	2·05	10	4·02	10	4·16	4	1·48	1	0·50	1	0·60	2	0·75	4	1·56	2	2·90	65	34·32
	Keppel Bay	23 28	151 4	Coast	4	10·00	2	3·25	3	3·48	3	1·90	10	6·82	7	2·77	0	0·00	6	1·08	1	0·52	2	1·20	3	3·88	5	1·39	46	36·29
	St. Lawrence	22 21	149 30	8	11	6·22	5	3·12	11	11·08	8	2·41	12	6·99	7	6·02	4	0·92	0	0·00	0	0·00	4	1·09	3	1·40	5	5·13	70	44·38
	Mackay	21 10	149 5	5	8	11·74	11	5·85	11	16·27	6	3·95	12	8·73	7	5·62	4	0·60	0	0·00	0	0·00	5	2·45	3	1·27	8	6·09	75	62·57
	Bowen	20 1	148 16	Coast	10	3·10	11	6·71	14	3·63	9	0·96	11	7·62	5	2·55	5	1·61	0	0·00	0	0·00	4	0·86	6	2·39	5	2·25	80	31·68
	Townsville	19 18	146 50	Coast	4	3·40	8	8·50	12	6·37	3	0·65	5	8·12	4	1·90	0	0·00	0	0·00	0	0·00	0	0·00	1	0·60	3	3·78	40	33·32
	Waterview	18 5	146 10	5	10	6·23	13	20·55	14	11·82	5	1·98	7	3·19	7	4·26	4	0·85	0	0·00	0	0·00	0	0·00	3	0·65	6	8·02	69	57·55
	Herbert River (Lower)	18 25	146 6	5	14	13·60	13	14·36	16	16·72	11	4·29	12	7·13	18	8·61	10	1·81	2	0·14	3	0·15	3	0·23	5	1·70	8	10·60	115	79·34
	Cardwell	18 6	146 0	Coast	9	13·91	8	16·97	15	19·67	8	6·34	8	6·68	5	10·66	4	2·65	0	0·09	1	1·09	0	0·00	4	6·90	4	8·70	66	93·48
	Kimberley	17 28	141 0	Coast	11	4·65	12	4·38	7	2·48	1	1·30	5	5·65	1	0·10	0	0·00	0	0·00	0	0·00	0	0·00	1	0·80	2	1·05	40	20·41
	Cooktown	15 27	145 15	1	7	14·78	17	26·60	22	14·59	12	3·66	15	5·71	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	2	0·30	7	10·06	82	75·70
Stations exceeding 10 miles from the coast, but seaward of the coast range.	Helidon	27 39	152 3	60	9	4·39	5	4·60	5	2·33	4	4·05	12	6·60	4	1·05	3	4·20	0	0·00	0	0·00	2	0·90	3	2·25	3	2·01	50	32·38
	Ipswich	27 38	152 48	28	12	3·93	7	3·53	5	1·69	5	3·02	16	9·82	11	2·20	4	4·73	2	0·35	5	1·50	10	3·32	5	1·22	4	2·11	86	37·42
	Goodna	27 36	152 56	21	7	3·73	3	2·46	2	2·50	3	2·74	8	4·74	2	0·70	2	5·55	4	0·44	6	1·29	10	3·23	5	1·27	6	2·43	58	31·08
	Enoggera Reservoir	27 27	152 55	16	10	3·42	11	4·72	7	2·40	4	4·49	13	9·96	8	2·37	4	5·49	2	0·26	4	1·00	11	2·89	5	2·01	5	3·00	84	42·01
	Gympie	26 12	152 38	30	7	5·16	8	8·89	6	7·45	5	4·62	14	14·11	8	4·54	2	3·25	1	0·75	0	0·00	5	3·10	3	0·41	7	5·21	66	57·49
	Maryborough	25 35	152 43	18	8	4·17	3	2·96	7	2·23	12	7·10	17	11·30	5	2·79	6	3·20	2	0·86	1	0·04	4	2·99	3	0·34	8	4·98	76	42·96
	Westwood	23 38	150 8	45	8	2·60	3	6·18	4	2·71	3	2·17	4	4·78	4	3·30	0	0·00	2	0·09	2	0·63	5	3·75	4	2·92	3	2·43	42	31·56
	Rockhampton	23 25	150 25	20	10	5·50	4	11·50	6	2·44	3	1·93	13	9·69	7	6·94	2	0·37	2	0·58	0	0·00	3	2·63	8	3·58	8	3·20	66	48·36
	Marlborough	22 57	150 1	40	10	7·44	5	5·03	4	4·66	3	1·40	7	8·21	8	4·70	0	0·00	0	0·00	2	1·42	1	0·55	5	2·93	4	3·17	49	39·51
	Bloomsbury	20 39	148 32	12	7	7·38	13	6·00	11	11·01	6	1·21	8	9·24	12	8·67	3	0·95	0	0·00	2	0·22	4	1·52	9	4·60	8	4·80	83	55·60
Stations from the coast range inland.	Stanthorpe	28 40	152 0	90	4	0·59	3	3·85	7	1·94	4	2·22	13	3·58	9	2·73	3	1·25	0	0·00	4	1·17	8	1·67	3	0·51	2	0·70	60	20·21
	Warwick	28 12	152 16	90	8	1·99	5	3·53	4	1·05	6	2·20	13	4·35	10	2·15	5	4·64	2	0·11	6	2·66	10	2·96	4	0·61	9	2·07	82	28·32
	Toowoomba	27 34	152 10	80	11	5·41	8	2·38	9	2·72	3	2·07	18	10·57	11	2·08	7	7·65	3	0·52	6	3·47	9	2·50	6	1·93	8	3·40	99	44·70
	Dalby	27 30	151 15	112	4	1·90	2	3·05	5	1·70	3	1·45	7	2·10	8	1·43	5	5·38	2	0·14	5	0·72	2	0·79	3	3·34	5	2·24	51	24·24
	Beechal Downs	27 9	145 0	500	0	0·00	0	0·00	0	0·00	1	0·02	9	2·79	4	1·31	2	0·37	3	0·74	1	0·07	2	0·18	2	1·96	1	0·15	25	7·59
	Condamine	26 57	150 6	180	5	0·25	4	4·01	4	1·59	2	0·38	7	2·24	5	0·77	2	2·13	0	0·00	5	1·80	2	0·37	0	0·00	3	2·79	39	18·33
	Roma	26 37	148 42	230	4	2·06	1	1·20	4	2·21	2	0·45	10	4·70	2	0·37	1	0·25	1	0·11	3	1·09	0	0·00	0	0·00	2	2·20	30	14·64
	Charleville	26 35	146 6	350	1	0·25	2	0·37	4	0·96	2	0·61	7	6·73	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	0·00	2	1·70	18	10·62
	Gayndah	25 38	151 36	72	13	4·77	4	5·29	4	1·50	5	1·24	14	6·09	10	2·60	5	2·80	2	0·25	1	0·65	7	1·07	6	4·84	5	2·72	76	33·82
	Taroom	25 38	149 45	160	6	1·76	4	4·23	3	1·30	5	0·75	11	7·49	8	3·03	4	0·59	1	0·02	2	1·07	5	2·01	4	1·17	3	0·69	56	24·11
	Banana	24 30	150 10	80	9	6·68	4	2·84	5	2·68	5	1·85	9	5·27	7	2·03	2	0·24	0	0·00	3	0·51	5	1·28	4	1·18	7	2·87	60	27·43
	Clermont	22 45	147 38	130	9	12·37	5	9·84	6	2·86	4	2·15	6	6·91	6	2·66	1	0·16	0	0·00	3	1·28	1	0·26	3	1·25	4	2·73	48	42·47
	Nebo	21 55	148 10	50	11	6·09	8	3·49	6	5·00	2	0·30	5	2·80	4	3·65	4	0·77	0	0·00	2	0·11	1	0·50	7	3·01	6	3·66	56	29·38
	Cashmere	18 3	145 13	50	14	4·41	14	9·08	7	1·96	3	1·48	9	1·70	7	1·99	5	0·05	4	0·22	0	0·00	2	0·56	5	3·80	5	2·95	75	28·20
	Creen Creek	18 0	142 0	119	14	14·62	12	11·13	1	0·20	2	1·38	1	0·10	1	1·15	0	0·00	1	0·15	0	0·00	4	0·43	3	3·17	6	3·10	45	35·43
	Georgetown	17 57	143 40	176	14	8·23	15	13·76	12	9·97	6	0·28	5	1·83	3	1·62	5	0·35	0	0·00	1	0·01	6	0·59	7	5·57	8	4·15	82	46·36
	Gilbert River	17 54	143 0	133	15	12·95	12	18·35	8	1·21	3	1·74	3	1·36	2	0·45	4	0·71	0	0·00	0	0·00	3	1·65	2	1·70	8	4·32	60	44·44
	Junction Creek	17 45	144 9	78	15	17·14	14	14·67	11	3·78	2	0·62	4	3·23	3	1·89	2	0·11	0	0·00	0	0·00	4	0·32	6	2·75	9	3·58	70	48·09
	Normanton	17 38	141 25	38	12	8·04	11	8·66	9	6·70	2	1·50	5	7·83	1	0·15	0	0·00	0	0·00	0	0·00	0	0·00	2	3·85	4	4·90	46	41·63

Table No. VIII.

Meteorological Observations taken at Brisbane, Queensland, in 1876.

Latitude, 27° 27′ 32″ South; Longitude, 153° 2′ 40″ East; distant from Sea-coast, 10 miles; height of Observatory above Mean Sea Level, 130 feet.

Maximum Temperature of the Air (in Shade), at Brisbane, on each Day in the Year 1876.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December
1	94·0	87·5	86·0	90·0	86·0	72·0	67·0	72·5	77·0	76·0	86·0	79·0
2	92·5	88·0	87·0	90·0	68·0	73·0	73·0	70·5	81·0	74·0	93·0	89·5
3	90·5	85·0	88·5	89·5	86·0	72·0	70·5	66·5	85·0	80·0	97·0	98·0
4	88·0	72·0	86·5	88·0	80·0	72·5	73·5	72·0	76·0	77·0	85·0	88·0
5	86·5	77·5	85·5	84·0	79·0	76·0	75·0	72·5	75·0	81·0	97·0	83·0
6	87·5	83·0	87·0	85·0	71·0	68·5	75·0	76·0	87·0	79·5	85·0	86·0
7	92·0	81·0	90·0	89·0	70·0	73·5	71·0	74·5	79·0	81·0	102·5	76·5
8	91·0	76·0	89·0	78·0	72·5	69·0	71·0	79·0	77·0	81·0	85·5	89·0
9	91·0	79·0	94·0	76·0	78·5	71·0	68·0	77·0	77·0	74·0	93·0	92·0
10	91·0	96·0	95·5	80·0	82·0	73·0	71·0	76·0	80·0	77·0	93·0	92·5
11	92·0	99·5	95·0	73·0	82·0	75·0	74·0	77·5	83·5	82·0	94·0	91·0
12	88·5	92·0	88·0	72·0	79·5	74·0	69·0	75·0	74·0	88·0	93·5	86·5
13	92·0	86·5	87·0	71·5	76·5	71·5	71·0	73·5	78·0	83·0	94·0	94·5
14	97·0	84·5	82·0	74·0	79·5	68·0	71·0	79·0	83·0	83·0	91·5	94·5
15	97·5	86·0	84·0	80·5	68·0	77·0	62·5	76·5	82·0	82·5	91·0	93·0
16	89·0	87·0	82·0	89·0	70·0	71·0	68·0	75·0	88·0	84·0	90·0	108·0
17	89·0	91·0	84·0	90·0	71·5	80·5	63·0	68·6	83·0	80·0	87·0	93·0
18	93·0	80·0	84·0	88·0	72·0	64·0	73·5	73·0	76·5	87·0	78·0	97·0
19	93·0	77·0	84·5	81·0	75·0	61·0	70·0	66·0	76·0	84·5	83·5	82·0
20	92·5	84·0	87·0	83·0	68·0	65.0	68·0	68·0	76·5	80·0	92·0	82·5
21	99·5	81·0	87·0	82·0	68·0	73·0	72·0	76·0	79·0	83·5	97·5	90·0
22	93·5	78·5	84·0	85·5	72·0	69·5	65·5	73·5	79·0	86·5	94·0	90·0
23	91·0	85·5	88·0	85·0	77·0	67·0	65·0	72·5	83·0	90·5	90·0	94·0
24	86·0	85·0	79·0	82·0	81·0	69·5	73·0	80·0	78·5	90·0	89·0	86·0
25	87·0	89·5	86·0	78·0	81·0	64·0	73·5	83·5	65·0	87·5	86·0	79·0
26	87·0	85·0	87·0	83·5	76·0	63·0	74·0	76·0	86·5	85·0	80·5	76·0
27	78·0	86·0	88·0	83·5	64·0	65·0	72·0	77·0	60·5	82·5	86·0	85·0
28	77·5	87·0	80·0	76·5	67·0	74·0	67·5	76·0	66·0	82·0	94·0	96·0
29	84·0	89·0	84·0	79·5	71·0	69·0	67·0	75·0	83·0	80·0	85·0	83·0
30	83·5	...	83·0	86·0	73·0	70·0	67·5	74·0	78·0	82·0	88·0	85·0
31	83·0	...	87·5	...	71·5	...	72·0	78·5	...	96·0	...	82·0
Mean of each month	89·6	84·7	86·3	82·4	75·0	70·3	70·1	78·4	76·1	82·5	90·0	88·7

The highest reading, 108°, was on December 16th; the lowest, 61·0°, on June 19th.

Table No. IX.

Minimum Temperature of the Air (in Shade), at Brisbane, on each Day in the Year 1876.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	72·0	64·0	67·0	58·0	55·0	45·5	56·0	43·5	47·0	58·5	61·5	55·0
2	71·5	68·0	65·5	54·0	54·0	44·0	51·0	51·0	45·0	55·5	62·0	57·5
3	71·5	68·0	68·5	56·0	58·0	43·0	45·0	53·0	49·0	51·0	64·0	60·0
4	68·0	64·5	67·0	58·5	60·0	49·0	48·0	55·0	53·5	52·5	61·0	63·5
5	70·5	65·5	68·0	58·0	63·0	53·0	49·0	54·0	53·5	57·0	67·0	64·5
6	70·0	65·0	66·0	62·0	65·0	55·0	44·5	54·0	45·5	57·0	69·0	66·0
7	68·0	68·0	67·0	68·0	65·0	52·5	48·0	55·0	54·0	57·0	67·0	65·0
8	72·5	68·0	65·0	67·0	65·0	42·5	44·0	51·0	52·0	61·0	70·0	68·0
9	69·5	68·0	67·0	55·0	50·0	46·0	51·5	42·5	49·0	50·5	66·5	67·0
10	72·0	74·0	66·5	54·5	56·0	44·0	44·0	45·5	57·5	45·5	64·0	69·5
11	65·5	64·5	68·5	62·0	56·5	46·0	48·5	51·5	50·0	48·5	70·0	69·0
12	64·5	70·0	69·0	62·0	64·0	53·5	50·0	50·0	53·0	51·0	74·0	74·0
13	63·0	63·0	68·0	64·0	68·0	57·0	44·0	51·0	45·5	55·5	74·0	69·5
14	64·0	64·5	69·0	63·0	64·0	53·0	51·0	51·0	43·0	52·0	71·5	72·0
15	72·0	65·0	71·0	68·0	59·0	59·0	56·0	48·0	53·5	54·0	70·0	72·0
16	69·0	69·0	69·0	65·0	56·0	61·0	42·0	50·5	48·0	63·0	70·5	69·0
17	72·5	71·0	65·0	62·5	58·0	57·5	43·0	50·5	52·5	61·0	60·5	74·0
18	72·0	64·0	67·0	61·0	57·0	50·0	48·5	39·0	47·0	67·0	61·0	71·0
19	70·0	65·0	63·0	58·5	59·0	50·0	52·0	39·5	47·0	60·0	64·0	69·0
20	74·5	69·0	64·0	57·0	61·0	55·0	51·0	40·5	51·0	67·0	68·0	61·0
21	76·0	68·0	65·0	56·0	63·5	60·0	48·0	48·0	52·0	66·0	67·0	67·0
22	72·0	67·0	65·0	60·0	61·0	49·0	42·0	50·0	52·0	65·0	68·0	71·0
23	67·0	63·0	70·0	59·3	56·0	41·5	43·0	56·5	57·0	60·9	67·5	71·0
24	69·0	60·0	64·0	60·0	55·5	45·0	45·0	57·0	58·0	68·5	62·5	69·0
25	68·0	62·0	61·0	58·0	59·0	51·0	44·0	53·0	57·5	66·0	54·0	70·0
26	68·0	62·0	61·0	53·5	60·0	55·0	46·0	45·0	58·0	62·0	54·0	67·0
27	68·0	65·0	71·0	59·0	58·0	56·0	54·0	41·0	56·5	65·0	55·9	71·0
28	67·5	67·0	64·5	58·0	60·0	45·0	48·0	44·0	57·5	65·5	65·5	69·0
29	64·0	67·5	61·0	57·0	61·0	43·0	43·0	43·0	57·0	66·5	66·5	68·0
30	64·5	...	66·5	55·5	56·0	52·0	42·0	42·0	56·0	67·5	61·5	64·0
31	64·0	...	61·5	...	60·0	...	40·0	45·0	...	62·9	...	62·5
Mean of each Month	69·0	66·1	66·1	59·7	59·5	50·5	47·1	48·4	52·2	59·2	65·1	67·2

The lowest reading, 39·0°, was on the morning of August 18th; the highest, 76·0°, on January 21st.

Table No. X.

MAXIMUM TEMPERATURE in Sun (Solar Radiation), at BRISBANE, on each Day during the Year 1876.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	131·0	115·0	118·0	118·0	109·5	91·0	84·5	94·5	116·0	107·0	116·0	108·0
2	133·0	122·0	119·0	116·0	108·0	92·0	92·0	86·0	111·0	104·0	121·0	119·0
3	120·0	103·0	121·0	119·0	108·5	90·0	93·0	85·0	114·0	109·0	124·0	128·0
4	127·0	85·0	117·0	118·0	108·0	96·0	94·5	95·0	104·0	104·0	117·0	119·0
5	124·0	90·0	115·0	116·0	100·0	95·0	93·0	96·0	109·5	104·0	128·0	119·0
6	124·0	106·5	121·0	129·0	74·0	89·0	92·0	96·0	115·0	107·5	117·5	124·0
7	128·0	101·0	122·0	122·0	72·0	92·0	85·5	97·5	110·0	113·0	145·0	123·0
8	127·0	80·0	119·0	87·0	76·0	86·0	90·5	100·5	114·0	111·0	121·0	127·0
9	127·0	95·0	120·0	83·0	98·0	88·0	86·0	97·0	115·0	98·0	127·0	129·0
10	128·0	120·0	122·0	102·0	102·0	91·0	82·0	98·0	113·5	103·0	118·0	128·0
11	125·0	118·5	123·0	80·0	104·0	91·0	95·0	99·5	113·0	110·0	120·0	122·0
12	123·0	118·0	117·0	75·0	103·0	92·0	93·0	140·0	102·0	118·0	123·0	125·0
13	128·0	116·0	113·5	76·0	81·5	85·0	94·5	104·5	111·0	114·0	115·0	132·0
14	131·0	119·0	97·0	81·0	99·0	73·0	93·0	112·0	116·0	115·5	115·0	130·0
15	134·0	118·0	107·0	103·0	73·0	94·0	64·0	105·0	113·0	116·5	121·0	128·0
16	123·0	122·0	99·0	112·0	90·0	78·0	65·5	104·5	113·0	116·0	122·5	128·5
17	123·0	122·0	107·0	114·0	89·0	99·0	86·0	80·5	107·0	106·0	111·0	140·0
18	126·0	99·5	111·0	114·0	82·0	76·0	92·0	96·0	106·0	116·0	115·0	118·0
19	121·0	90·0	112·0	112·0	97·0	59·0	84·0	90·0	111·5	115·5	114·5	101·0
20	119·0	100·0	113·0	109·0	72·0	72·0	87·0	94·0	112·0	108·5	118·0	108·5
21	119·0	98·0	113·0	109·0	72·0	78·0	93·5	100·5	112·0	112·0	119·0	125·0
22	117·0	95·5	107·0	110·0	75·0	72·0	87·5	107·0	112·0	114·0	121·0	127·0
23	116·0	112·0	108·0	113·0	98·0	86·0	85·0	97·0	116·5	100·5	119·0	123·5
24	110·0	110·0	88·0	107·0	99·0	85·0	90·5	107·0	108·0	121·0	11·90	109·0
25	108·0	119·0	109·0	113·0	106·0	77·0	93·0	108·5	76·0	121·0	119·0	89·5
26	102·0	116·5	112·0	108·5	94·0	68·0	95·0	103·0	116·0	115·0	111·0	84·0
27	91·0	119·0	119·0	107·5	71·0	74·0	95·0	104·0	64·0	111·0	109·0	109·0
28	88·0	123·0	86·0	86·0	65·0	91·0	88·0	103·0	78·0	110·0	118·0	115·5
29	106·0	119·5	112·0	108·0	76·0	88·0	66·0	108·0	112·5	111·0	118·0	108·0
30	101·0	...	111·0	110·0	89·5	93·0	87·0	105·0	108·0	109·0	124·0	111·5
31	92·0	...	120·0	...	79·0	...	93·0	105·0	...	119·0	...	105·0
Mean of each Month	118·4	108·7	112·2	104·9	89·3	84·4	88·4	99·4	100·9	110·9	119·5	118·1

The highest reading, 134°, was on January 15th; the lowest, 59°, on June 19th.

Table No. XI.

MINIMUM TEMPERATURE of the AIR, at BRISBANE (taken on Grass), on each Day in the Year 1876.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	70·0	63·0	64·0	52·0	54·0	43·0	54·0	38·5	44·5	58·5	59·0	53·0
2	71·0	67·0	63·5	49·0	54·0	42·0	49·0	48·0	40·5	55·0	58·0	55·0
3	69·0	66·0	67·0	54·0	56·0	43·0	43·5	51·0	45·0	49·0	60·0	55·0
4	66·0	63·0	65·5	57·0	58·0	46·0	45·0	55·0	52·0	50·5	57·0	61·5
5	67·0	64·0	66·0	57·0	62·5	53·0	46·0	53·0	50·0	58·0	63·5	62·0
6	67·5	64·5	64·0	59·0	64·5	56·5	44·0	51·0	53·0	55·0	67·0	44·5
7	65·0	66·5	65·0	66·0	63·0	49·0	48·5	55·0	50·0	56·0	66·0	63·0
8	69·5	68·0	64·0	66·5	63·0	40·0	39·5	46·0	50·0	60·0	67·0	65·0
9	66·0	66·0	64·0	53·0	56·0	44·0	49·0	39·0	47·0	49·0	65·0	66·0
10	70·0	73·0	64·0	50·0	56·0	43·0	42·0	43·5	55·0	43·5	63·0	67·5
11	62·0	61·0	67·0	61·0	56·0	45·0	43·5	49·0	47·5	45·0	65·0	70·0
12	61·0	68·0	68·0	62·5	64·5	53·0	46·0	47·0	46·0	48·0	72·0	73·5
13	59·0	62·0	66·0	65·0	66·0	56·5	42·5	50·0	44·0	51·0	72·0	67·0
14	59·0	63·5	69·0	62·0	64·0	53·0	50·5	48·0	39·0	47·5	68·5	69·0
15	71·0	64·0	71·0	65·0	50·5	58·0	57·0	47·0	50·0	51·0	69·0	71·0
16	66·0	67·0	67·0	63·0	54·0	58·0	45·5	48·0	44·0	60·0	68·5	67·0
17	72·0	71·0	63·5	62·0	57·0	54·0	40·0	50·0	48·0	57·5	61·5	72·0
18	70·0	64·0	66·0	60·0	55·5	49·0	48·0	35·0	44·0	63·5	62·0	70·0
19	70·0	65·0	61·0	57·0	59·0	49·0	46·5	34·5	45·5	59·0	62·0	69·0
20	73·0	67·5	63·0	57·0	62·0	52·0	48·0	38·0	49·5	66·0	65·0	60·0
21	75·0	67·5	64·0	58·0	63·0	60·0	44·0	44·0	49·0	63·5	65·0	65·0
22	70·0	66·0	64·0	59·0	58·0	47·0	37·5	47·0	48·0	62·0	64·0	70·0
23	66·0	61·0	68·0	59·0	54·0	41·0	38·0	53·0	54·0	57·0	66·0	71·0
24	66·0	59·0	63·0	58·5	53·0	44·0	40·0	54·0	58·0	64·5	61·5	69·0
25	65·0	61·0	59·0	57·0	57·0	52·0	43·0	46·0	57·0	61·0	55·0	69·0
26	67·0	60·0	58·5	53·5	60·0	55·5	43·0	38·0	59·0	61·5	59·5	67·5
27	68·0	62·0	69·0	58·0	57·0	56·0	51·0	36·0	57·0	63·5	51·0	71·0
28	67·5	65·0	62·0	57·0	60·0	44·0	41·5	41·5	56·0	63·0	61·0	65·0
29	64·0	65·5	60·0	56·0	59·0	42·0	35·5	42·0	60·0	65·0	64·0	66·0
30	63·0	...	66·0	55·0	55·0	51·0	36·0	40·0	55·0	66·5	60·5	63·5
31	62·0	...	59·0	...	58·0	...	38·0	40·0	...	66·0	...	60·0
Mean of each Month	67·0	64·8	64·5	58·3	58·3	49·3	44·3	45·4	49·9	57·0	63·2	66·3

The lowest reading, 34·5°, was on the morning of August 19th; the highest, 73·5°, on December 12th.

Table No. XII.

RANGE of TEMPERATURE (in Shade), at BRISBANE, for each Day in the Year 1876.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	22·0	23·5	19·0	32·0	31·0	26·5	11·0	29·0	30·0	17·5	24·5	24·0
2	21·0	20·0	21·5	36·0	32·0	29·0	22·0	19·5	36·0	18·5	31·0	32·0
3	19·0	17·0	20·0	33·5	28·0	29·0	25·5	13·5	36·0	29·0	33·0	38·0
4	20·0	7·5	19·5	29·5	20·0	23·5	25·5	27·0	22·5	24·5	24·0	24·5
5	16·0	12·0	17·5	26·0	16·0	23·0	26·0	18·5	21·5	24·0	30·0	18·5
6	17·5	18·0	21·0	23·5	6·0	13·5	30·5	22·0	31·5	22·5	16·0	20·0
7	24·0	13·0	23·0	21·0	5·0	20·0	23·0	19·5	25·0	24·0	35·5	21·5
8	18·5	8·0	24·0	11·0	7·5	26·5	27·0	28·0	25·0	20·0	15·5	21·0
9	21·5	11·0	27·0	21·0	19·5	25·0	16·5	34·5	28·0	23·5	27·0	25·0
10	19·0	22·0	29·0	25·5	26·0	29·0	27·0	30·5	22·5	31·5	29·0	23·0
11	26·5	35·0	26·5	11·0	25·5	29·0	25·5	26·0	33·5	33·5	24·0	22·0
12	24·0	22·0	19·0	10·0	15·5	20·5	19·0	25·0	21·0	37·0	19·5	12·5
13	29·0	23·5	19·0	7·5	8·5	14·5	27·0	22·5	32·5	27·5	20·0	25·0
14	33·0	20·0	13·0	11·0	15·5	15·0	20·0	28·0	40·0	31·0	20·0	22·5
15	25·5	21·0	13·0	12·5	9·0	18·0	6·5	38·5	28·5	28·5	21·0	21·0
16	20·0	18·0	13·0	24·0	14·0	10·0	26·0	24·5	40·0	21·0	19·5	24·0
17	16·5	20·0	19·0	27·5	23·5	23·0	20·0	18·0	30·5	19·0	26·5	34·0
18	21·0	16·0	17·0	27·0	15·0	14·0	25·0	34·0	29·5	20·0	17·0	26·0
19	23·0	12·0	21·5	24·5	16·0	11·0	18·0	36·5	29·0	24·5	19·5	13·0
20	18·0	15·0	23·0	26·0	7·0	10·0	17·0	27·5	25·5	13·0	24·0	21·5
21	23·5	13·0	22·0	24·0	4·5	13·0	24·0	28·0	27·0	17·5	30·5	23·0
22	21·5	11·5	19·0	25·5	11·0	20·5	23·5	23·5	27·0	21·5	28·0	19·0
23	24·0	22·5	18·0	25·5	21·0	25·5	22·0	16·0	26·0	30·5	22·5	23·0
24	17·0	25·0	15·0	22·0	25·5	24·5	28·0	23·0	20·5	21·5	26·5	17·0
25	19·0	27·5	25·0	20·0	22·0	13·0	29·5	30·5	7·5	21·5	32·0	9·0
26	19·0	23·0	26·0	30·0	16·6	13·0	28·0	31·0	28·5	23·0	26·5	9·0
27	10·0	21·0	17·0	24·5	6·0	9·0	18·0	36·0	4·0	17·5	31·0	14·0
28	10·0	20·0	15·5	18·0	7·0	29·0	19·5	32·0	8·5	16·5	28·5	27·0
29	20·0	21·5	23·0	29·5	10·0	26·0	24·0	32·0	26·0	13·5	18·5	15·0
30	19·0	...	16·5	30·5	17·0	18·0	25·5	32·0	22·0	14·5	26·5	21·0
31	19·0	...	26·0	...	11·5	...	32·0	33·5	...	33·0	...	19·5
Mean of each Month	20·5	18·6	20·2	22·9	15·8	20·0	22·9	26·7	26·1	23·2	24·9	21·4

The greatest range of temperature during one day, 40·0°, was on September 14th and 16th; the least, 4·0°, on September 27th.

Table No. XIII.

READINGS of the BAROMETER, at BRISBANE, at 9 a.m., for each Day during the Year 1876.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
1	29·932	29·866	30·026	29·843	30·059	30·205	30·211	30·396	29·252	30·188	29·974	30·082
2	29·922	29·932	30·014	29·974	30·181	30·240	30·284	30·428	30·152	30·076	29·876	29·923
3	29·968	29·969	30·079	30·061	30·260	30·266	30·272	30·420	30·222	30·036	29·932	29·911
4	29·944	29·932	30·127	30·000	30·283	30·212	30·198	30·394	30·252	29·995	29·908	30·100
5	29·809	29·932	30·088	29·960	30·223	30·215	30·182	30·284	30·186	30·123	30·950	30·072
6	21·723	29·980	30·050	29·982	30·045	30·021	30·214	30·122	30·252	30·108	29·827	30·092
7	29·822	29·914	30·013	29·974	29·950	29·986	30·147	30·016	30·248	30·057	29·022	30·040
8	29·930	29·836	29·976	29·890	29·890	30·146	30·060	30·165	30·290	30·001	29·932	30·070
9	29·836	29·756	29·973	30·044	30·056	29·167	30·074	30·337	30·195	30·060	29·884	30·018
10	29·760	29·588	29·956	30·235	30·144	30·266	30·003	30·385	29·813	30·026	29·864	30·037
11	29·924	29·831	29·958	30·245	30·172	30·337	30·008	30·375	29·666	30·048	29·862	30·057
12	29·916	30·165	30·020	30·138	30·050	30·326	30·125	30·351	29·820	29·949	29·920	29·929
13	29·785	30·120	29·916	29·962	30·257	30·270	30·117	30·294	29·917	29·852	29·916	29·944
14	29·828	30·090	30·013	29·840	30·288	30·142	30·050	30·324	29·880	29·895	29·988	30·041
15	29·860	30·068	30·078	29·836	30·380	30·023	29·858	30·312	29·825	29·990	30·002	30·039
16	29·900	29·936	30·132	29·938	30·388	29·976	29·745	30·174	29·863	30·006	29·880	29·939
17	29·800	29·934	30·070	29·974	30·380	30·165	29·816	29·977	30·117	30·022	29·780	30·034
18	29·859	29·804	29·980	30·172	30·337	30·437	29·748	30·089	30·333	30·003	29·744	30·155
19	29·782	29·810	29·990	30·243	30·277	30·398	29·897	30·132	30·413	30·064	29·655	30·179
20	29·763	29·950	30·072	30·134	30·143	30·252	30·199	30·309	30·329	29·994	29·738	30·114
21	29·762	29·860	30·106	30·064	29·954	29·996	30·056	30·280	30·246	29·868	30·008	30·058
22	29·757	29·800	30·022	30·132	30·052	30·168	30·074	30·214	30·175	29·840	30·020	29·969
23	29·984	29·630	30·207	30·245	30·148	30·325	30·132	30·036	30·190	29·944	29·940	29·989
24	30·056	29·975	30·167	30·324	30·220	30·368	30·278	29·943	30·208	29·992	29·878	30·045
25	30·074	29·987	30·087	30·229	30·240	30·306	30·305	29·920	30·116	30·074	29·774	30·000
26	30·085	30·047	29·900	30·130	30·218	30·150	30·286	30·110	30·124	30·034	29·756	29·884
27	30·073	30·057	29·986	30·177	30·085	30·073	30·138	30·214	30·145	30·058	29·716	29·729
28	30·116	30·054	30·104	30·187	30·038	30·055	30·170	30·335	30·176	30·104	29·794	29·963
29	30·060	30·143	30·169	30·092	30·076	30·190	30·200	30·327	30·235	30·012	29·967	30·067
30	30·010	...	30·060	30·030	30·026	30·220	30·219	30·253	30·241	29·876	30·150	30·187
31	29·912	...	29·912	...	29·982	...	30·352	30·282	...	29·978	...	30·158
Mean of each Month	29·901	29·940	30·040	30·068	30·154	30·196	30·113	30·232	30·128	30·008	29·887	30·026

The highest reading, 30·437 inches, was on June 18th, and the lowest, 29·588 inches, on February 10th.
The readings are corrected to 32° Fahrenheit, and reduced to mean sea level.

Table No. XIV.

RAINFALL at BRISBANE, for each Day during the Year 1876.

Day of Month.	January.	February.	March.	April.	May	June.	July.	August.	September.	October.	November.	December.
1	...	...	...	...	...	...	0·09	...	...	0·02	...	...
2	0·03	0·03	...	...	...	...	...	...	...	0·97	...	...
3	...	0·01	...	...	...	...	...	0·07	...	0·01	...	...
4	...	0·60	...	...	...	...	...	0·04	...	...	...	...
5	...	0·15	0·04	...	0·08	...	...	...	0·01	...	...	...
6	...	0·16	...	...	1·24	0·15	...	...	...	0·02	...	...
7	0·08	0·12	0·01	...	2·07	0·37	...	...	...	...	...	...
8	...	0·90	0·17	0·05	1·22	...	...	...	0·01	...	...	...
9	...	0·10	...	0·01	...	...	...	...	...	0 01	0·56	...
10	0·09	...	...	...	...	...	...	...	...	...	...	...
11	0·04	...	...	0·06	...	...	...	...	0·04	...	...	...
12	...	0·01	0·05	0·62	0·25	...	...	...	...	...	...	...
13	...	...	0·48	2·40	0·02	0·02	...	...	...	...	...	...
14	...	...	0·22	0·77	0·95	0·02	0·22	...	...	...	...	...
15	0·08	...	0·64	...	0·11	...	3·54	...	...	...	...	0·05
16	0·02	...	0·70	...	...	...	3·30	...	...	0·08	...	...
17	0·49	0·36	0·02	...	0·17	0·03	...	0·20	...	0·13	0·84	...
18	0·65	1·40	0·10	...	0·03	...	...	...	...	0·01	0·07	...
19	0·85	1·58	...	...	0·01	0·06	...	...	...	0·98	0·01	...
20	...	0·13	0·01	...	0·20	0·66	...	...	...	...	...	...
21	...	...	...	...	1·40	0·21	...	...	...	0·09	...	...
22	0·01	0·02	...	...	0·43	0·15	...	...	...	0·01	...	...
23	1·04	...	0 01	...	...	...	...	...	...	...	...	0·24
24	...	...	...	...	...	...	...	0·01	0·01	...	...	2·39
25	...	...	...	0·09	...	0·08	...	...	0·18	0·06	0·65	0·48
26	1·00	...	...	...	0·30	0·79	0·03	...	0·41	0·47	...	0·37
27	0·86	...	...	...	2·07	0·06	...	...	0·54	0·27	...	0·23
28	0·54	...	0·03	...	3·00	...	...	...	0·11	...	...	...
29	...	...	0·01	...	0·10	...	...	...	...	...	...	...
30	0·03	...	...	...	0·01	0·03	...	...	1·01	0·07	0·10	...
31	0·05	...	...	...	0·19	...	...	...	...	0·01	...	...
Total in each Month	5·86	5·57	2·49	4·00	13·85	2·63	7·18	0·32	2·32	3·21	2·23	3·76
Number of Days on which Rain fell	16	14	14	7	20	13	5	4	9	16	6	6

Total Rainfall of the year, 53·42 inches. Rain fell on 130 days. The maximum fall during 24 hours, 3·54 inches, was on July 15th.

For further information as to the Rainfall of Queensland, see Tables Nos. III., IV., and V., also the general Table No. VI.

By Authority: JAMES C. BEAL, Government Printer, William street, Brisbane.